



POWERPLUS®
HIGH QUALITY TOOLS

- ▶ POWER TOOLS
- ▶ ELEKTRISCH GEREEDSCHAP
- ▶ OUTILLAGE ÉLECTRIQUE
- ▶ ELEKTROWERKZEUGE
- ▶ HERRAMIENTAS ELÉCTRICAS

INDEX

INHOUDSOPGAVE // TABLE DES MATIÈRES // INHALTSVERZEICHNIS // TABLA DE CONTENIDOS



DRILLING

POWX00405	SCREWDRIVER	3.6V	P 6
POWX00410	SCREWDRIVER	7.2V	P 6
POWX00408	COMPACT MULTI-FUNCTIONAL SCREWDRIVER	3.6V	P 7
POWX00416	PRECISION SCREWDRIVER	4V	P 8
POWX00420	COMPACT SCREWDRIVER	4V	P 8
POWX0041LI	DRILL/ SCREWDRIVER	12V	P 9
POWX00425	DRILL/ SCREWDRIVER	16V	P 9
POWX00435	DRILL/SCREWDRIVER	20V	P 10
POWX00445	IMPACT DRILL/ SCREWDRIVER	20V	P 10
POWX00450	IMPACT DRILL/SCREWDRIVER	20V	P 11
POWX00501	DRILL/SCREWDRIVER	20V	P 11
POWX00512	IMPACT DRILL/ SCREWDRIVER	20V	P 12
POWX0069LI	DRILL/ SCREWDRIVER PROMO	18V	P 12
POWX00830	DRILL/ SCREWDRIVER + 134 ACC	20V	P 13
POWX00840	DRILL/ SCREWDRIVER + 74 ACC	20V	P 13
POWX00850	DRILL/ SCREWDRIVER + 78 ACC	20V	P 14
POWXB10010	DRILL/ SCREWDRIVER = PART OF POWXBBOX10	20V	P 15
POWXB10060	DRILL/ SCREWDRIVER	20V	P 15
POWXB10070	DRILL/ SCREWDRIVER + 362 ACC	20V	P 16
POWXB30020	IMPACT SCREWDRIVER	20V	P 17
POWXB30050	IMPACT WRECH	20V	P 17
POWX0260	IMPACT DRILL	650W	P 18
POWX0270	IMPACT DRILL	850W	P 18
POWX0280	IMPACT DRILL	1050W	P 19
POWX1170	HAMMER DRILL	750W	P 20
POWX11721	HAMMER DRILL	1200W	P 20
POWX1175	HAMMER DRILL	1600W	P 21
POWX1179	HAMMER DRILL	1600W	P 21
POWX1195	HAMMER DRILL	1500W	P 22
POWX1197	HAMMER DRILL	1500W	P 22
POWX1199	HAMMER DRILL + 17 ACC	1500W	P 23
POWX11831	DEMOLITION HAMMER	1300W	P 23
POWX11861	DEMOLITION HAMMER	1700W	P 24
POWX1190	DEMOLITION HAMMER	1600W	P 24
POWX153	BENCH DRILL	350W	P 25
POWX155	BENCH DRILL	500W	P 25

SANDING, POLISHING & GRINDING

POWX0401	FINISHING SANDER	260W	P 28
POWX0441	FINISHING SANDER	330W	P 28
POWX0471	ECCENTRIC SANDER	450W	P 29

POWX0481	PALM SANDER	220W	P 30
POWX0485	MULTI-SANDER 3-IN-1	260W	P 30
POWX0490	TRIANGULAR SANDER	300W	P 31
POWX04950	SANDING ROLLER	310W	P 32
POWX04761	DRYWALL SANDER	710W	P 33
POWX0477	DRYWALL SANDER COMBI	710W	P 34
POWX0478	WALL/CEILING SANDER	1220W	P 35
POWX0479	DRYWALL SANDER	1050W	P 36
POWX139	FILE BELT SANDER	400W	P 37
POWX0460	BELT SANDER	950W	P 37
POWX1280	DOUBLE BENCH GRINDER	120W	P 38
POWX1270	BELT SANDER/GRINDER	240W	P 38
POWX0474	ANGLE POLISHER	1200W	P 39
POWX04960	POLISHER	120W	P 39
POWXB20030	ANGLE GRINDER	20V	P 40
POWXB20050	ANGLE GRINDER	20V	P 40
POWX0611	ANGLE GRINDER	900W	P 41
POWX0614	ANGLE GRINDER	1200W	P 41
POWX0618	ANGLE GRINDER	2500W	P 41
POWX06250A	ANGLE GRINDER	750W	P 42
POWX06250B	ANGLE GRINDER	2000W	P 42
POWX0650	WALL SLOTTER	1800W	P 43
POWX1350	MULTI-FUNCTION SHARPENER	96W	P 44
POWX1341	ROTARY MULTITOOL	200W	P 45
POWXB40010	OSCILLATING MULTITOOL = PART OF POWXBBOX10	20V	P 46
POWXB40020	OSCILLATING MULTITOOL	20V	P 46
POWX1331LI	OSCILLATING MULTITOOL	18V	P 47
POWX1346	OSCILLATING MULTITOOL	300W	P 47
POWX1347MC	OSCILLATING MULTITOOL	300W	P 47

SAWING

POWXB50020	JIGSAW	20V	P 50
POWX0331	JIGSAW	650W	P 51
POWX0361	JIGSAW	810W	P 51
POWX0397	RECIPROCATING SAW	900W	P 52
POWX1410	METAL SAW	600W	P 53
POWX1365MB	MINI PLUNGE SAW	600W	P 53
POWX0520	CIRCULAR SAW	1500W	P 54
POWX0550	CIRCULAR SAW	1800W	P 54
POWX0562	PLUNGE SAW	1200W	P 55
POWX075700	MITRE SAW Ø210mm	1500W	P 56

+ BMC

BLOW MOLDED CASES ARE FORMED BY BLOWING PLASTIC INTO A METAL MOLD. THIS PROCESS CREATES A SEAMLESS, HIGHLY DURABLE SHELL THAT PROTECTS YOUR EQUIPMENT AS NO OTHER CASE CAN.

BLOW MOLDED CASE



POWX075710S	TELESCOPIC MITRE SAW Ø210mm	1600W	P 56
POWX075720DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø210mm	1600W	P 57
POWX075730S	TELESCOPIC MITRE SAW Ø254mm	2200W	P 58
POWX075740DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø254mm	2200W	P 59
POWX075750DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø305mm	2200W	P 60
POWX075751DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø305mm	2000W	P 60
POWX07583	MITRE SAW WITH TOP TABLE	2000W	P 61
POWX53300T	SUPPORT STAND FOR MITRE SAWS		P 62
POWX075100	SUPPORT STAND FOR MITRE SAWS		P 62
POWX075200	SUPPORT STAND FOR MITRE SAWS		P 63
POWX0700T	ROLLER SUPPORT STAND		P 63
POWX07588	TABLE SAW Ø200mm	800W	P 64
POWX07590	TABLE SAW Ø210mm	1700W	P 65
POWX07595	TABLE SAW Ø250mm	2000W	P 65
POWX07598	TABLE SAW Ø250mm	2000W	P 66
POWX180	BAND SAW	350W	P 67
POWX195	SCROLL SAW	120W	P 68
POWX230	TILE CUTTER Ø180mm	750W	P 69
POWX240	TILE CUTTER Ø180mm	600W	P 69
POWX2300	TILE CUTTER Ø180mm	800W	P 69

Woodworking

POWX1110	PLANER	900W	P 72
POWX2040	JOINTER/PLANER	1500W	P 73
POWX0910	ROUTER	1200W	P 74
POWX093	ROUTER	1500W	P 74
POWX1310	BISCUIT JOINTER	900W	P 75

Lifting

POWX900	HOIST	500W	P 76
POWX901	HOIST	1000W	P 76
POWX902	HOIST	1050W	P 76
POWX903	HOIST	1300W	P 77
POWX910	PIVOTING ARM FOR HOIST		P 77

Power generating

POWX410	PORTABLE 4-IN-1 POWER STATION	12V	P 78
POWX4201	SMART CHARGER	35W	P 79
POWX4203	SMART CHARGER	70W	P 79
POWX4207	SMART CHARGER	160W	P 79
POWX4251	JUMP STARTER 3-IN-1	12V	P 80

POWX4255	JUMP STARTER 3-IN-1	12V	P 80
POWX4258	JUMP STARTER 3-IN-1	12V	P 80
POWX510	POWER GENERATOR	2200W	P 81
POWX513	POWER GENERATOR	3000W	P 81
POWX516	POWER GENERATOR	5400W	P 81

Cleaning


POWX320	VACUUM CLEANER	800W	P 82
POWX321	VACUUM CLEANER	1000W	P 82
POWX322	VACUUM CLEANER	1000W	P 82
POWX3230	VACUUM CLEANER	1200W	P 83
POWX3240	VACUUM CLEANER	1200W	P 83
POWX325	VACUUM CLEANER (2x ENGINE)	2x 1200W	P 84
POWX2090	MOVABLE DUST AND CHIP COLLECTOR	550W	P 85
POWX3000	ASH CLEANER	1000W	P 86
POWX3010	ASH CLEANER	1200W	P 86
POWX3013	ASH CLEANER	1600W	P 86
POWX308	ASH CLEANER	1200W	P 87
POWX3018	ASH CLEANER	1800W	P 87

Various

POWX1021	HEAT GUN	2000W	P 88
POWX1025	HEAT GUN	2000W	P 88
POWX3400	WALLPAPER STRIPPER	2300W	P 89
POWX351	PAINT SPRAY GUN	130W	P 90
POWX354	PAINT SPRAY GUN	500W	P 90
POWX358	PAINT SPRAY GUN WITH TROLLEY	750W	P 91
POWX1700	LI-ION AIR PRESSURE PUMP	18V	P 92
POWX1710	LI-ION AIR PUMP	8V	P 92
POWX720	SELF-LEVELING LASER LEVEL		P 93
POWX0841	CONCRETE/PAINT MIXER	1600W	P 94
POWX089	CONCRETE/PAINT MIXER DOUBLE ROTATION	1600W	P 95
POWX480	WELDING MACHINE	160A	P 96
POWX1382	SOLDERING IRON	30W	P 97
POWX1384	SOLDERING IRON	60W	P 97
POWX1386	SOLDERING GUN	100W	P 97
POWX1388	SOLDERING IRON	4V	P 97
POWX13700	NAIL/STAPLE GUN	45W	P 98
POWX13800	NAIL/STAPLE GUN	50W	P 98
POWX143	HOT GLUE GUN	78W	P 99
POWX146	HOT GLUE GUN	25W	P 99
POWX147	HOT GLUE GUN	4V	P 99



DRILLING



POWERPLUS®
HIGH QUALITY TOOLS

| 5

POWX00405	SCREWDRIVER	3.6V	P 6
POWX00410	SCREWDRIVER	7.2V	P 6
POWX00408	COMPACT MULTI-FUNCTIONAL SCREWDRIVER	3.6V	P 7
POWX00416	PRECISION SCREWDRIVER	4V	P 8
POWX00420	COMPACT SCREWDRIVER	4V	P 8
POWX0041LI	DRILL/ SCREWDRIVER	12V	P 9
POWX00425	DRILL/ SCREWDRIVER	16V	P 9
POWX00435	DRILL/SCREWDRIVER	20V	P 10
POWX00445	IMPACT DRILL/ SCREWDRIVER	20V	P 10
POWX00450	IMPACT DRILL/SCREWDRIVER	20V	P 11
POWX00501	DRILL/SCREWDRIVER	20V	P 11
POWX00512	IMPACT DRILL/ SCREWDRIVER	20V	P 12
POWX0069LI	DRILL/ SCREWDRIVER PROMO	18V	P 12
POWX00830	DRILL/ SCREWDRIVER + 134 ACC	20V	P 13
POWX00840	DRILL/ SCREWDRIVER + 74 ACC	20V	P 13
POWX00850	DRILL/ SCREWDRIVER + 78 ACC	20V	P 14
POWXB10010	DRILL/ SCREWDRIVER = PART OF POWXBBOX10	20V	P 15
POWXB10060	DRILL/ SCREWDRIVER	20V	P 15
POWXB10070	DRILL/ SCREWDRIVER + 362 ACC	20V	P 16
POWXB30020	IMPACT SCREWDRIVER	20V	P 17
POWXB30050	IMPACT WRECH	20V	P 17

POWX0260	IMPACT DRILL	650W	P 18
POWX0270	IMPACT DRILL	850W	P 18
POWX0280	IMPACT DRILL	1050W	P 19
POWX1170	HAMMER DRILL	750W	P 20
POWX11721	HAMMER DRILL	1200W	P 20
POWX1175	HAMMER DRILL	1600W	P 21
POWX1179	HAMMER DRILL	1600W	P 21
POWX1195	HAMMER DRILL	1500W	P 22
POWX1197	HAMMER DRILL	1500W	P 22
POWX1199	HAMMER DRILL + 17 ACC	1500W	P 23
POWX11831	DEMOLITION HAMMER	1300W	P 23
POWX11861	DEMOLITION HAMMER	1700W	P 24
POWX1190	DEMOLITION HAMMER	1600W	P 24
POWX153	BENCH DRILL	350W	P 25
POWX155	BENCH DRILL	500W	P 25

SCREWDRIVER | 3.6V | 7.2V

SCHROEVENDRAAIER // TOURNEVIS // SCHRAUBENDREHER // DESTORNILLADOR



INCLUDED:

1x magnetic bit holder 60mm
24x 25mm bits (SL3/4/5/6/7/8-PH1/2/3-PZ1/2/3-T10/15/20/25/27-H3/4/5/6-S1/2/3)
7x 50mm bits (PH1/2-PZ1/2-SL3/4/5)
5x sockets (5/6/7/8/10mm)



INCLUDED:

1x magnetic bit holder 60mm
12x 25mm bits (PZ1/PZ2/PZ3-PH1/PH2/PH3-SL3/SL4/SL6/SL8)

POWERPLUS
HIGH QUALITY TOOLS

6 |

+ BMC



POWX00405
3.6V Li-ion



POWX00410
7.2V Li-ion

Battery capacity	1300mAh Li-ion	1300mAh Li-ion
Average charging time	3-5 hours	3-5 hours
Rotation speed	230min ⁻¹	230min ⁻¹
Maximum torque	4Nm	4Nm (21+1 torque positions)
Chuck	1/4" quick release	Hex
Features	• LED worklight • LED battery charger indicator • Left/right • Soft grip • Overload protection • Spindle lock • Use in 2 positions: folded or straight	• LED worklight • LED battery charger indicator • Left/right • Soft grip • Overload protection • Spindle lock • Use in 2 positions: folded or straight
Included	• 1x 3-5h charger • 1x battery 1300mAh Li-ion • 24x 25mm bit • 7x 50mm bit • 5x socket • 1x magnetic bit holder 60mm • 1x BMC	• 1x 3-5h charger • 1x battery 1300mAh Li-ion • 12x 25mm bit • 1x magnetic bit holder 60mm



POWX00405

BMC



COMPACT MULTI-FUNCTIONAL SCREWDRIVER | 3.6V

COMPACTE MULTIFUNCTIONELE SCHROEVENDRAAIER // TOURNEVIS COMPACT MULTIFUNCTIONNEL
KOMPAKTER MULTIFUNKTIONSSCHRAUBENDREHER // DESTORNILLADOR MULTIFUNCIONAL COMPACTO



POWERPLUS
HIGH QUALITY TOOLS

USB CHARGING

+ BMC



POWX00408
3.6V Li-ion

NEW



Cutting function:

For soft flat and thin materials like carpet, leather, fabric, plastic sheets and cardboard.

Battery capacity	1500mAh Li-ion
Average charging time	3-5 hours
Rotation speed	200min ⁻¹
Cutting capacity	Max. 6mm
Chuck	1/4" quick release
Features	• USB charging • 3 attachments for - angled screwdriving - eccentric screwdriving - cutting • LED worklight • Left/right • Soft grip
Included	• 1x USB charging cable • 3x attachments • 14x 25mm bit • 2x 50mm bit • 1x magnetic bit holder 60mm • 1x BMC



5 400338 098437 >

PRECISION SCREWDRIVER | 4V

PRECISIESCHROEVENDRAAIER // TOURNEVIS DE PRÉCISION // PRÄZISIONSSCHRAUBENDREHER // DESTORNILLADOR DE PRECISIÓN

COMPACT SCREWDRIVER | 4V

COMPACTE SCHROEVENDRAAIER // TOURNEVIS COMPACT // KOMPAKTSCHRAUBER // ATORNILLADOR COMPACTO



INCLUDED:
15x bit 28mm
1x USB charging cable

INCLUDED:
24x bit 25mm
1x bit 50mm
1x bit holder
1x USB charging cable

POWERPLUS
HIGH QUALITY TOOLS

8 |

USB CHARGING

+ BMC



POWX00416
4V Li-ion

NEW

USB CHARGING

+ BMC



POWX00420
4V Li-ion

NEW

Battery capacity	320mAh Li-ion	1300mAh Li-ion
Average charging time	2 hours	3-5 hours
Rotation speed	135min ⁻¹	250min ⁻¹
Maximum torque		4Nm
Features	• Compact • LED worklight • 15 accessories • Left/right	• Extreme power • Compact • LED worklight • 27 accessories • Left/right
Included	• 15x bit 28mm • 1x USB charging cable • 1x storage case	• 24x 25mm bit • 1x 50mm bit • 1x bit holder • 1x USB charging cable • 1x storage case



5 400338 097393 >



5 400338 097577 >



POWX00416

STORAGE CASE



POWX00420

STORAGE CASE



DRILL/SCREWDRIVER | 12V | 16V

SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRRSCHRAUBER // TALADRO/ATORNILLADOR



POWERPLUS
HIGH QUALITY TOOLS

| 9

	2 SPEED + BMC	2 SPEED + BMC	2 BATTERIES
			
	POWX0041LI 12V Li-ion	POWX00425 16V Li-ion	
Battery capacity	1500mAh Li-ion	1300mAh Li-ion	
Average charging time	1 hour	3-5 hours	
Rotation speed	0-350min ⁻¹ / 0-1300min ⁻¹	0-400min ⁻¹ / 0-1400min ⁻¹	
Maximum torque	25Nm (17+1 torque positions)	30Nm (18+1 torque positions)	
Chuck	Removable keyless chuck Ø10mm	Keyless chuck Ø10mm	
Features	• 2 speed • Removable chuck / built-in magnetic bit holder • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop	• 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip	
Included	• 1x 1h quick charger • 1x battery 1500mAh Li-ion • 1x BMC 	• 1x charger • 2x battery 1300mAh Li-ion • 1x BMC 	
			

POWX00425

2 BATTERIES



BATTERY LEVEL INDICATOR



DRILL/SCREWDRIVER | 20V

IMPACT DRILL/SCREWDRIVER | 20V

SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRSCHRAUBER // TALADRO/ATORNILLADOR

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO



POWERPLUS
HIGH QUALITY TOOLS

10 |

	2 SPEED		2 SPEED	IMPACT FUNCTION
	+ BMC	2 BATTERIES	+ BMC	2 BATTERIES
	 POWX00435 20V Li-ion		 POWX00445 20V Li-ion	
Battery capacity	1500mAh Li-ion		2000mAh Li-ion	
Average charging time	1 hour		1 hour	
Rotation speed	0-400min ⁻¹ / 0-1400min ⁻¹		0-400min ⁻¹ / 0-1400min ⁻¹	
Maximum torque	35Nm (18+1 torque positions)		50Nm (16+1+1 torque positions)	
Chuck	Keyless chuck Ø10mm + lock		Keyless chuck Ø13mm + lock	
Features	• 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop		• 3 functions: screwing/drilling/impact drilling • 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop	
Included	• 1x 1h quick charger • 2x battery 1500mAh Li-ion • 1x BMC 		• 1x 1h quick charger • 2x battery 2000mAh Li-ion • 1x BMC 	
	 5 400338 079474 >		 5 400338 079481 >	

BATTERY LEVEL INDICATOR



IMPACT DRILL/SCREWDRIVER | 20V

DRILL/SCREWDRIVER | 20V

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO
SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRSCHRAUBER // TALADRO/ATORNILLADOR



POWERPLUS
HIGH QUALITY TOOLS

BRUSHLESS	2 SPEED	IMPACT FUNCTION	2 SPEED	NEW
	+ BMC	2 BATTERIES	+ BMC	3 BATTERIES
	 POWX00450 20V Li-ion		 POWX00501 20V Li-ion	
Battery capacity	2000mAh Li-Ion		1300mAh Li-Ion	
Average charging time	1 hour		3-5 hours	
Rotation speed	0-450 / 0-1500min ⁻¹		0-400min ⁻¹ / 0-1400min ⁻¹	
Maximum torque	50Nm (16+1+1 torque positions)		35Nm (18+1 torque positions)	
Chuck	Keyless chuck Ø10mm + lock		Sanou keyless chuck Ø10mm	
Features	• 3 functions: screwing/drilling/impact drilling • 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop		• 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop	
Included	• 1x 1h quick charger • 2x 2000mAh Li-ion battery • 1x BMC		• 1x charger • 3x battery 1300mAh Li-ion • 12x bit 25mm • 1x magnetic bit holder • 1x BMC	
	 5 400338 079559 >		 5 400338 094934 >	

POWX00450

BRUSHLESS MOTOR



**ADVANTAGES
COMPARED TO A BRUSHED MOTOR**

+50% LIFETIME
+50% AUTONOMY
+50% POWER

IMPACT DRILL/SCREWDRIVER | 20V

DRILL/SCREWDRIVER | 18V

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO
SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRRSCHRAUBER // TALADRO/ATORNILLADOR



12 |

	2 SPEED + BMC	BRUSHLESS 2 BATTERIES	2 SPEED PROMO	2 BATTERIES
				
	POWX00512 20V Li-ion	POWX0069LI 18V Li-ion		
Battery capacity	2000mAh Li-ion	1500mAh Li-ion		
Average charging time	1 hour	3-5 hours		
Rotation speed	0-600min ⁻¹ / 0-2000min ⁻¹	0-400min ⁻¹ / 0-1500min ⁻¹		
Impact rate	0-7800 / 0-2600 strokes/minute			
Maximum torque	60Nm (21+1+1 torque positions)	25Nm (17+1 torque positions)		
Chuck	Keyless chuck Ø13mm + lock	Keyless chuck Ø10mm		
Features	• 3 functions: screwing/drilling/impact drilling • 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop	• 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop		
Included	• 1x 1h quick charger • 2x battery 2000mAh Li-ion • 1x BMC	• 1x 3-5h charger • 2x battery 1500mAh Li-ion		
				

POWX00512

BRUSHLESS MOTOR



ADVANTAGES
COMPARED TO A BRUSHED MOTOR

+50% LIFETIME
+50% AUTONOMY
+50% POWER

DRILL/SCREWDRIVER | 20V

IMPACT DRILL/SCREWDRIVER | 20V

SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRSCHRAUBER // TALADRO/ATORNILLADOR

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO



POWERPLUS
HIGH QUALITY TOOLS

| 13

2 SPEED

2 BATTERIES

2 SPEED

+ BAG

+ BMC



POWX00830
20V Li-ion

NEW



POWX00840
20V Li-ion

NEW

	POWX00830 20V Li-ion	POWX00840 20V Li-ion
Battery capacity	1300mAh Li-ion	2000mAh Li-ion
Average charging time	1 hour	240 min
Rotation speed	0-400min ⁻¹ / 0-1400min ⁻¹	0-400min ⁻¹ / 0-1400min ⁻¹
Maximum torque	35Nm (18+1 torque positions)	40Nm (18+1+1 torque positions)
Chuck	Keyless chuck Ø10mm	Keyless chuck Ø13mm
Features	2 speed - LED worklight - LED battery level indicator - Flexible magnetic bit holder - Left/right - Soft grip - Quick stop	3 functions: screwing/drilling/impact drilling 2 speed - LED worklight - LED battery level indicator - Flexible magnetic bit holder - Left/right - Soft grip - Quick stop - Handy storage bag
Included	134 accessories 1x 1h quick charger 2x battery 1300mAh Li-ion 1x BMC	74 accessories 1x 3-5h charger 1x battery 2000mAh Li-ion 1x bag
	5 400338 094965 >	5 400338 097614 >

POWX00840

74 ACCESSORIES

- 3x WOOD DRILL (6/8/10mm)
- 9x CONCRETE DRILL (3x3/3x4/3x5mm)
- 3x HSS DRILL (4/4.5/5mm)
- 1x 60mm MAGNETIC BIT HOLDER
- 1x FLEXIBLE BIT HOLDER
- 24x 25mm STEEL BIT
- 8x 50mm STEEL BIT
- 4x NUT DRIVER (5/6/8/10mm)
- 1x BATTERY
- 1x CHARGER
- 1x BAG

POWX00830

134 ACCESSORIES

- 5x WOOD DRILL (3/4/5/6/7mm)
- 5x CONCRETE DRILL (3/4/5/6/7mm)
- 10x HSS DRILL (1.5/2/2.5/3/3.5/4/4.5/5/6/6.5mm)
- 1x 60mm MAGNETIC BIT HOLDER
- 1x FLEXIBLE BIT HOLDER
- 1x COUNTER SINK BIT 12mm
- 20x 25mm BIT
- 10x 50mm BIT
- 10x 75mm BIT
- 9x NUT DRIVER (4/5/6/7/8/9/10/11/12mm)
- 1x MEASURING TAPE 3m
- 1x KNIFE 18mm
- 12x PLUG 5mm
- 12x PLUG 6mm
- 6x PLUG 8mm
- 30x WOOD SCREW (12x 3mm PH head, 12x 4mm PH head, 6x 5mm PH head)
- 2x BATTERY
- 1x QUICK CHARGER

IMPACT DRILL/SCREWDRIVER | 20V

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO



POWERPLUS
HIGH QUALITY TOOLS

14 |

2 SPEED

2 BATTERIES

+ BMC

BRUSHLESS



POWX00850
20V Li-ion

NEW

Battery capacity	2000mAh Li-ion
Average charging time	1 hour
Rotation speed	0-600min ⁻¹ / 0-2000min ⁻¹
Maximum torque	60Nm (21+1+1 torque positions)
Chuck	Sanou keyless chuck Ø13mm + lock
Features	• 2 speed • LED worklight • LED battery level indicator • Left/right • Soft grip • Quick stop
Included	• 78 accessories • 1x 1h quick charger • 2x battery 2000mAh Li-ion • 1x BMC

78 ACCESSORIES



- 5x WOOD DRILL (4/5/6/8/10mm)
- 14x HSS DRILL (1.5/1.5/2/2.5/3/3/3.5/4/4.5/5/5.5/6/6.5mm)
- 1x MAGNETIC BIT HOLDER
- 20x 25mm BIT
- 10x 50mm BIT
- 10x 75mm BIT
- 8x SOCKET (6/7/8/9/10/11/12/13mm)
- 1x COUNTER SINK BIT
- 1x CENTRE PUNCH 100mm
- 1x KNIFE CUTTER
- 3x BLADE
- 1x CARPENTER'S PENCIL
- 2x EXTRA LEAD-CORE
- 1x MEASURING TAPE 5m



5 400338 097850 >

DRILL/SCREWDRIVER | 20V

IMPACT DRILL/SCREWDRIVER | 20V

SCHROEFBOORMACHINE // PERCEUSE/VISSEUSE // BOHRSCRAUBER // TALADRO/ATORNILLADOR

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCRAUBER // TALADRO/ATORNILLADOR DE IMPACTO

POWERPLUS[®] XB

BRUSHLESS
MOTOR



INCLUDED:
1x MAGNETIC BIT HOLDER
6x BIT 25mm (SL5, SL6, PH1, PH2, PZ1, PZ2)
2x DRILL FOR CONCRETE (6/8mm)



POWERPLUS[®]
HIGH QUALITY TOOLS

| 15

	2 SPEED BRUSHLESS	2 SPEED BRUSHLESS	+ BMC
	 POWXB10010 PART OF POWXBBOX10 20V Li-ion NEW	 POWXB10060 20V Li-ion NEW	
Battery capacity	4000mAh Li-ion	2000mAh Li-ion	
Average charging time	1 hour	1 hour	
Rotation speed	0-400min ⁻¹ / 0-1300min ⁻¹	0-400min ⁻¹ / 0-1300min ⁻¹	
Maximum torque	30Nm (19+1 torque positions)	30Nm (22+1+1 torque positions)	
Chuck	Keyless chuck Ø10mm + lock	Keyless chuck Ø13mm	
Features	• 2 functions: screwing/drilling • Quick stop • 2 speed • LED worklight • Left/right • LED battery level indicator	• 3 functions: screwing/drilling/impact drilling • Quick stop • 2 speed • LED worklight • Left/right • LED battery level indicator	
Included	• 1x 1h quick charger • 1x battery 4000mAh Li-ion	• 1x magnetic bit holder • 6x bit 25mm • 2x drill for concrete • 1x 1h quick charger • 1x battery 2000mAh Li-ion • 1x storage case	
	 5 400338 092886 >	 5 400338 092879 >	

POWXB10060

STORAGE CASE



POWXBBOX10

SEE ALSO PAGE 46



POWXB90030

BATTERY 20V 2000mAh



POWXB90050

BATTERY 20V 4000mAh



POWXB90080

CHARGER 20V



IMPACT DRILL/SCREWDRIVER | 20V

SCHROEF-/KLOPBOORMACHINE // PERCEUSE/VISSEUSE À PERCUSSION // SCHLAGBOHRSCHRAUBER // TALADRO/ATORNILLADOR DE IMPACTO

POWERPLUS[®] XB

BRUSHLESS
MOTOR



POWERPLUS[®]
HIGH QUALITY TOOLS

16 |

2 SPEED

2 BATTERIES

BRUSHLESS

+ BMC



POWXB10070
20V Li-ion

NEW

Battery capacity	1500mAh Li-ion
Average charging time	1 hour
Rotation speed	0-400min ⁻¹ / 0-1300min ⁻¹
Maximum torque	30Nm (22+1+1 torque positions)
Chuck	Keyless chuck Ø13mm
Features	• 3 functions: screwing/drilling/impact drilling • Quick stop • 2 speed • LED worklight • Left/right • LED battery level indicator
Included	• 362 accessories • 1x 1h quick charger • 2x battery 1500mAh Li-ion • 1x storage case

362 ACCESSORIES



- 1x 60mm MAGNETIC BIT HOLDER
- 40x 25mm CRV BIT
 - 2xPH0/2xPH1/3xPH2/3xPH3
 - 2xPZ0/2xPZ1/3xPZ2/3xPZ3
 - 2xT10/2xT15/2xT20/2xT25/1xT30/1xT40
 - H3/H4/H5/H6
 - 2xSL4/2xSL6/2xSL7
- 1x COUNTER SINK BIT Ø12.5x36mm
- 6x HSS drill (2/2.5/3/4/5/6mm)
- 6x STONE DRILL (3/4/5/6/7/8mm)
- 6x WOOD DRILL (2/3/4/5/6/8mm)
- 2x FLAT WOOD DRILL (14/22mm)
- 100x STAINLESS STEEL SCREW
 - 25x 4x25mm / 25x 4x30mm
 - 25x 5x40mm / 25x 5x50mm
- 200x PLUG 100x 6mm / 100x 8mm



IMPACT SCREWDRIVER | 20V

IMPACT WRENCH | 20V

SLAGSCHROEVENDRAAIER // VISSEUSE À PERCUSSION // SCHLAGSCHRAUBENDREHER // ATORNILLADOR DE IMPACTO
SLAGMOERSLEUTEL // CLÉ À CHOCS // SCHLAGSCHRAUBER // LLAVE DE IMPACTO

POWERPLUS[®] XB
BRUSHLESS
MOTOR



SOCKET 1/4" HEX

INCLUDED:
1x MAGNETIC BIT HOLDER
12x BIT 25mm (SL5, SL6, PH1, PH2, PZ1, PZ2
T10, T15, T20, T25, T27, T30)

LED BATTERY
LEVEL INDICATOR



SOCKET 1/2"

LEFT/RIGHT

LED WORKLIGHT

INCLUDED:
3x SOCKET (17/19/21mm)

POWERPLUS[®]
HIGH QUALITY TOOLS

	+ BMC BRUSHLESS	+ BMC BRUSHLESS
		
	POWXB30020 20V Li-ion	POWXB30050 20V Li-ion
	NEW	NEW
Battery capacity	2000mAh Li-ion	2000mAh Li-ion
Average charging time	1 hour	1 hour
Rotation speed	0-2200min ⁻¹	0-2200min ⁻¹
Maximum torque	160Nm	220Nm
Socket type	1/4" HEX	1/2"
Features	- Impact function - Quick stop - Left/right - LED worklight - LED battery level indicator	- Impact function - Quick stop - Left/right - LED worklight - LED battery level indicator
Included	1x magnetic bitholder 12x bit 25mm 1x 1h quick charger 1x battery 2000mAh Li-ion 1x storage case	3x socket 1x 1h quick charger 1x battery 2000mAh Li-ion 1x storage case
		



IMPACT DRILL | 650W | 850W

KLOPBOORMACHINE // PERCEUSE À PERCUSSION // SCHLAGBOHRMASCHINE // TALADRO PERCUTOR



POWERPLUS
HIGH QUALITY TOOLS

18 |

2 FUNCTIONS

2 FUNCTIONS

		
	POWX0260 650W	POWX0270 850W
Voltage - frequency	230-240V~ 50Hz	230-240V~ 50Hz
Capacity	Concrete: 13mm Steel: 13mm Wood: 25mm	Concrete: 16mm Steel: 13mm Wood: 30mm
Rotation speed	0-3000min ⁻¹	0-3000min ⁻¹
Impact rate	48000 strokes per minute	48000 strokes per minute
Chuck	Key chuck Ø13mm	Peacock keyless chuck Ø13mm + lock
Cable	3m	3m
Features	• 2 functions: drilling / impact drilling • Adjustable speed • Left/right • Soft grip	• 2 functions: drilling / impact drilling • Adjustable speed • Left/right • High quality metal gearbox • Soft grip
Included	• 1x depth stop • 1x auxiliary handle • 1x chuck key	• 1x depth stop • 1x auxiliary handle
		

POWX0260

Ø13mm key chuck



POWX0270

Ø13mm Peacock keyless chuck + lock



IMPACT DRILL | 1050W

KLOPBOORMACHINE // PERCEUSE À PERCUSSION // SCHLAGBOHRMASCHINE // TALADRO PERCUTOR



POWERPLUS
HIGH QUALITY TOOLS

2 FUNCTIONS

2 SPEED

+ BMC



POWX0280
1050W

Voltage - frequency	230-240V~ 50Hz
Capacity	Concrete: 16mm Steel: 16mm Wood: 40mm
Rotation speed	0-1100 / 0-3000min ⁻¹
Impact rate	45000 strokes per minute
Chuck	Peacock keyless chuck Ø13mm + lock
Cable	3m
Features	• 2 functions: drilling / impact drilling • Adjustable speed (2) • Left/right • Lock-on button • Soft grip
Included	• 1x depth stop • 1x auxiliary handle • 1x BMC 

GEAR SELECTION



Peacock heavy duty metal keyless chuck + lock



HAMMER DRILL | 750W | 1200W

BOORHAMER // MARTEAU PERFORATEUR // BOHRHAMMER // MARTILLO PERFORADOR

SDS-PLUS SYSTEM



DUST CAP



FLAT CHISEL: 14x250mm
POINTED CHISEL: 250mm
(SDS PLUS-type)

Ø13mm KEY CHUCK
+ CONNECTOR



DRILL Ø12x150mm / Ø10x150mm / Ø8x150mm
(SDS PLUS-type)

SDS PLUS SYSTEM

SOFT GRIP
AUXILIARY HANDLE



20 |

	4 FUNCTIONS + BMC	3.5 JOULE 3.3kg	4 FUNCTIONS + BMC	5 JOULE 7.1kg
	 POWX1170 750W SDS PLUS-type		 POWX11721 1200W SDS PLUS-type	
Voltage - frequency	220-240V~ 50Hz		230-240V~ 50Hz	
Capacity	Concrete: 26mm - Steel: 13mm Wood: 40mm		Concrete: 30mm - Steel: 13mm Wood: 40mm	
Rotation speed	0-1050min ⁻¹		0-870min ⁻¹	
Impact rate	0-4900 strokes per minute		0-4300 strokes per minute	
Impact force	3.5J		5J	
Chuck	Ø13mm key chuck with SDS PLUS connector		Ø13mm key chuck with SDS PLUS connector	
Cable	3m		3m	
Features	• 4 functions: drilling / hammer drilling / chiseling / chisel rotation • Adjustable speed • Safety clutch • Double pendulum rod bearing • Left/right • Soft grip		• 4 functions: drilling / hammer drilling / chiseling / chisel rotation • Vibration reduction system • Soft grip	
Included	• 3x SDS drill (Ø8/10/12x150mm) • 1x flat SDS chisel 14x250mm • 1x pointed SDS chisel 250mm • 1x Ø13mm key chuck with SDS connector • 1x dust cap • 1x depth stop • 1x auxiliary handle • 1x BMC 		• 3x SDS drill (Ø8/10/12x150mm) • 1x flat SDS chisel 22x250mm • 1x pointed SDS chisel 250mm • 1x Ø13mm key chuck with SDS connector • 1x dust cap • 1x depth stop • 1x auxiliary handle • 1x BMC 	
	 5 400338 068065 >		 5 400338 092008 >	

POWX1170

MODE SELECTION



- SAFETY CLUTCH
 - DOUBLE PENDULUM ROD BEARING
- EXTREMELY STRONG IMPACT
ENERGY → 30% HIGHER!**

POWX11721

MODE SELECTION



HAMMER DRILL | 1600W | 1600W

BOORHAMER // MARTEAU PERFORATEUR // BOHRHAMMER // MARTILLO PERFORADOR




POWERPLUS
HIGH QUALITY TOOLS

	4 FUNCTIONS	5 JOULE	3 FUNCTIONS	9 JOULE
	+ BMC	5.8kg	+ BMC	8kg
	 POWX1175 1600W		 POWX1179 1600W	
	SDS PLUS-type		SDS MAX-type	
Voltage - frequency	220-240V~ 50Hz		230-240V~ 50Hz	
Capacity	Concrete: 32mm - Steel: 13mm Wood: 40mm		Concrete: 40mm	
Rotation speed	800min ⁻¹		630min ⁻¹	
Impact rate	3900 strokes per minute		3800 strokes per minute	
Impact force	5J		9J	
Chuck	Ø13mm key chuck with SDS PLUS connector		SDS MAX-type	
Cable	3m		3m	
Features	• 4 functions: drilling / hammer drilling / chiseling / chisel rotation • Double vibration reduction system • Soft grip		• 3 functions: hammer drilling / chiseling / chisel rotation • Vibration reduction system • Soft grip	
Included	• 3x SDS drill (Ø8/10/12x150mm) • 1x flat SDS chisel 14x250mm • 1x pointed SDS chisel 250mm • 1x Ø13mm key chuck with SDS connector • 1x dust cap • 1x depth stop • 1x auxiliary handle • 1x BMC		• 1x SDS MAX drill Ø18x320mm • 1x flat SDS MAX chisel 18x350mm • 1x pointed SDS MAX chisel 350mm • 1x dust cap • 1x auxiliary handle • 1x BMC	
	 5 400338 068089 >		 5 400338 082030 >	

POWX1175

MODE SELECTION



POWX1179

MODE SELECTION



HAMMER DRILL | 1500W | 1500W

BOORHAMER // MARTEAU PERFORATEUR // BOHRHAMMER // MARTILLO PERFORADOR



FLAT CHISEL: 14x250mm
POINTED CHISEL: 250mm
(SDS PLUS-type)

DRILL Ø12x150mm /
Ø10x150mm / Ø8x150mm
(SDS PLUS-type)

DUST CAP

22 |

	4 FUNCTIONS + BMC	6 JOULE 6kg	4 FUNCTIONS + BMC	5 JOULE 5kg
				
	POWX1195 1500W SDS PLUS-type	POWX1197 1500W SDS PLUS-type		
Voltage - frequency	230V~ 50Hz		230-240V~ 50Hz	
Capacity	Concrete: 32mm - Steel: 13mm Wood: 42mm		Concrete: 32mm - Steel: 13mm Wood: 40mm	
Rotation speed	860min ⁻¹		300-800min ⁻¹	
Impact rate	4250 strokes per minute		4000 strokes per minute	
Impact force	6J		5J	
Chuck	SDS PLUS-type		SDS PLUS-type	
Cable	3m		2m	
Features	4 functions: drilling / hammer drilling / chiseling / chisel rotation - Vibration reduction system - Soft grip		4 functions: drilling / hammer drilling / chiseling / chisel rotation - Vibration reduction system - Adjustable speed - Soft grip	
Included	3x SDS drill (Ø8/10/12x150mm) 1x flat SDS chisel 14x250mm 1x pointed SDS chisel 250mm 1x dust cap 1x auxiliary handle 1x BMC		4x SDS drill (Ø6/8/10/12x150mm) 1x flat SDS chisel 14x250mm 1x pointed SDS chisel 250mm 1x Ø13mm key chuck with SDS connector 1x dust cap 1x depth stop 1x auxiliary handle 1x BMC	
				
	5 400338 071737 >		5 400338 097270 >	



FLAT CHISEL: 14x240mm
POINTED CHISEL: 240mm
(SDS PLUS-type)

DRILL: Ø12x150mm
Ø10x150mm
Ø8x150mm
Ø6x150mm
(SDS PLUS-type)

Ø13mm KEY CHUCK
+ CONNECTOR



NEW

HAMMER DRILL | 1500W

DEMOLITION HAMMER | 1300W

BOORHAMER // MARTEAU PERFORATEUR // BOHRHAMMER // MARTILLO PERFORADOR
BREEKHAMER // MARTEAU PIQUEUR // ABRUCHHAMMER // MARTILLO DEMOLICIÓN



POWERPLUS
HIGH QUALITY TOOLS

NEW

EXPECTED
JUNE 2022

4 FUNCTIONS

5 JOULE

1 FUNCTION

18 JOULE

+ BMC

5kg

+ BMC

5.95kg



POWX1199
1500W

SDS PLUS-type



POWX11831
1300W

SDS MAX-type

Voltage - frequency	230-240V~ 50Hz	220-240V~ 50Hz
Capacity	Concrete: 32mm - Steel: 13mm Wood: 40mm	
Rotation speed	300-800min ⁻¹	
Impact rate	4000 strokes per minute	4100 strokes per minute
Impact force	5J	18J
Chuck	SDS PLUS-type	SDS MAX-type
Cable	2m	3m
Features	4 functions: drilling / hammer drilling / chiseling / chisel rotation - Vibration reduction system - Adjustable speed - Soft grip	1 function: chiseling - Vibration reduction system - Auxiliary D-handle - Soft grip
Included	17x accessory in separate box 1x metal depth stop 1x 50gr grease tube 1x spanner 1x auxiliary handle 1x BMC	1x flat chisel 18x320mm 1x pointed chisel 320mm 2x auxiliary handle 1x spanner 1x BMC



5 400338 098550 >



5 400338 090769 >



SDS MAX-type FLAT CHISEL: 18x320mm
SDS MAX-type POINTED CHISEL: 320mm



POWX1199

17 ACCESSORIES

- 2x POINTED CHISEL
150mm / 250mm
- 5x FLAT CHISEL
20x150mm / 40x150mm
60x150mm / 20x250mm
40x250mm
- 10x DRILL
Ø6x110mm / Ø8x110mm
Ø10x110mm / Ø8x160mm
Ø10x160mm / Ø12x160mm
Ø10x210mm / Ø12x210mm
Ø12x260mm / Ø14x260mm

DEMOLITION HAMMER | 1700W | 1600W

BREEKHAMER // MARTEAU PIQUEUR // ABBRUCHHAMMER // MARTILLO DEMOLICIÓN



POWERPLUS
HIGH QUALITY TOOLS

24 |

	1 FUNCTION + BMC	60 JOULE 14.59kg	3 FUNCTIONS + BMC	6 SPEED 25 JOULE 12.38kg
				
	POWX11861 1700W HEX-type	POWX1190 1600W SDS MAX-type		
Voltage - frequency	220-230V~ 50Hz		220-240V~ 50Hz	
Drill capacity			Concrete: 50mm	
Rotation speed			330min ⁻¹	
Impact rate	1900 strokes per minute		2300 strokes per minute	
Impact force	60J		25J	
Chuck	HEX-type		SDS MAX-type	
Cable	5m		4m	
Features	• 1 function: chiseling • Vibration reduction system • Soft grip • BMC with wheels		• Adjustable speed (6) • 3 functions: hammer drilling / chiseling / chisel rotation • Vibration reduction system • Auxiliary D-handle • Soft grip	
Included	• 1x flat chisel 30x410mm • 1x pointed chisel 410mm • 1x auxiliary handle • 1x spanner • 2x hex key • 1x BMC 		• 1x pointed chisel 320mm • 1x drill Ø18x320mm • 2x auxiliary handle • 1x BMC 	
	 5 400338 090691 >		 5 400338 090714 >	

POWX11861

CASE WITH WHEELS FOR EASY TRANSPORT



POWX1190

MODE SELECTION



AUXILIARY HANDLE



BENCH DRILL | 350W | 500W

KOLOMBOORMACHINE // PERCEUSE À COLONNE // SÄULENBOHRMASCHINE // TALADRO DE COLUMNA



	5 SPEED INDUCTION MOTOR	9 SPEED INDUCTION MOTOR
		
	POWX153 350W	POWX155 500W
Voltage - frequency	230V~ 50Hz	230V~ 50Hz
Drill capacity	Steel 50mm / wood 50mm	Steel 50mm / wood 50mm
Rotation speed	580 - 2650min ⁻¹ (5)	280 - 2350min ⁻¹ (9)
Chuck	Key chuck Ø13mm	Key chuck Ø16mm
Work table size	160x160mm	168x168mm
Height	575mm	610mm
Features	- Adjustable speed (5) 45° tiltable table	- Adjustable speed (9) - Electric crosshair laser 45° tiltable table
Included	1x safety guard 1x chuck 1x key for chuck 3x flat washer 3x spring washer 3x bolt 2x hex key 1x worktable	1x safety guard 1x chuck 1x key for chuck 3x flat washer 3x spring washer 3x bolt 2x hex key 2x AAA battery 1x worktable
	 5 400338 080685 >	 5 400338 080692 >

CROSSHAIR LASER



ADJUSTABLE TABLE





SANDING, POLISHING & GRINDING



POWERPLUS
HIGH QUALITY TOOLS

| 27

POWX0401	FINISHING SANDER	260W	P 28
POWX0441	FINISHING SANDER	330W	P 28
POWX0471	ECCENTRIC SANDER	450W	P 29
POWX0481	PALM SANDER	220W	P 30
POWX0485	MULTI-SANDER 3-IN-1	260W	P 30
POWX0490	TRIANGULAR SANDER	300W	P 31
POWX04950	SANDING ROLLER	310W	P 32
POWX04761	DRYWALL SANDER	710W	P 33
POWX0477	DRYWALL SANDER COMBI	710W	P 34
POWX0478	WALL/CEILING SANDER	1220W	P 35
POWX0479	DRYWALL SANDER	1050W	P 36
POWX139	FILE BELT SANDER	400W	P 37
POWX0460	BELT SANDER	950W	P 37
POWX1280	DOUBLE BENCH GRINDER	120W	P 38
POWX1270	BELT SANDER/GRINDER	240W	P 38
POWX0474	ANGLE POLISHER	1200W	P 39

POWX04960	POLISHER	120W	P 39
POWXB20030	ANGLE GRINDER	20V	P 40
POWXB20050	ANGLE GRINDER	20V	P 40
POWX0611	ANGLE GRINDER	900W	P 41
POWX0614	ANGLE GRINDER	1200W	P 41
POWX0618	ANGLE GRINDER	2500W	P 41
POWX06250A	ANGLE GRINDER	750W	P 42
POWX06250B	ANGLE GRINDER	2000W	P 42
POWX0650	WALL SLOTTER	1800W	P 43
POWX1350	MULTI-FUNCTION SHARPENER	96W	P 44
POWX1341	ROTARY MULTITOOL	200W	P 45
POWXB40010	OSCILLATING MULTITOOL = PART OF POWXBBOX10	20V	P 46
POWXB40020	OSCILLATING MULTITOOL	20V	P 46
POWX1331LI	OSCILLATING MULTITOOL	18V	P 47
POWX1346	OSCILLATING MULTITOOL	300W	P 47
POWX1347MC	OSCILLATING MULTITOOL	300W	P 47

FINISHING SANDER | 260W | 330W

VLAKSCHUURMACHINE // PONCEUSE VIBRANTE // SCHWINGSCHLEIFER // LIJADORA ORIBITAL



POWERPLUS
HIGH QUALITY TOOLS

28 |

ALUMINIUM SANDING BASE

ALUMINIUM SANDING BASE

		
	POWX0401 260W	POWX0441 330W
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Oscillation speed	24000min ⁻¹	12000-22000min ⁻¹
Sanding surface	90x187mm	115x230mm
Sandpaper size for clamp system	93x230mm	115x280mm
Cable	3m	3m
Features	• Hook & loop system • Quick clamp system • Aluminium base • Ergonomic soft grip + guide handle	• Adjustable speed (6) • Hook & loop system • Quick clamp system • Aluminium base • Ergonomic soft grip + guide handle
Included	• 1x sandpaper G240 • 1x dust collection box	• 1x sandpaper G240 • 1x dust collection box • 1x perforating plate
	 5 400338 079368 >	 5 400338 079375 >

HOOK & LOOP SYSTEM



QUICK CLAMP SYSTEM



ECCENTRIC SANDER | 450W

EXCENTRISCHE SCHUURMACHINE // PONCEUSE EXCENTRIQUE // EXZENTERSCHLEIFER // LIJADORA EXCÉNTRICA



+ BMC

| 29



POWX0471
450W

Voltage - frequency	220-240V~ 50Hz
Oscillation speed	0-26000min ⁻¹
Sanding surface	Ø125mm
Cable	3m
Features	• Adjustable speed (6) • Hook & loop system • Adjustable auxiliary handle • Ergonomic soft grip + guide handle
Included	• 3x sandpaper (G60-G120-G240) • 1x dust collection box • 1x BMC 


HOOK & LOOP SYSTEM



ADJUSTABLE AUXILIARY HANDLE



3x SANDPAPER



[G60 - G120 - G240]



5 400338 079382 >

PALM SANDER | 220W

MULTI-SANDER 3-IN-1 | 260W

HANDPALMSCHUURMACHINE // PONCEUSE À MAIN // HANDSCHLEIFER // LIJADORA DE MANO
MULTISCHUURMACHINE 3-IN-1 // MULTIPONCEUSE 3-EN-1 // MULTISCHLEIFER 3-IN-1 // MULTILIJADORA 3-EN-1



POWERPLUS
HIGH QUALITY TOOLS

30 |


+ BMC

3-IN-1

+ BMC

	POWX0481 220W	POWX0485 260W
Voltage - frequency	220-240V~ 50Hz	230-240V~ 50Hz
Oscillation speed	26000min ⁻¹	28000min ⁻¹
Sanding surface	140x140x80mm	Round base: Ø125mm Iron-shaped base: 100x157mm Square base: 100x110mm
Cable	3m	3m
Features	- Hook & loop system - Soft grip	- Hook & loop system - Soft grip
Included	15x sandpaper (3xG60 - 3xG80 - 3xG100 - 3xG120 - 3xG240) 1x dust collection box 1x BMC 	12x sandpaper (G60-G120-G240) 1x dust collection box + microfilter 1x BMC 
		

POWX0485



6x IRON-SHAPED / SQUARE SANDPAPER
[2xG60 - 2xG120 - 2xG240]



6x ROUND SANDPAPER
[2xG60 - 2xG120 - 2xG240]

TRIANGULAR SANDER | 300W

DRIEHOEKSCHUURMACHINE // PONCEUSE TRIANGULAIRE // DREIECKSCHLEIFER // LIJADORA TRIANGULAR



POWERPLUS
HIGH QUALITY TOOLS

6 SPEED

	 POWX0490 300W
Voltage - frequency	230-240V~ 50Hz
Oscillation speed	12000-22000min ⁻¹
Sanding surface	90x90x90mm
Cable	3m
Features	• Adjustable speed (6) • Hook & loop system • Soft grip
Included	• 3x sandpaper (G60-G120-G240) • 1x dust extraction adaptor

ADJUSTABLE SPEED




3x SANDPAPER



[G60 - G120 - G240]



DUST EXTRACTION ADAPTOR



POWX330

For use with different saws, sanders, ...



SANDING ROLLER | 310W

SCHUURROLLER // PONCEUSE MULTIFONCTION // SCHLEIFROLLER // CEPILLO LIJADOR



POWERPLUS
HIGH QUALITY TOOLS

32 |

6 SPEED

+ BMC



POWX04950
310W

Voltage - frequency	230V~ 50Hz
Rotation speed	1600-3000min ⁻¹
Shaft diameter	Ø10mm
Cable	3m
Features	• Adjustable speed (6) • Suitable for different surfaces and materials • Easily changeable sanding wheels • Spindle lock • Ergonomic handle • Soft grip
Included	• 1x rubber shank Ø45x60mm • 1x sanding sleeve Ø45x60mm G80 • 1x flap wheel Ø60x10mm G80 • 1x flap wheel Ø60x60mm G80 • 1x dust adaptor • 1x safety guard • 1x hex key • 1x BMC



EASILY CHANGEABLE WHEELS



DUST ADAPTOR



DRYWALL SANDER | 710W

LANGNEKSCHUURMACHINE // PONCEUSE DE CLOISONS SÈCHES // TROCKENBAUSCHLEIFER // LIJADORA PARA PANELES DE YESO



POWERPLUS
HIGH QUALITY TOOLS

ADJUSTABLE SPEED

	 POWX04761 710W
Voltage - frequency	230-240V~ 50Hz
Rotation speed	600-1500min ⁻¹
Sanding surface	Ø225mm
Stretchable hose	1-4m
Cable	4m
Features	• Maximum reach with telescopic shaft (110-165cm) • Adjustable speed • Hook & loop system • LED worklight • Soft grip handle • Support foot
Included	• 1x stretchable vacuum cleaner hose • 6x sandpaper (G60-G80-G120-G150-G180-G240) • 2x hose adaptor (Ø35-Ø47mm) • 1x hex key



SUPPORT FOOT



TELESCOPIC SHAFT 110-165cm




STRETCHABLE HOSE (1-4m)



DRYWALL SANDER COMBI | 710W

LANGNEKSCHUURMACHINE // PONCEUSE DE CLOISONS SÈCHES // TROCKENBAUSCHLEIFER // LIJADORA PARA PANELES DE YESO



POWERPLUS
HIGH QUALITY TOOLS

34 |

ADJUSTABLE SPEED

CARRYING BAG

POWX0477
710W



Voltage - frequency	230-240V~ 50Hz
Oscillation speed	○ 1200-3000min⁻¹ △ 6000-12000min⁻¹
Sanding surface	○ Ø225mm △ 285x285x285mm
Flexible hose	4m
Cable	4m
Features	• Easily access hard to reach places • Adjustable speed • Easy storage & transportation • Constant power, extra powerful • Soft grip • Hook & loop system • Electronic speed control • Vibration reduction
Included	• 1x flexible hose 4m • 6x circular sandpaper (2xG60 - 2xG100 - 2xG240) • 6x triangular sandpaper (2xG60 - 2xG100 - 2xG240) • 2x hose connection adapter • 1x triangular pad • 1x hex key • 1x dust bag • 1x carrying bag



5 400338 068768 >

EASILY CHANGEABLE PADS



TRIANGULAR PAD



Easily access hard to reach places

CARRYING BAG



WALL/CEILING SANDER | 1220W

MUUR- EN PLAFONDSCHUURDER // PONCEUSE POUR MURS ET PLAFONDS // WAND - UND DECKENSCHLEIFER // AMOLADORA PARA PAREDES Y TECHOS



POWERPLUS
HIGH QUALITY TOOLS

	5 SPEED	DUST COLLECTION BAG
	SOFT START	
		
	POWX0478 1220W	
Voltage - frequency	230-240V~ 50Hz	
Oscillation speed	3000-4600min ⁻¹ (5 speed)	
Sanding surface	Ø225mm	
Cable	4m	
Flexible hose	2m	
Features	• Soft start • Adjustable speed (5) • Adjustable suction power • Self suction function : can be used with or without a vacuum cleaner • Lock-on button • Soft grip • Hook & loop system	
Included	• 1x auxiliary handle • 1x dust bag with carrying belt • 1x 2m flexible vacuum hose • 8x sandpaper (2xG150 - 2xG180 - 2xG240 - 2xG400) • 1x hex key	
	 5 400338 057175 >	

ADJUSTABLE SUCTION POWER



DUST BAG



DRYWALL SANDER | 1050W

LANGNEKSCHUURMACHINE // PONCEUSE DE CLOISONS SÈCHES // TROCKENBAUSCHLEIFER // LIJADORA PARA PANELES DE YESO



HOOK & LOOP SYSTEM

LED RING

6x SANDPAPER
[G60-G80-G120-G150-G180-G240]

STRETCHABLE HOSE
[1-4m]

2m FLEXIBLE HOSE

POWERPLUS
HIGH QUALITY TOOLS

36 |

ADJUSTABLE SPEED

SOFT START

CARRYING BAG



POWX0479
1050W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	600-2600min ⁻¹
Sanding surface	Ø225mm
Hose	1x flexible 2m 1x stretchable 1-4m
Cable	4m
Features	• Soft start • Vibration reduction • Maximum reach with telescopic shaft (110-165cm) • Adjustable speed • Hook & loop system • LED ring • Dust extraction • Soft grip handle • Support foot
Included	• 1x stretchable hose 1-4m • 1x flexible hose 2m • 6x sandpaper (G60-G80-G120-G150-G180-G240) • 2x hose adaptor (Ø35-Ø57mm) • 1x support foot • 1x dust bag • 1x carrying bag • 1x hex key



5 400338 079955 >

LED RING



Extra visibility & accuracy

TELESCOPIC SHAFT 110-165cm



STRETCHABLE HOSE (1-4m)




CARRYING BAG



FILE BELT SANDER | 400W

VIJL/BANDSCHUURMACHINE // LIME/PONCEUSE À BANDE // FEILE/BANDSCHLEIFER // LIMA/LIJADORA DE BANDA



10x SANDING BELT
[3xG40 - 4xG60 - 3xG120]



POWX0460
3x SANDING BELT
[G60-G80-G120]

POWERPLUS
HIGH QUALITY TOOLS

	6 SPEED + BMC	MANUAL BELT CONTROL + BMC
		6 SPEED
		
	POWX139 400W	POWX0460 950W
Voltage - frequency	230-240V~ 50Hz	230-240V~ 50Hz
Belt speed	300-1700min ⁻¹	0-380m/min
Belt size	13x457mm	533x76mm
Sanding surface		170x75mm
Cable	3m	3m
Features	- Ideal for finishing and sanding hard to reach places - Adjustable speed (6) - Tension spanner - Adjustable arm - Lock-on button - Soft grip	- Adjustable speed (6) - Adjustment screw for belt tension - Adjustable auxiliary handle - Foldable cover - Soft grip
Included	10x sanding belt (3xG40 - 4xG60 - 3xG120) 1x dust bag 1x BMC 	3x sanding belt (G60-G80-G120) 1x dust collection box with micro filter 1x adaptor 1x BMC 
	 5 400338 060885 >	 5 400338 056338 >

POWX139

ADJUSTABLE ARM



EASY TO USE SPANNER



Adjust tension and replace belts

POWX0460

ADJUSTABLE SPEED



ADJUSTABLE AUXILIARY HANDLE



DOUBLE BENCH GRINDER | 120W

BELT SANDER/GRINDER | 240W

BANKSLIJPMOLEN MET FLEXIBELE AS // TOURET À MEULER AVEC ARBRE FLEXIBLE // TISCHSCHLEIFMASCHINE MIT FLEXIBLER WELLE // ESMERILADORA DE BANCO CON EJE FLECIBLE
BANDSCHUURMACHINE/BANKSLIJPMOLEN // PONCEUSE À BANDE/TOURET // BANDSCHLEIFER/TISCHSCHLEIFMASCHINE // LIJADORA DE BANDA/ESMERILADORA DE BANCO



103 ACCESSORIES IN 1 PLASTIC STORAGE BOX



NEW

EXPECTED
SEPT 2022



POWX1280
120W



POWX1270
240W

Voltage - frequency	230V~ 50Hz	230V~ 50Hz
Rotation speed	11500min ⁻¹	2980min ⁻¹
Belt size	-	50x686mm
Grinding wheel	Ø75 x Ø10 x 20mm	Ø150mm
Buffing wheel	Ø75 x Ø10 x 18mm	-
Cable	2m	2m
Features	• soft start motor • 2 pre-assembled discs (1 sanding disc & 1 polishing disc) • Flexible shaft for precision work • Infinitely adjustable speed • 2 adjustable spark protection caps • 2 closed disc protection covers	• 2-in-1 • Suitable for woodworking (sanding belt) and metalworking (grinding wheel) • Adjustable workpiece support
Included	• 1 flexible shaft (1m length) • 1 combination spanner • 2 tool rests • 2 adjustable eye shields (pre-installed) • 1 set nuts & bolts for assemble • 103-piece set with accessories in plastic storage case	• 2x sanding belt (G60-G120) • 1x grinding stone Ø150x20xØ12.7mm • 1x eye shield • 2x workpiece support
	 5 400338 098802 >	 5 400338 068379 >

POWX1280

103-PIECE SET WITH ACCESSORIES
IN PLASTIC STORAGE CASE



- 12 cutting discs 32 x 1 mm
- 5 sanding belts 13 mm, Ø15 mm
- 5 sanding belts 13 mm, Ø9 mm
- 5 polishing felts, Ø25 x 7 mm
- 5 polishing felts, Ø13 x 7 mm
- 40 cut-off wheels, Ø24 mm, in small plastic container
- 10 pencil sharpeners
- 5 milling
- 4 cleaning brushes
- 3 copper brushes
- 2 work holders for sanding belts
- 2 work holders for polishing felt/cutting discs
- 1 dressing stone, 20 x 10 x 10 mm
- 1 polishing paste
- 3 collets for the flexible shaft (2.0 - 2.4 - 3.2 mm (pre-assembled))

ANGLE POLISHER | 1200W & POLISHER | 120W

HAAKSE HANDPOLIJSTMACHINE & HANDPOLIJSTMACHINE // POLISSEUSE D'ANGLE & POLISSEUSE
WINKELPOLIERMACHINE & POLIERMACHINE // PULIDORA DE ÁNGULOS & PULIDORA



POWERPLUS
HIGH QUALITY TOOLS

| 39

	6 SPEED SOFT START	SPINDLE LOCK + BMC CONSTANT SPEED CONTROL
		
	POWX0474 1200W	POWX04960 120W
Voltage - frequency	220-240V~ 50Hz	230V~ 50Hz
Rotation speed	600-3300min ⁻¹	3500min ⁻¹
Disc diameter	Ø180mm	Ø240mm
Spindle thread	M14	
Cable	3m	2m
Features	- Adjustable speed (6) - Hook & loop system - Lock-on button - U-shaped handle - Constant speed control - Spindle lock - Soft start	- Two handed - Fine & coarse polishing - Large polishing wheel
Included	1x U-shaped handle 1x pad holder Ø180mm 1x sponge pad Ø180mm 1x polishing bonnet Ø180mm 5x sandpaper Ø180mm (1xG60 - 2xG120 - 2xG240) 1x hex key 1x BMC 	1x fine polishing bonnet Ø245mm 1x coarse polishing bonnet Ø245mm
	 5 400338 066641 >	 5 400338 094941 >



ANGLE GRINDER | 20V | 20V

HAAKSE SLIJPER // MEULEUSE D'ANGLE // WINKELSCHLEIFER // AMOLADORA ANGULAR

POWERPLUS[®]XB

BRUSHLESS
MOTOR



INCLUDED:

- 1x CUTTING DISC INOX/METAL
- 1x SANDING DISC (LAMELLA)
- 3x DIAMOND DISC (SEGMENTED/TURBO/WET)
- 1x GRINDING GUARD
- 1x CUTTING GUARD
- 1x BAG
- 2x BATTERY
- 1x CHARGER

SPINDLE LOCK

METAL
SAFETY GUARD

DISC NOT INCLUDED

40 |

SPINDLE LOCK

2 BATTERIES

SPINDLE LOCK

+ BAG

+ BMC



POWXB20030
20V Li-ion

NEW



POWXB20050
20V Li-ion

NEW

Battery capacity	4000mAh Li-ion	4000mAh Li-ion
Average charging time	1 hour	1 hour
Rotation speed	10000min ⁻¹	10000min ⁻¹
Disc diameter	Ø115x22.2mm (not included)	Ø125x22.2mm (not included)
Spindle thread	M14	M14
Features	• Spindle lock • Cutting safety guard • Grinding safety guard • Auxiliary handle (2 positions) • LED battery level indicator • Soft grip	• Spindle lock • Safety guard • Auxiliary handle (2 positions) • LED battery level indicator • Soft grip
Included	• 1x auxiliary handle • 1x spanner • 2x safety guard • 2x battery 4000mAh Li-ion • 1x charger • 1x bag 	• 1x auxiliary handle • 1x spanner • 1x safety guard • 1x battery 4000mAh Li-ion • 1x charger • 1x storage case 



POWXB20050

STORAGE CASE



ANGLE GRINDER | 900W | 1200W | 2500W

HAAKSE SLIJPER // MEULEUSE D'ANGLE // WINKELSCHLEIFER // AMOLADORA ANGULAR



DISC NOT INCLUDED

POWERPLUS
HIGH QUALITY TOOLS

| 41

SPINDLE LOCK

6 SPEED

SPINDLE LOCK

+ BMC

POWX0618

	 POWX0611 900W	 POWX0614 1200W	 POWX0618 2500W
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Rotation speed	12000min ⁻¹	6000-12000min ⁻¹	6500min ⁻¹
Disc diameter	Ø115x22.2mm (not included)	Ø125x22.2mm (not included)	Ø230x22.2mm (not included)
Spindle thread	M14	M14	M14
Cable	3m	3m	3m
Features	• Lock-on switch • Soft grip • Spindle lock • Quick clamp system • Metal safety guard • Power indicator • Auxiliary handle (3 positions)	• Adjustable speed (6) • Safety switch • Soft grip • Spindle lock • Quick clamp system • Metal safety guard • Power indicator • Auxiliary handle (3 positions)	• Rotatable handle • Safety switch • Soft grip • Spindle lock • Quick clamp system • Metal safety guard • Power indicator • Auxiliary handle (3 positions)
Included	• 1x auxiliary handle • 1x spanner • 1x safety guard	• 1x auxiliary handle • 1x spanner • 1x safety guard	• 1x auxiliary handle • 1x spanner • 1x safety guard • 1x BMC 



Rotatable handle



5 400338 075650 >



5 400338 075667 >



5 400338 075674 >

ANGLE GRINDER | 750W | 2000W

HAAKSE SLIJPER // MEULEUSE D'ANGLE // WINKELSCHLEIFER // AMOLADORA ANGULAR



SPINDLE LOCK

SPINDLE LOCK

NYLON TOOL BAG

	 POWX06250 750W - 115mm	 POWX06250 2000W - 230mm
Voltage - frequency	230-240V~ 50Hz	230-240V~ 50Hz
Rotation speed	12000min ⁻¹	6500min ⁻¹
Disc diameter	Ø115x22.2x2mm	Ø230x22.2x2.8mm
Spindle thread	M14	M14
Cable	2m	2m
Features	• Quick clamp system • Auxiliary handle (3 positions) • Spindle lock • Metal safety guard • Safety guard adaptor for cutting • Unlock switch • Soft grip	• Soft start • Rotatable handle • Quick clamp system • Auxiliary handle (3 positions) • Spindle lock • Metal safety guard • Safety guard adaptor for cutting • Unlock switch • Soft grip
Included	• 2x auxiliary handle • 2x spanner • 4x diamond saw blade	• 2x metal safety guard • 2x safety guard adaptor for cutting • 1x high quality nylon tool bag

INCLUDED
1x SEGMENTED DIAMOND SAW BLADE 115mm
1x TURBO DIAMOND SAW BLADE 115mm
1x SEGMENTED DIAMOND SAW BLADE 230mm
1x TURBO DIAMOND SAW BLADE 230mm
1x HIGH QUALITY NYLON TOOL BAG
2x METAL SAFETY GUARD
2x SAFETY GUARD ADAPTOR FOR CUTTING



5 400338 095337 >

WALL SLOTTER | 1800W

MUURFREES // RAINUREUSE À MAÇONNERIE // MAUERNUTFRÄSE // RANURADORA DE PARED



SPINDLE LOCK

+ BMC

SOFT START



POWX0650
1800W

Voltage - frequency	230-240V~ 50Hz
Rotation speed	5000min ⁻¹
Diamond blade size	Ø150x22.2x2.0mm
Cutting depth	max. 45mm
Cutting width	14/24/34/44mm
Cable	3m
Features	• Sufficient width for 2 electric pipes • Spindle lock • Overload protection • Lock button • Depth stop • Guide handle • Soft grip • Safety guard • Soft start
Included	• 2x diamond discs • 1x dust adaptor • 1x wrench • 1x scoop • 1x BMC 



5 400338 062605 >

ADJUSTABLE WIDTH



DUST ADAPTOR




2x DIAMOND DISC



POWERPLUS
HIGH QUALITY TOOLS

MULTI-FUNCTION SHARPENER | 96W

MULTIFUNCTIONELE SLIJPER // AFFÛTEUR MULTIFONCTION // MULTI-SCHLEIFER // AFILADORA MULTIFUNCIONES



POWERPLUS
HIGH QUALITY TOOLS

44 |



POWX1350
96W

Voltage - frequency	230-240V~ 50Hz
Rotation speed	1350min ⁻¹
Capacity	Drill diameter Ø4mm - 13mm Chisel & plane width 6mm - 51mm Wheel diameter Ø56mm
Cable	2m
Features	Adjustable grinding angle 15°-50° for chisel sharpening slot + magnets
Included	- Knife sharpening slot - Scissor sharpening slot - Drill sharpening slot



5 400338 055164 >

DRILL BITS Ø4-13mm



KNIVES and SCISSORS



CHISELS 6-51mm at 15°-50°



ROTARY MULTITOOL | 200W

ROTERENDE MULTITOOL // MULTI-OUTIL ROTATIF // ROTIERENDES MULTITOOL // MULTIHERRAMIENTA ROTATIVA



126
ACCESSORIES
INCLUDED



POWERPLUS[®]
HIGH QUALITY TOOLS

| 45

DIGITALLY ADJUSTABLE SPEED

SPINDLE LOCK

+ BMC




POWX1341
200W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	10.000-40.000min ⁻¹
Collet	1x Ø1.6mm/1x Ø2.4mm/1x Ø3.2mm
Cable	3m
Features	- Digitally adjustable speed - High quality LCD 2x LED worklight - Soft grip - Spindle lock
Included	126 accessories 1x telescopic stand with hook & table clamp 1x handle 1x flexible tube 1x tile drill guide 1x BMC 



TELESCOPIC STAND
with HOOK & TABLE CLAMP



LCD



AUXILIARY HANDLE



OSCILLATING MULTITOOL | 20V

OSCILLERENDE MULTITOOL // MULTI-OUTIL OSCILLANT // OSZILLIERENDES MULTITOOL // MULTIHERRAMIENTA OSCILANTE

POWERPLUS[®] XB

**BRUSHLESS
MOTOR**



E-CUT BLADE FOR
WOOD/PLASTIC/METAL



SCRAPER
FOR PAINT/CARPET



SANDING PAD
90x90x90mm



SANDPAPER
90x90x90mm



DUST ADAPTOR
FOR VACUUM CLEANER

46 |

	6 SPEED BRUSHLESS	6 SPEED BRUSHLESS + BMC
	 POWXB40010 PART OF POWXBBOX10 20V NEW	 POWXB40020 20V NEW
Battery capacity	4000mAh Li-Ion	2000mAh Li-Ion
Oscillation speed	24000-39000min ⁻¹	24000-39000min ⁻¹
Average charging time	1h	1h
Features	- Adjustable speed (6) - Quick release system - Soft grip - LED battery level indicator - Hook & loop system	- Adjustable speed (6) - Quick release system - Soft grip - LED battery level indicator - Hook & loop system
Included	1x saw blade 1x scraper 1x triangular sanding pad 5x sandpaper (2x G60 / G120 / G180 / G240) 1x dust adaptor 1x 1h quick charger 1x battery 4000mAh Li-Ion	1x saw blade 1x scraper 1x triangular sanding pad 10x sandpaper (4x G120 / 3x G180 / 3x G240) 1x dust adaptor 1x 1h quick charger 1x battery 2000mAh Li-Ion 1x storage case
	POWXBBOX10  5 400338 092886 >	 5 400338 092862 >

POWXB40020

STORAGE CASE



POWXBBOX10

SEE ALSO PAGE 15



OSCILLERENDE MULTITOOL // MULTI-OUTIL OSCILLANT // OSZILLIERENDES MULTITOOL // MULTIHERRAMIENTA OSCILANTE



POWERPLUS
HIGH QUALITY TOOLS

	6 SPEED	2 BATTERIES	6 SPEED	6 SPEED
	+ BMC		+ BMC	
				
	POWX1331LI 18V	POWX1346 300W	POWX1347MC 300W	
Voltage - frequency		230-240V~ 50Hz	220-240V~ 50Hz	
Battery capacity	1300mAh Li-Ion			
Oscillation speed	10000-38000min ⁻¹	30000-42000min ⁻¹	30000-44000min ⁻¹	
Cable		3m	2m	
Average charging time	1h			
Features	• Adjustable speed (6) • Quick blade change • Soft grip • LED battery level indicator • LED worklight • Hook & loop system • Quick charger	• Adjustable speed (6) • Quick blade change • Aluminium gearbox • Hook & loop system • Dust extraction • Soft grip	• Adjustable speed (6) • Quick blade change • Aluminium gearbox • Auxiliary handle (2 positions) • Power indicator • Hook & loop system • Dust extraction • Soft grip	
Included	• 1x triangular sanding pad • 5x saw blade • 1x carbide blade • 12x sandpaper (4x G120/G180/G240) • 1x finger sanding pad • 12x sandpaper for finger pad (4x G120/G180/G240) • 1x 1h quick charger • 2x battery • 1x BMC 	• 1x triangular sanding pad + 12x sandpaper (4x G120-G180-G240) • 1x finger sanding pad + 12x sandpaper (4x G120-G180-G240) • 1x segment blade • 1x plunge cut blade • 1x shovel blade • 1x dust adaptor • 1x BMC 	• 1x triangular sanding pad + 12x sandpaper (4x G120-G180-G240) • 1x finger sanding pad + 12x sandpaper for finger pad (4x G120-G180-G240) • 6x saw blade • 2x carbide grinding disc • 1x auxiliary handle • 1x dust adaptor • 1x metal case	
	 5 400338 076350 >	 5 400338 074400 >	 5 400338 074639 >	



POWX2090 MOVABLE DUST AND CHIP COLLECTOR SEE P.85

SAWING



POWXB50020	JIGSAW	20V	P 50
POWX0331	JIGSAW	650W	P 51
POWX0361	JIGSAW	810W	P 51
POWX0397	RECIPROCATING SAW	900W	P 52
POWX1410	METAL SAW	600W	P 53
POWX1365MB	MINI PLUNGE SAW	600W	P 53
POWX0520	CIRCULAR SAW	1500W	P 54
POWX0550	CIRCULAR SAW	1800W	P 54
POWX0562	PLUNGE SAW	1200W	P 55
POWX075700	MITRE SAW Ø210mm	1500W	P 56
POWX075710S	TELESCOPIC MITRE SAW Ø210mm	1600W	P 56
POWX075720DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø210mm	1600W	P 57
POWX075730S	TELESCOPIC MITRE SAW Ø254mm	2200W	P 58
POWX075740DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø254mm	2200W	P 59
POWX075750DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø305mm	2200W	P 60

POWX075751DB	DUAL BEVEL TELESCOPIC MITRE SAW Ø305mm	2000W	P 60
POWX07583	MITRE SAW WITH TOP TABLE	2000W	P 61
POWX53300T	SUPPORT STAND FOR MITRE SAWS		P 62
POWX075100	SUPPORT STAND FOR MITRE SAWS		P 62
POWX075200	SUPPORT STAND FOR MITRE SAWS		P 63
POWX0700T	ROLLER SUPPORT STAND		P 63
POWX07588	TABLE SAW Ø200mm	800W	P 64
POWX07590	TABLE SAW Ø210mm	1700W	P 65
POWX07595	TABLE SAW Ø250mm	2000W	P 65
POWX07598	TABLE SAW Ø250mm	2000W	P 66
POWX180	BAND SAW	350W	P 67
POWX195	SCROLL SAW	120W	P 68
POWX230	TILE CUTTER Ø180mm	750W	P 69
POWX240	TILE CUTTER Ø180mm	600W	P 69
POWX2300	TILE CUTTER Ø180mm	800W	P 69

JIGSAW | 20V

DECOUPEERZAAG // SCIE SAUTEUSE // STICHSÄGE // SIERRA DE CALAR

POWERPLUS[®] XB
BRUSHLESS
MOTOR



ADJUSTABLE
SPEED

DUST ADAPTOR

PENDULUM ACTION
SELECTION

ADJUSTABLE BASE
45° LEFT/RIGHT

BLADE FOR METAL

BLADE FOR WOOD
COARSE/FINE



50 |

4 PENDULAR POSITIONS

+ BMC

T CONNECTION



POWXB50020
20V

Battery capacity	2000mAh Li-Ion
Capacity	Steel: 6mm / plastic: 10mm / wood: 100mm
Rotation speed	1000-3000min ⁻¹
Pendulum	4 positions
Connection type	T shaped
Average charging time	1h
Features	• Variable speed • Adjustable base 45° left/right • 4 pendular positions • Quick blade change • LED battery level indicator • LED worklight • Soft grip
Included	• 6x saw for wood / 3x saw for metal • 1x side guide • 1x dust adaptor for vacuum cleaner • 1x hex key • 1x battery 2000mAh Li-ion • 1x 1h quick charger • 1x BMC



5 400338 092817 >

POWXB50020

STORAGE CASE



JIGSAW | 650W | 810W

DECOUPEERZAAG // SCIE SAUTEUSE // STICHSÄGE // SIERRA DE CALAR



BLADE FOR WOOD
COARSE/FINE



BLADE FOR METAL

POWERPLUS
HIGH QUALITY TOOLS

4 PENDULAR POSITIONS

T+U CONNECTION



POWX0331
650W

4 PENDULAR POSITIONS

+ BMC

T+U CONNECTION

LASER



POWX0361
810W

Voltage - frequency	230-240V~ 50Hz	230-240V~ 50Hz
Capacity	Steel: 8mm / wood/plastic: 65mm	Steel: 8mm / wood/plastic: 80mm
Rotation speed	0-3000min ⁻¹	0-3000min ⁻¹
Pendulum	4 positions	4 positions
Connection type	T + U shaped	T + U shaped
Cable	3m	3m
Features	- T + U shape connection - Quick blade change - Pendulum action - 4 positions - Dust blowing function - Adjustable base 45° left/right - Variable speed - Soft grip	- T + U shape connection - Quick blade change - Pendulum action - 4 positions - Dust blowing function - Adjustable aluminium base 45° left/right - Variable speed - Laser with LED worklight - Soft grip
Included	2x blade for wood 1x blade for metal 1x side guide 1x dust adaptor 1x hex key	4x blade for wood 2x blade for metal 1x side guide 1x dust adaptor 1x hex key 1x BMC



5 400338 079337 >



5 400338 079344 >

PENDULUM ACTION SELECTION



QUICK BLADE CHANGE



DUST BLOWING SWITCH



RECIPROCATING SAW | 900W

RECIPROZAAG // SCIE SABRE // SÄBELSÄGE // SIERRA DE ESPADA



POWERPLUS
HIGH QUALITY TOOLS

52 |

6 SPEED

	 POWX0397 900W
Voltage - frequency	220-240V~ 50Hz
Cutting depth	Steel: 5mm / wood: 115mm
Rotation speed	0-2600min ⁻¹
Cable	3m
Features	• Quick blade change • Rotatable handle (5 positions) • Adjustable pivot shoe • Variable speed • Aluminium gear housing • Lock-on button • Soft grip
Included	• 1x blade for wood • 1x blade for metal • 1x hex key



QUICK BLADE CHANGE




ROTATABLE HANDLE [5 POSITIONS]



METAL SAW | 600W

MINI PLUNGE SAW | 600W

METAALSNIJDER // TRONCONNEUSE POUR METAL // METALL-TRENNMASCHINE // TRONZADORA METAL
MINI INVALZAAG // MINI SCIE PLONGEANTE // MINI-TAUCHSÄGE // MINI SIERRA DE INCISIÓN



POWERPLUS
HIGH QUALITY TOOLS

ONE-HANDED OPERATION

SMART GRIP

+ BMC



POWX1410
600W

ONE-HANDED OPERATION



POWX1365MB
600W

Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Cutting depth	42mm	28.5mm
Rotation speed	3500min ⁻¹	5500min ⁻¹
Saw blade	120x10x2mm - 24T	TCT blade: Ø89x10mm 24T HSS blade: Ø89x10mm 80T Diamond disc: Ø89x10mm
Cable	3m	3m
Features	- Safe and secure one-handed operation - Dust collection box - Steel base - Safety guard - Central ergonomic soft grip	- Laser - Safety switch - One-handed operation - LED power indicator - Soft grip - Safety guard
Included	1x blade for metal 1x side guide 1x hex key 1x BMC 	1x mitre base 1x TCT saw blade 1x HSS saw blade 1x diamond disc 1x side guide 1x dust extraction hose 1x hex key
	 5 400338 071867 >	 5 400338 066573 >

ONE HANDED OPERATION



DUST EXTRACTION HOSE




POWX1410

METAL WASTE COLLECTION BOX



CIRCULAR SAW | 1500W | 1800W

CIRKELZAAG // SCIE CIRCULAIRE // HANDKREISSÄGE // SIERRA CIRCULAR



POWERPLUS
HIGH QUALITY TOOLS

54 |

+ BMC

	 POWX0520 1500W	 POWX0550 1800W
Voltage - frequency	230-240V~ 50Hz	230-240V~ 50Hz
Max. capacity	90°: 64mm / 45°: 48mm	90°: 70mm / 45°: 52mm
Rotation speed	5500min ⁻¹	5000min ⁻¹
Saw blade	Ø185x20x2.4mm - 60T	Ø210x30x2.4mm - 60T
Cable	3m	3m
Features	• Laser + LED light • Adjustable angle • Quick clamp for depth setting • Aluminium base • Safety guard • Soft grip	• Laser + LED light • Adjustable angle • Quick clamp for depth setting • Aluminium base • Safety guard • Soft grip
Included	• 1x TCT saw blade 60T • 1x side guide • 1x hex wrench • 1x dust adaptor	• 1x TCT saw blade 60T • 1x side guide • 1x hex wrench • 1x dust adaptor • 1x BMC 
	 5 400338 057526 >	 5 400338 057533 >

PLUNGE SAW | 1200W

INVALZAAG // SCIE PLONGEANTE // TAUCHSÄGE // SIERRA DE INCISIÓN



POWERPLUS
HIGH QUALITY TOOLS

| 55

	 POWX0562 1200W
Voltage - frequency	230-240V~ 50Hz
Max. capacity	90°: 56mm 45°: 42mm
Bevel capacity	0-45°
Rotation speed	5200min ⁻¹
Saw blade	Ø165x20x2.4mm - 24T
Cable	3m
Features	• Adjustable angle • Allows bevel cuts • Guide rail for exact cutting • Soft grip
Included	• 1x TCT saw blade 24T • 4x guide rail (340x180mm) • 6x bar for connecting guiding rails • 1x dust adaptor (assembled on body) • 2x clamp • 2x hex key



BEVEL CUT



USE CLAMPS TO SECURE THE RAIL



PLUNGE CUT



EXTRA GUIDE RAILS

POWX0562X Guide rails



2x 340x180mm guide rails
2x rail connector set

For use with : POWX0562



(TELESCOPIC) MITRE SAW | 1500W | 1600W

(TELESCOPISCHE) VERSTEKZAAG // SCIE À ONGLET (TÉLÉSCOPIQUE) // (TELESKOPISCHE) GEHRUNGSSÄGE // INGLETADORA (TELESCÓPICA)



POWERPLUS
HIGH QUALITY TOOLS

56 |

TELESCOPIC



POWX075700
1500W



POWX075710S
1600W

Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Rotation speed	5000min ⁻¹	5000min ⁻¹
Max. capacity	Depth: 55mm Width: 120mm	Depth: 70mm Width: 305mm
Cutting angle	90° - 45°	90° - 45°
Table rotation	90° - 45°	90° - 45°
Blade size	Ø210x30x2.6mm - 24T	Ø210x30x2.6mm - 24T
Cable	2m	2m
Features	• High precision laser • Spindle lock • Aluminium base with extension bars and adjustable clamp • Dust outlet	• Telescopic • High precision laser • Aluminium base with side guides and adjustable clamp • Dust outlet
Included	• 1x TCT saw blade 24T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 1x wrench	• 1x TCT saw blade 24T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 1x wrench



MAX. CUTTING CAPACITY POWX075700

Blade	Table	
90°	90°	55x120mm
90°	45°	55x83mm
45°	90°	30x120mm
45°	45°	30x83mm

MAX. CUTTING CAPACITY POWX075710S



Blade	Table	
90°	90°	70x305mm
90°	45°	70x215mm
45°	90°	35x305mm
45°	45°	35x215mm

TELESCOPIC (POWX075710S)



DUAL BEVEL TELESCOPIC MITRE SAW | 1600W

TELESCOPISCHE VERSTEKZAAG MET DUBBELE AFSCHUINING // SCIE Á ONGLET TÉLESCOPIQUE À DEUX BISEAUX
TELESKOPISCHER DOPPELKEGEL GEHRUNGSSÄGE // INGLETADORA TELESCÓPICA CON BISEL DOBLE



POWERPLUS
HIGH QUALITY TOOLS

| 57


TELESCOPIC

DUAL BEVEL



POWX075720DB
1600W

Voltage - frequency	230-240V~ 50Hz
Rotation speed	5000min ⁻¹
Max. capacity	Depth: 70mm Width: 305mm
Cutting angle	90° - 45°
Table rotation	45 - 45°
Blade size	Ø210x30x2.6mm - 24T
Cable	2m
Features	• Dual bevel • Telescopic • High precision laser • Aluminium base with extension bars and adjustable clamp • Dust outlet
Included	• 1x TCT saw blade 24T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 1x wrench



MAX. CUTTING CAPACITY



Blade	Table	
90°	90°	70x305mm
90°	45°	70x210mm
45°L	90°	35x305mm
45°R	90°	20x305mm
45°	45°L	35x210mm
45°	45°R	20x210mm

TELESCOPIC



TELESCOPIC MITRE SAW | 2100W

TELESCOPISCHE VERSTEKZAAG // SCIE À ONGLET TÉLÉSCOPIQUE // TELESKOPISCHE KAPP-UND GEHRUNGSSÄGE // INGLETADORA TELESCÓPICA



POWERPLUS
HIGH QUALITY TOOLS

58 |

TELESCOPIC



POWX075730S
2100W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	5000min ⁻¹
Max. capacity	Depth: 75mm Width: 305mm
Cutting angle	90° - 45°
Table rotation	90° - 45°
Blade size	Ø254x30x2.8mm - 24T
Cable	2m
Features	• Telescopic • High precision laser • Aluminium base with side guides and adjustable clamp • Dust outlet
Included	• 1x TCT saw blade 24T • 2x extension bar • 1x clamp • 1x dust bag • 1x wrench



MAX. CUTTING CAPACITY

Blade	Table	
90°	90°	75x305mm
90°	45°	75x210mm
45°	90°	38x305mm
45°	45°	38x210mm


TELESCOPIC



DUAL BEVEL TELESCOPIC MITRE SAW | 2200W

TELESCOPISCHE VERSTEKZAAG MET DUBBELE AFSCHUINING // SCIE Á ONGLET TÉLESCOPIQUE À DEUX BISEAUX
TELESKOPISCHER DOPPELKEGEL GEHRUNGSSÄGE // INGLETADORA TELESCÓPICA CON BISEL DOBLE

**DUAL
BEVEL**



POWERPLUS
HIGH QUALITY TOOLS


TELESCOPIC

DUAL BEVEL



**POWX075740DB
2200W**

Voltage - frequency	220-240V~ 50Hz
Rotation speed	5000min ⁻¹
Max. capacity	Depth: 90mm Width: 310mm
Cutting angle	45° - 45°
Table rotation	90° - 45°
Blade size	Ø254x30x3.0mm - 24T
Cable	2m
Features	• Dual bevel • Telescopic • High precision laser • Aluminium base with extension bars and adjustable clamp • Dust outlet
Included	• 1x TCT saw blade 24T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 1x wrench



MAX. CUTTING CAPACITY

Blade	Table	
90°	90°	90x310mm
90°	45°	90x215mm
45°L	90°	38x310mm
45°R	90°	38x310mm
45°L	45°	38x215mm
45°R	45°	38x215mm




TELESCOPIC



DUAL BEVEL TELESCOPIC MITRE SAW

| 2200W | 2000W

TELESCOPISCHE VERSTEKZAAG MET DUBBELE AFSCHUINING // SCIE Á ONGLET TÉLESCOPIQUE À DEUX BISEAUX
TELESKOPISCHER DOPPELKEGEL GEHRUNGSSÄGE // INGLETADORA TELESCÓPICA CON BISEL DOBLE



DUAL
BEVEL

POWERPLUS
HIGH QUALITY TOOLS

60 |

TELESCOPIC

DUAL BEVEL



POWX075750DB
2200W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	5000min ⁻¹
Max. capacity	Depth: 105mm Width: 330mm
Cutting angle	90° - 45°
Table rotation	45 - 45°
Blade size	Ø305x30x3mm - 40T
Cable	2m
Features	• Dual bevel • Telescopic • High precision laser • Aluminium base with extension bars and adjustable clamp • Dust outlet
Included	• 1x TCT saw blade 40T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 2x wrench



5 400338 091506 >

TELESCOPIC

DUAL BEVEL

BELT DRIVEN




POWX075751DB
2000W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	3800min ⁻¹
Max. capacity	Depth: 105mm Width: 330mm
Cutting angle	90° - 45°
Table rotation	45 - 45°
Blade size	Ø305x30x2.8mm - 40T
Cable	2m
Features	• Belt driven • Dual bevel • Telescopic • High precision laser • Aluminium base with extension bars and adjustable clamp • Dust outlet
Included	• 2x TCT saw blade 40T • 2x extension bar • 1x adjustable clamp • 1x dust bag • 1x wrench



5 400338 097034 >



POWX075750DB

MAX. CUTTING CAPACITY

Blade	Table	
90°	90°	105x330mm
90°	45°	105x235mm
45°L	90°	60x330mm
45°R	90°	38x330mm
45°L	45°	60x235mm
45°R	45°	38x235mm


POWX075751DB

MAX. CUTTING CAPACITY



Blade	Table	
90°	90°	105x330mm
90°	45°	105x230mm
45°L	90°	60x330mm
45°R	90°	33x330mm
45°L	45°	60x230mm
45°R	45°	33x230mm

MITRE SAW WITH TOP TABLE | 2000W

VERSTEKZAAG MET BOVENTAFEL // SCIE A ONGLET A TABLE SUPERIEURE // GEHRUNGSÄGE MIT OBERTISCH // INGLETADORA CON MESA SUPERIOR



**CONVERTIBLE
DUAL-ACTION**



POWERPLUS
HIGH QUALITY TOOLS

TELESCOPIC

2-IN-1



**POWX07583
2000W**

Voltage - frequency	230-240V~ 50Hz
Rotation speed	4800min ⁻¹
Max. capacity	Mitre: 75x125mm Table: 50mm
Cutting angle	90° - 45°
Table rotation	90° - 45°
Blade size	Ø254x30x2.8mm - 36T
Table size	480x290mm
Cable	3m
Features	• 2-in-1: mitre and table saw • Convertible dual-action cutting • Magnetic on/off switch • LED worklight • High precision laser • Heavy duty base
Included	• 1x TCT saw blade 36T • 1x adjustable clamp • 1x dust bag • 1x push stick • 2x extension bar • 1x wrench

MAX. CUTTING CAPACITY MITRE SAW

Blade	Table	
90°	90°	75x125mm
90°	45°L	75x65mm
90°	45°R	75x80mm
45°	90°	50x125mm
45°L	45°	50x30mm
45°R	45°	50x65mm

MAX. CUTTING CAPACITY TABLE SAW

Blade	Table	
90°	90°	Max. 50mm

HIGH PRECISION LASER



PUSH STICK



MITRE SAW SUPPORT STAND

ONDERSTEL VERSTEKZAAG // SUPPORT SCIE À ONGLET // STAND GEHRUNGSSÄGE // SOPORTE INGLETADORA



POWERPLUS
HIGH QUALITY TOOLS

		
	POWX53300T Support stand	POWX075100 Support stand
Height	825mm	800mm
Table size	580x520mm	430x460mm
Weight capacity	90kg	100kg
Features	• Steel support stand • Adjustable leg to stabilise the table • Fits POWX07551T POWX07554 POWX07562 POWX07568TX POWX07573T POWXQ5330 POWXQ5335 POWXQ5350	• Adjustable leg to stabilise the table • Suitable for all Powerplus machines and ± 95% of other brands in the market
	 5 400338 068805 >	 5 400338 080081 >



MITRE SAW SUPPORT STAND ROLLER SUPPORT STAND

ONDERSTEL VERSTEKZAAG // SUPPORT SCIE À ONGLET // STAND GEHRUNGSSÄGE // SOPORTE INGLETADORA
ROLBOK // SERVANTE À ROULEAU // ROLLBOCK // SOPORTE CON RODILLO



POWERPLUS
HIGH QUALITY TOOLS


63

		
	POWX075200 Support stand	POWX0700T Roller support stand
Height	90-98.7cm	68-108cm
Width	63.5cm	Roller width : 300mm
Length	118.5-200cm	
Weight capacity	150kg	60kg
Features	• Support for long workpieces • Equipped with rollers on both sides • Adjustable in height and width • Adjustable leveling foot • Anti-slip feet • Foldable	• Very solid • Very simple assembly
	 5 400338 095672 >	 5 400338 052415 >



TABLE SAW | 800W

TAFELZAAG // SCIE À TABLE // TISCHKREISSÄGE // SIERRA DE MESA



INDUCTION MOTOR



POWX07588
800W

Voltage - frequency	230-240V~ 50Hz
Rotation speed	2950min ⁻¹
Max. capacity	90°: 43mm / 45°: 27mm
Cutting angle	90° - 45°
Blade size	Ø200x16x2.4mm - 24T
Table size	373x505mm
Cable	2m
Features	• Induction motor • Magnetic on/off switch • Saw blade guard • Parallel guide • Angle guide
Included	• 1x TCT saw blade 24T • 1x push stick • 1x angle guide • 1x parallel guide • 2x wrench



MAX. CUTTING CAPACITY

Blade	
90°	Max. 43mm
45°	Max. 27mm



CONNECTOR FOR DUST COLLECTION






PUSH STICK



TABLE SAW | 1700W | 2000W

TAFELZAAG // SCIE À TABLE // TISCHKREISSÄGE // SIERRA DE MESA



	 POWX07590 1700W	 POWX07595 2000W
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Rotation speed	4800min ⁻¹	5000min ⁻¹
Max. capacity	90°: 70mm / 45°: 45mm	90°: 85mm / 45°: 65mm
Cutting angle	90° - 45°	90° - 45°
Blade size	Ø210x30x2.6mm - 24T	Ø250x30x2.8mm - 24T
Table size	500x445mm / height: 785mm	563x583mm / height: 820mm
Table extension	extensions L/R: 500x70mm	165x583mm
Cable	3m	2m
Features	- Saw blade height setting - Blade tilting range 90°-45° - Extendable table - Fixed stand + rubber feet - Tilt protection - Dust extraction outlet	- Saw blade height setting - Blade tilting range 90°-45° - Overload protection - Table extension - Tilt protection - Rubber feet - Dust extraction outlet
Included	1x saw blade 24T 2x table extension 1x mitre angle guide 1x push stick 1x parallel stop 4x supporting leg / 8x bracket 2x tilt protection 1x hex key / 2x wrench	1x TCT saw blade 24T 3x table extension 1x push stick 1x dust extraction hose 1x parallel stop 1x mitre angle stop 2x spanner
	 5 400338 080074 >	 5 400338 090721 >

POWX07590 MAX. CUTTING CAPACITY		
Blade	90°	70mm
	45°	45mm

POWX07595 MAX. CUTTING CAPACITY		
Blade	90°	85mm
	45°	65mm





TABLE SAW | 2000W

TAFELZAAG // SCIE À TABLE // TISCHKREISSÄGE // SIERRA DE MESA



POWERPLUS
HIGH QUALITY TOOLS

66 |



POWX07598
2000W

Voltage - frequency	220-240V~ 50Hz
Rotation speed	5000min ⁻¹
Max. capacity	90°: 85mm / 45°: 60mm
Cutting angle	90° - 45°
Blade size	Ø250x30x2.8mm - 24T
Table size	576x650mm / height: 917mm
Table extension	576x70mm
Cable	2m
Features	• Blade tilting range 90°-45° • Saw blade height setting • Extendable table • Foldable stand • Wheels for easy transport • Tilt protection • Rubber feet • Dust extraction outlet
Included	• 1x TCT saw blade 24T • 1x folding stand • 1x push stick • 2x blade wrench • 1x dust extraction hose • 1x parallel stop • 1x hex key



BLADE TILTING RANGE 90°-45°



MAX. CUTTING CAPACITY

Blade	
90°	85mm
45°	60mm

EXTENDABLE SUPPORT



WHEELS FOR EASY TRANSPORT



BAND SAW | 350W

LINTZAAG // SCIE À RUBAN // BANDSÄGE // SIERRA DE BANDA



INDUCTION MOTOR

	 POWX180 350W
Voltage - frequency	230-240V~ 50Hz
Max. capacity	Depth: 80mm Width: 190mm
Table tilt	90 - 45°
Blade size	1425x6.25x0.3mm - 6TPI
Table size	300x300mm
Cable	2m
Features	• Table tilting range 90°-45° • Dust extraction outlet
Included	• 1x work table • 1x saw blade • 1x parallel guide • 1x lateral stop • 1x variable angle guide with scale • 1x side fence quick clamp • 1x push stick • 3x hex key



VARIABLE ANGLE GUIDE



PARALLEL QUICK CLAMP GUIDE/STOP



SPARE SAW BANDS



POWX180A
1425x6.25mm 6TPI
For use with POWX180




POWX180B
1425x9.53mm 6TPI
For use with POWX180



SCROLL SAW | 120W

FIGUURZAAGMACHINE // SCIE À CHANTOURNER // DEKUPIERSÄGE // SIERRA MARQUETERÍA



POWERPLUS
HIGH QUALITY TOOLS

68 |



POWX195
120W

NEW

EXPECTED
JULY 2022

Voltage - frequency	230V~ 50Hz
Max. capacity	Depth: 50mm Width: 406mm
Rotation speed	400-1600min ⁻¹
Table tilt	0 - 45°
Blade size	127x2.6x0.5mm - 15TPI
Table size	410x254mm
Cable	2m
Features	• Table tilting range 0°-45° • Dust blower with flexible tubing • Electronic speed control
Included	• 2x saw blade (1 is mounted) • 2x hex key • 1x safety guard • 1x dust blowing tube




5 400338 097973 >

TABLE TILTING RANGE 90°-45°



SPARE SAW BLADES



POWX195A 127x2.6mm

Set 10pcs for use with POWX195

2x 10TPI
3x 15TPI
3x 18TPI
2x 25TPI



5 400338 098529 >

TILE CUTTER | 750W | 600W | 800W

TEGELSNIJDER // COUPE-CARRELAGE // FLIESENSCHNEIDER // CORTADORA AZULEJOS



POWERPLUS
HIGH QUALITY TOOLS

INDUCTION MOTOR

INDUCTION MOTOR

69

	 POWX230 750W	 POWX240 600W	 POWX2300 800W
Voltage - frequency	230V~ 50Hz	230V~ 50Hz	230V~ 50Hz
Rotation speed	2800min ⁻¹	3000min ⁻¹	2950min ⁻¹
Max. capacity	90°: 34mm / 45°: 22mm	90°: 25mm / 45°: 15mm	90°: 34mm / 45°: 17mm
Max. cutting length	/	400mm	/
Table tilt	0° - 45°	0° - 45°	0° - 45°
Blade size	Ø180x22.2x2.2mm	Ø180x25.4x2.2mm	Ø180x22.2x2.2mm
Table size	420x380mm	500x385mm	397x386mm
Cable	2m	2m	2m
Features	• Chrome plated table with parallel quick clamp fence and variable angle guide • Water reservoir • PRCD: protective residual current device • Safety guard	• High precision laser • Heavy duty chrome plated table with rail fence and variable angle guide • Water reservoir with cooling water pump • PRCD: protective residual current device • Safety guard	• Water reservoir with cooling water pump • PRCD: protective residual current device • Safety guard
Included	• 1x diamond disc • 1x variable angle guide • 1x parallel quick fence • 2x spanner • 4x rubber foot	• 1x diamond disc • 1x variable angle guide • 1x rail fence • 4x legs • 2x wrench / 2x hex key	• 1x diamond disc • 1x parallel guide • 2x wrench
	 5 400338 038655 >	 5 400338 038648 >	 5 400338 098307 >

TABLE TILTING RANGE 90°-45°



PRCD



Protective residual current device



Woodworking

POWX1110	PLANER	900W	P 72
POWX2040	JOINTER/PLANER	1500W	P 73
POWX0910	ROUTER	1200W	P 74
POWX093	ROUTER	1500W	P 74
POWX1310	BISCUIT JOINTER	900W	P 75

Lifting

POWX900	HOIST	500W	P 76
POWX901	HOIST	1000W	P 76
POWX902	HOIST	1050W	P 76
POWX903	HOIST	1300W	P 77
POWX910	PIVOTING ARM FOR HOIST		P 77

Power generating

POWX410	PORTABLE 4-IN-1 POWER STATION	12V	P 78
POWX4201	SMART CHARGER	35W	P 79
POWX4203	SMART CHARGER	70W	P 79
POWX4207	SMART CHARGER	160W	P 79
POWX4251	JUMP STARTER 3-IN-1	12V	P 80



WOODWORKING LIFTING POWER GENERATING CLEANING VARIOUS



POWERPLUS
HIGH QUALITY TOOLS

| 71

POWX4255	JUMP STARTER 3-IN-1	12V	P 80
POWX4258	JUMP STARTER 3-IN-1	12V	P 80
POWX510	POWER GENERATOR	2200W	P 81
POWX513	POWER GENERATOR	3000W	P 81
POWX516	POWER GENERATOR	5400W	P 81

Cleaning

POWX320	VACUUM CLEANER	800W	P 82
POWX321	VACUUM CLEANER	1000W	P 82
POWX322	VACUUM CLEANER	1000W	P 82
POWX3230	VACUUM CLEANER	1200W	P 83
POWX3240	VACUUM CLEANER	1200W	P 83
POWX325	VACUUM CLEANER (2x ENGINE)	2x 1200W	P 84
POWX2090	MOVABLE DUST AND CHIP COLLECTOR	550W	P 85
POWX3000	ASH CLEANER	1000W	P 86
POWX3010	ASH CLEANER	1200W	P 86
POWX3013	ASH CLEANER	1600W	P 86
POWX308	ASH CLEANER	1200W	P 87
POWX3018	ASH CLEANER	1800W	P 87

Various

POWX1021	HEAT GUN	2000W	P 88
POWX1025	HEAT GUN	2000W	P 88
POWX3400	WALLPAPER STRIPPER	2300W	P 89
POWX351	PAINT SPRAY GUN	130W	P 90
POWX354	PAINT SPRAY GUN	500W	P 90
POWX358	PAINT SPRAY GUN WITH TROLLEY	750W	P 91
POWX1700	LI-ION AIR PRESSURE PUMP	18V	P 92
POWX1710	LI-ION AIR PUMP	8V	P 92
POWX720	SELF-LEVELING LASER LEVEL		P 93
POWX0841	CONCRETE/PAINT MIXER	1600W	P 94
POWX089	CONCRETE/PAINT MIXER DOUBLE ROTATION	1600W	P 95
POWX480	WELDING MACHINE	160A	P 96
POWX1382	SOLDERING IRON	30W	P 97
POWX1384	SOLDERING IRON	60W	P 97
POWX1386	SOLDERING GUN	100W	P 97
POWX1388	SOLDERING IRON	4V	P 97
POWX13700	NAIL/STAPLE GUN	45W	P 98
POWX13800	NAIL/STAPLE GUN	50W	P 98
POWX143	HOT GLUE GUN	78W	P 99
POWX146	HOT GLUE GUN	25W	P 99
POWX147	HOT GLUE GUN	4V	P 99

PLANER | 900W

SCHAAF // RABOT // EINHANDHOBEL // CEPILLO



POWERPLUS
HIGH QUALITY TOOLS

72 |

+ BMC



POWX1110
900W

Voltage - frequency	230-240V~ 50Hz
Rotation speed	16000min ⁻¹
Planing width	82mm
Planing depth	0-3mm
Rebating depth	18mm
Cable	3m
Features	• Left/right dust extraction • Blade protection function • Adjustable planing depth • Rebate depth guide • Soft grip
Included	• 1x side guide • 1x depth guide • 1x spanner • 1x dust bag • 1x BMC 

LEFT & RIGHT DUST EXTRACTION



REBATE DEPTH GUIDE



JOINTER PLANER | 1500W

VLAK- & VANDIKTEBANK // RABOT DEGAUCHISSEUSE // ABRICHT- UND DICKENHOBEL // CEPILLADORA ALISADOR



2-IN-1

| 73

	 POWX2040 1500W	NEW
Voltage - frequency	230-240V~ 50Hz	
Rotation speed	9000min ⁻¹	
Cuts/min	18000	
Feeding speed	5m/min	
Blade size	210x22x1.8mm	
Max. capacity	Max. planing width: 204mm Max. planing depth jointer: 0-2.5mm Max. planing depth planer: 0-2mm Max. planing depth/height: 5-120mm	
Table size	740x210mm	
Cable	2m	
Features	• Convertible dual-action jointer & planer mode • Height locking lever • Height adjusting wheel • Fixed table stand + rubber feet • Overload protection	
Included	• 2x wood push pad • 2x planer knife • 3x hex key • 1x push stick • 1x parallel guide • 1x blade guard • 1x dust extraction adaptor	
	 5 400338 097997 >	


COVER PROFILE FOR CUTTER SHAFT



2 PUSH PADS



PLANING SCALE



SPARE KNIFE SET



POWX2040A 210x22x1.8mm

Set 2pcs for use with POWX2040



ROUTER | 1200W | 1500W

BOVENFREES // DÉFONCEUSE // OBERFRÄSE // FRESADORA



POWERPLUS
HIGH QUALITY TOOLS

74 |

7 SPEED

+ BMC

7 SPEED

+ BMC

SOFT START



**POWX0910
1200W**



**POWX093
1500W**

Voltage - frequency	230V~ 50Hz	230-240V~ 50Hz
Rotation speed	11000-30000min ⁻¹ (7 speed)	6000-26000min ⁻¹ (7 speed)
Router depth	35mm	50mm
Collet	6 / 8mm - 1/4"	8 / 12mm - 1/2"
Cable	3m	3m
Features	• Solid metal base • Dust proof sleeves for sliding post • Fingertip depth adjustment • Adjustable speed (7) • Lock-on button • Soft grip • Dust extraction	• Solid metal base • Soft start • Fingertip depth adjustment • Adjustable speed (7) • Soft grip non-slip handles + integrated switch • Dust extraction
Included	• 6x router bit Ø8mm • 2x collet 6/8mm • 1x guide fence • 1x compass point • 1x dust extraction adaptor • 1x metal plate • 1x hex key / 1x spanner • 1x depth stop • 1x BMC	• 12x router bit Ø12mm • 2x collet • 1x guide fence with distance scale • 1x set circle cutting accessories • 1x dust extraction adaptor • 1x wrench • 1x hex wrench • 1x BMC




5 400338 057717 >



5 400338 024719 >

POWX093

METAL PARALLEL SIDE GUIDE



(with distance scale)

BISCUIT JOINTER | 900W

LAMELLENFREES // FRAISEUSE À LAMELLES // FLACHDÜBELFRÄSE // FRESADORA DE ENGALLETAR MADERA



POWERPLUS
HIGH QUALITY TOOLS

| 75





**POWX1310
900W**

Voltage - frequency	230-240V~ 50Hz
Rotation speed	10800min ⁻¹
Blade size	Ø100x22x4mm 6T
Cutting depth	2-4-5-7-12-19mm
Cutting height	0-30mm
Cable	3m
Features	• For biscuit sizes 0-10-20 • Fence angle adjustment: 0-90° / 90-135° • Depth adjustment
Included	• 1x TCT blade 6T (mounted) • 1x handle (mounted) • 1x dust bag • 1x plate protection • 1x hex key

FINE DEPTH ADJUSTMENT



[2-4-5-7-12-19mm]



SPARE SAW BLADE



POWX131A

100x22x4mm 6T

For use with POWX1310



HOIST | 500W | 1000W | 1050W

TAKEL // PALAN // HEBEZUG // POLIPASTO



POWERPLUS
HIGH QUALITY TOOLS

76 |

UP TO 200kg

INDUCTION MOTOR



POWX900
500W

UP TO 400kg

INDUCTION MOTOR



POWX901
1000W

UP TO 600kg

INDUCTION MOTOR



POWX902
1050W

Voltage - frequency	230V~ 50Hz	230V~ 50Hz	230V~ 50Hz
Lifting weight	Hook: 100kg Hook + pulley: 200kg	Hook: 200kg Hook + pulley: 400kg	Hook: 300kg Hook + pulley: 600kg
Lifting height	Hook: 12m Hook + pulley: 6m	Hook: 12m Hook + pulley: 6m	Hook: 12m Hook + pulley: 6m
Lifting speed	Hook: 8m/min Hook + pulley: 4m/min	Hook: 8m/min Hook + pulley: 4m/min	Hook: 8m/min Hook + pulley: 4m/min
Cable length	0.6m	0.6m	0.6m
Control cable length	1.5m	1.5m	1.5m
Features	- Steel cable 12m - Ø3mm - Emergency stop	- Steel cable 12m - Ø4mm - Emergency stop	- Steel cable 12m - Ø4.5mm - Emergency stop
Included	1x load hook with pulley 2x installation bracket	1x load hook with pulley 2x installation bracket	1x load hook with pulley 2x installation bracket




HOIST | 1300W

PIVOTING ARM FOR HOIST

TAKEL // PALAN // HEBEZUG // POLIPASTO

ZWENKARM VOOR TAKEL // BRAS ORIENTABLE POUR PALAN // SCHWENKARM FÜR HEBEZUG // SOPORTE PARA POLIPASTO



POWERPLUS
HIGH QUALITY TOOLS

UP TO 800kg

INDUCTION MOTOR




POWX903
1300W

Voltage - frequency	230V~ 50Hz
Lifting weight	Hook: 400kg Hook + pulley: 800kg
Lifting height	Hook: 12m Hook + pulley: 6m
Lifting speed	Hook: 9m/min Hook + pulley: 4.5m/min
Cable length	0.6m
Control cable length	1.5m
Features	- Steel cable 12m - Ø5mm - Emergency stop
Included	1x load hook with pulley 2x installation bracket



5 400338 072130 >




POWX910
Pivoting arm for hoist

Length	750mm - 1150mm
Max. load	750mm: 600kg 1150mm: 300kg
Rotation	50°L - 50°R



5 400338 072147 >



POWER STATION 4-IN-1 | 12V - Max. 900A

ENERGIESTATION // ALIMENTATION ÉLECTRIQUE // SCHNELLSTARTSYSTEM // ARRANCADOR

**OIL
FREE**

2x EMERGENCY
LIGHT

POWER
OUTPUT

JUMP START

2x WORKLIGHT

AIR PRESSURE
GAUGE

ACCESSORY
COMPARTMENT

COMPRESSOR
INFLATING HOSE WITH
3 VALVES

4x REPLACEMENT LIGHT
2x REPLACEMENT AUTO FUSE

POWERPLUS®
HIGH QUALITY TOOLS

78 |



POWX410
12V - Max. 900A

Functions	Jump starter Compressor Power output Emergency light
Start power	900A (peak)
Power supply	3x 12V (max. 6A)
Light	2x emergency light 3W 2x worklight 3W
Operating pressure	Max. 250psi / 17bar
Features	• Maintenance free 12V Battery 17Ah • LED battery indicator • Start cables • Manometer • Pressure gauge
Included	• 1x AC/DC adaptor 230V~ 50Hz • 4x light • 1x Inflating hose with 3 valves • 2x auto fuse



5 400338 043031 >

HEAVY-DUTY PLASTIC HANDLES



with metal saw-tooth clamps

3x 12V DC OUTPUT



with overload protection
(cigaret lighter type)

AC & DC ADAPTOR



for rechargeable battery

SMART CHARGER | 35W | 70W | 160W

SLIMME BATTERIJLADER // CHARGEUR INTELLIGENT // INTELLIGENTES LADEGERÄT // CARGADOR INTELIGENTE



POWERPLUS
HIGH QUALITY TOOLS

| 79

	 POWX4201 35W - 2A - 60Ah	 POWX4203 70W - 4A - 120Ah	 POWX4207 160W - 10A - 200Ah
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Rated power	35W	70W	160W
Battery voltage	12V	12V	12V
Battery capacity	3-60Ah	3-120Ah	3-200Ah
Charging current	2A	4A	10A
Cable	1.5m	1.5m	1.5m
Features	• 8 LED display • Automatic charging • Dust and water resistant • For lead acid battery, AGM battery and gel battery • Microcontroller (MCU) • Winter mode • 12V STD mode / 12V AGM mode / 12V maintainer mode • Recond mode • Supply function • Safety protection • Fast/slow charging	• LCD display • Automatic charging • Dust and water resistant • For lead acid battery, AGM battery and gel battery • Microcontroller (MCU) • Winter mode • 12V STD mode / 12V AGM mode / 12V maintainer mode • Recond mode • Supply function • Safety protection • Fast/slow charging	• LCD display • Automatic charging • Dust and water resistant • For lead acid battery, AGM battery and gel battery • Microcontroller (MCU) • Winter mode • 12V STD mode / 12V AGM mode / 12V maintainer mode • Recond mode • Supply function • Safety protection • Fast/slow charging
Included	• 1x power cable • 1x charger cable	• 1x power cable • 1x charger cable	• 1x power cable • 1x charger cable
	 5 400338 094392 >	 5 400338 094408 >	 5 400338 094415 >



Smart battery charger for car, motorcycle, boat, riding lawnmower and mobile home batteries.

JUMP STARTER 3-IN-1 | 12V

STARHULP // BOOSTER DE BATTERIE // STARHILFE // ARRANCADOR DE COCHE



80 |

			
	POWX4251 12V-500A-7500mAh	POWX4255 12V-700A-12000mAh	POWX4258 12V-1200A-16000mAh
Functions	Jump starter Power bank LED flash light & SOS	Jump starter Power bank LED flash light & SOS	Jump starter Power bank LED flash light & SOS
Rated voltage	12V 	12V 	12V 
Start power	200A - Peak 500A	300A - Peak 700A	500A - Peak 1200A
Battery capacity	8000mAh	13000mAh	17000mAh
Flash light	30h	40h	53hrs
Working temperature	-20°C / 60°C	-20°C / 60°C	-20°C / 60°C
Charging time	+/- 200 min	+/- 220 min	+/- 300 min
Features	• LED flash light • Boost button • Quick charge output port • USB-C input port • USB to type C charging cable	• LED flash light • Boost button • Quick charge output port • USB-C input port • USB to type C charging cable • Type C to type C charging cable	• LED flash light • Boost button • Quick charge output port • USB-C input port • USB to type C charging cable • Type C to type C charging cable
Included	• 1x jump start cable • 1x USB to type C charging cable • 1x pouch	• 1x jump start cable • 1x USB to type C charging cable • 1x type C to type C charging cable • 1x pouch	• 1x jump start cable • 1x USB to type C charging cable • 1x type C to type C charging cable • 1x charger • 1x pouch
			


JUMP STARTER



USB CHARGER/POWER BANK



LED LIGHT



POWER GENERATOR | 2200W | 3000W | 5400W

GENERATOR // GROUPE ÉLECTROGÈNE // STRÖMERZEUGER // GENERADOR



ECO-FRIENDLY
LESS CO₂ EMISSION

POWERPLUS
HIGH QUALITY TOOLS

| 81

	 POWX510 2200W	 POWX513 3000W	 POWX516 5400W
Voltage - frequency	230V~ 50Hz	230V~ 50Hz	230V~ 50Hz
Fuel tank capacity	15 litres (unleaded EURO 95/98)	15 litres (unleaded EURO 95/98)	25 litres (unleaded EURO 95/98)
Oil tank capacity	0.6 litres	0.6 litres	1.1 litres
Max. runtime	11 hours	9 hours	7.5 hours
Displacement	196cc	208cc	389cc
Features	• 2x AC socket 230V~ 50Hz • Choke lever • Oil/fuel indicator • Volt meter • Air filter • DC circuit breaker	• 2x AC socket 230V~ 50Hz • Choke lever • Oil/fuel indicator • Volt meter • Air filter • DC circuit breaker	• 3x AC socket 230V~ 50Hz • Choke lever • Oil/fuel indicator • Volt meter • Air filter • DC circuit breaker
Included	• 1x transport handle • 1x spark plug wrench • 2x wheels (Ø200mm) • 1x funnel • 1x tube	• 1x transport handle • 1x spark plug wrench • 2x wheels (Ø200mm) • 1x funnel • 1x tube	• 2x transport handle • 1x spark plug wrench • 2x wheels (Ø250mm) • 1x funnel • 1x tube
	 5 400338 057137 >	 5 400338 057144 >	 5 400338 057151 >



Power supply for power tools,
on vacation
or when a power cut occurs

VACUUM CLEANER | 1800W | 1000W | 1000W

STOFZUIGER // ASPIRATEUR // STAUBSAUGER // ASPIRADOR

**WET
DRY
FUNCTION**

CAN BE USED WITH OR
WITHOUT DUST BAG



WET / DRY

WET / DRY

82 |

			
	POWX320 800W - 10L	POWX321 1000W - 18L	POWX322 1000W - 15L
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Tank capacity	10L	18L	15L
Suction power	> 14 kPa	> 14 kPa	> 16 kPa
Cable	2.3m	3.5m	3.5m
Use	WET / DRY	WET / DRY	WET / DRY
Features	- Can be used with or without dust bag - Vac & blow function - High efficiency filter system - Handle with air valve	- Can be used with or without dust bag - Vac & blow function - High efficiency filter system - Handle with air valve	- Can be used with or without dust bag - Vac & blow function - Washable filter - Handle with air valve
Included	1x wet/dry floor brush 1x 2-in-1 brush 3x plastic tube 1x 1.5m hose 1x paper dust bag 4x wheels 1x high efficiency filter	1x wet/dry floor brush 1x 2-in-1 brush 3x plastic tube 1x 2.5m hose 1x paper dust bag 4x wheels 1x high efficiency filter	1x wet/dry floor brush 1x 2-in-1 brush 3x plastic tube 1x 1.5m hose 1x paper dust bag 4x wheels 1x washable filter
	 5 400338 056529 >	 5 400338 056536 >	 5 400338 091865 >

SPARE DUST BAGS



POWX320A 3pcs

For use with POWX320



5 400338 056567 >

POWX321A 3pcs

For use with POWX321



5 400338 056574 >

POWX322A 5pcs

For use with POWX322



5 400338 091872 >

VACUUM CLEANER | 1200W | 1200W

STOFZUIGER // ASPIRATEUR // STAUBSAUGER // ASPIRADOR

**WET
DRY
FUNCTION**

CAN BE USED WITH OR
WITHOUT DUST BAG

TELESCOPIC TUBE

2-IN-1
BRUSH

HOSE + HANDLE
WITH AIR VALVE

TROLLEY HANDLE

**START/STOP
SYSTEM**

ON/OFF SWITCH

CONSTANT POWER
SOCKET

UNIVERSAL
WET & DRY
FLOOR BRUSH

POWX3240
METAL TELESCOPIC TUBE 770mm
+ PLASTIC PIPE 440mm

POWX3230
1x DUST BAG

POWX3240
3x DUST BAG

DRAINING
FUNCTION

POWERPLUS
HIGH QUALITY TOOLS

WET / DRY

WET / DRY

POWER OUTLET

START / STOP

	 POWX3230 1200W - 20L	 POWX3240 1200W - 30L
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Tank capacity	20L	30L
Suction power	16 kPa	16 kPa
Cable	5m	3.5m
Use	WET / DRY	WET / DRY
Features	- Can be used with or without dust bag - Vac & blow function - Stainless steel tank - Telescopic shaft 3m hose - High efficiency filter system	- Constant power outlet 2000W - Auto start/stop system - Can be used with or without dust bag - Vac & blow function - Stainless steel tank - Telescopic shaft 3.5m hose - High efficiency filter system - Foldable handle with soft grip - Draining function
Included	1x 2-in-1 brush 1x half-round brush/nozzle 1x universal wet & dry floor brush 1x dust bag 1x telescopic tube 1x plastic tube 1x hose + handle with air valve 1x sponge filter 1x high efficiency filter 4x wheels	1x 2-in-1 brush 1x universal wet & dry floor brush 1x upholstery nozzle 3x dust bag 1x telescopic tube + plastic pipe 1x hose + handle with air valve 1x sponge filter 1x high efficiency filter 4x wheels 1x additional handle
	 5 400338 079733 >	 5 400338 081491 >

SPARE DUST BAGS



POWX3230A	3pcs
For use with POWX3230	
 5 400338 079795 >	

POWX3240A	3pcs
For use with POWX3240	
 5 400338 081545 >	

VACUUM CLEANER | 2x1200W

STOFZUIGER // ASPIRATEUR // STAUBSAUGER // ASPIRADOR

**WET
DRY
FUNCTION**



84 |

WET / DRY

2 ENGINES

POWX325
2x1200W - 60L



Voltage - frequency	220-240V~ 50Hz
Tank capacity	60L
Suction power	> 16 Kpa
Cable	5.6m
Use	WET / DRY
Features	• 2 engines • Drain device • Can be used with or without dust bag • Stainless steel tank • High efficiency filter system • Handle with air valve • Trolley handle with soft grip
Included	• 1x wet floor brush • 1x dry floor brush • 1x round brush • 1x crevice nozzle • 1x aluminium tube • 1x 3.5m hose • 1x high efficiency filter • 1x cloth filter • 1x metal trolley • 4x wheels

2 SEPARATE ENGINES



WET VACUUM CLEANING



First remove the cloth filter.




Easily drain the water to an external container using the drainage hose.



POWX330
ADAPTOR



DUST EXTRACTION ADAPTOR



For use with different saws, sanders, ...



5 400338 056550 >



5 400338 073373 >

MOVABLE DUST AND CHIP COLLECTOR | 550W

MOBILE STOF- EN SPAANDERAFZUIGING // COLLECTEUR MOBILE DE POUSSIÈRES ET DE COPEAUX
BEWEGLICHER STAUB- UND SPÄNEFÄNGER // RECOGEDOR MÓVIL DE POLVO Y VIRUTAS



POWERPLUS
HIGH QUALITY TOOLS

	 POWX2090 550W - 65L
Voltage - frequency	220-240V~ 50Hz
Collection bag	65L
Suction power	550 kPa
Air flow	Max. 900 m³/h
Cable	2m
Features	• Transport handle • Transport wheels • Textile filter
Included	• 5x hose adaptor • 1x 2m hose • 1x textile filter 65L • 1x plastic bag 65L • 2x wheels
	 5 400338 098000 >



POWX2090A	POWX2090B
Dust collection bag plastic 65L	Dust collection textile filter 65L
For use with POWX2090	For use with POWX2090
 5 400338 098079 >	 5 400338 098086 >

ASH CLEANER | 1000W | 1200W | 1600W

ASZUIGER // VIDE-CENDRE // ASCHESAUGER // ASPIRADOR DE CENIZAS



POWERPLUS
HIGH QUALITY TOOLS

86 |

	 POWX3000 1000W - 15L	 POWX3010 1200W - 20L	 POWX3013 1600W - 20L
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Tank capacity	15L	20L	20L
Tank size	Ø29.5cm x 21.5cm	Ø29.5cm x 28.5cm	Ø29.5cm x 28.5cm
Max. temperature ashes	40°C	40°C	40°C
Cable	1.2m	2m	2m
Features	• Quick and easy to use • Strong and durable tank • Safe: does not exhaust particles into the air • Ideal for cleaning up coals, ashes, sawdust... • High efficiency filter system	• Quick and easy to use • Strong and durable tank • Safe: does not exhaust particles into the air • Ideal for cleaning up coals, ashes, sawdust... • High efficiency filter system	• Quick and easy to use • Strong and durable tank • Safe: does not exhaust particles into the air • Ideal for cleaning up coals, ashes, sawdust... • High efficiency filter system
Included	• 1x Ø3.65x100cm suction hose • 1x aluminium nozzle (Ø3.4x23cm) • 1x high efficiency filter	• 1x Ø3.65x120cm suction hose • 1x aluminium nozzle (Ø3.4x23cm) • 1x high efficiency filter	• 1x Ø3.65x120cm suction hose • 1x aluminium nozzle (Ø3.4x23cm) • 1x high efficiency filter
	 5 400338 092909 >	 5 400338 094095 >	 5 400338 097805 >



SPARE FILTER



POWX3000B

HIGH EFFICIENCY FILTER
Ø 149x90mm

For use with POWX3000
POWX3010
POWX3013



ASH CLEANER | 1200W | 1800W

ASZUIGER // VIDE-CENDRE // ASCHESAUGER // ASPIRADOR DE CENIZAS



**EASY
FILTER
CLEANING**
WITH A SIMPLE PUSH
ON THE BUTTON



POWERPLUS®
HIGH QUALITY TOOLS

| 87

		
	POWX308 1200W - 20L	POWX3018 1800W - 20L
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Tank capacity	20L	20L
Tank size	Ø29.5cm x 31cm	Ø29.5cm x 28.5cm
Max. temperature ashes	60°C	40°C
Cable	3.5m	5m
Features	• Strong and durable steel tank • Red filter indicator • With blow function • Double layer filter • Ideal for cleaning sawdust, BBQ coals or fireplace ashes (max. 60°C) without damaging your cleaner	• Dust shaking function • Quick and easy to use • Strong and durable tank • Safe - does not exhaust particles into the air • Ideal for cleaning up coals, cold ashes, sawdust... • High efficiency filter system
Included	• 1x Ø3.85x120cm suction hose + 5cm plastic connector • 1x aluminium nozzle (Ø3.4x23cm) • 1x double layer filter • 1x floor brush • 1x 2-in-1 brush • 2x plastic tube • 4x wheels	• 1x Ø3.65x200cm suction hose • 1x aluminium nozzle (Ø3.4x23cm) • 1x high efficiency filter
		

SPARE DOUBLE LAYER FILTER



POWX305B

For use with POWX305 & POWX308



SPARE FILTER



POWX3018A

For use with POWX3018



HEAT GUN | 2000W | 2000W

HETELUCHTPISTOOL // DÉCAPEUR // HEISSLUFTPISTOLE // DECAPADOR



SPREADER NOZZLE for
DRYING & THAWING

REDUCTION NOZZLE
for WELDING &
SHRINK SLEEVING

REFLECTOR NOZZLE for
SOLDERING PIPES

GLASS PROTECTION NOZZLE
for PROTECTING WINDOWS
WHEN STRIPPING FRAMES

STAINLESS STEEL SCRAPER for
STRIPPING PAINT AND VARNISH

POWERPLUS
HIGH QUALITY TOOLS

88 |

INDUCTION MOTOR

+ BMC

	 POWX1021 2000W	 POWX1025 2000W
Voltage - frequency	230V~ 50Hz	230V~ 50Hz
Heat setting	50°-380°-580°C	50°-630°C
Air setting	300-500 l/min	200-500 l/min
Cable	3m	3m
Features	- Thermal stop - Adjustable temperature - Lightweight - Rubber power cable - Soft grip	- Thermal stop - Lightweight - Adjustable air temperature - Constant heat control with overload protection - LCD with temperature adjustment buttons - D-handle - Soft grip
Included	1x spreader nozzle 1x reduction nozzle	1x spreader nozzle 1x reduction nozzle 1x reflector nozzle 1x glass protection nozzle 1x stainless steel scraper 1x BMC 
	 5 400338 076459 >	 5 400338 076466 >

ON/OFF SWITCH - TEMPERATURE SETTING



HEAT SETTING	AIR SETTING
POWX1021	
I. 50°C - COOL DOWN	I. 500L/min
II. 380°C	II. 300L/min
III. 580°C	III. 500L/min
POWX1025	
I. 50°C - COOL DOWN	I. 200-500L/min
II. 50-630°C	II. 200-500L/min
III. 50-630°C	III. 500L/min

POWX1025

TEMPERATURE ADJUSTMENT



AIR FLOW ADJUSTMENT

WALLPAPER STRIPPER | 2300W

BEHANGAFSTOMER // DÉCOLLEUSE PAPIER PEINT // TAPETEN DAMPFLÖSEGERÄT // DECAPADOR PARA PAPEL PINTADO



POWERPLUS
HIGH QUALITY TOOLS

	 POWX3400 2300W
Voltage - frequency	220-240V~ 50Hz
Worktime	70min
Steam plate size	280x200mm
Steam tube length	4m
Cable	3m
Features	• Refill water tank after 70min with 4.5 litre water • Safety valve
Included	• 1x steam tube 4m • 1x steam plate
	 5 400338 094101 >



PAINT SPRAY GUN | 130W | 500W

VERFPISTOOL // PISTOLET PULVÉRISATEUR DE PEINTURE // FARBSPRITZPISTOLE // PISTOLA PULVERIZADORA DE PINTURA



ADJUSTABLE
PAINT FLOW
CONTROL



VISCOSITY CUP
FOR ALL PAINT SPRAY GUNS



HORIZONTAL, VERTICAL & ROUND
SPRAY PATTERN



ADJUSTABLE
PAINT FLOW
CONTROL

HVLP
HIGH VOLUME
LOW PRESSURE

POWERPLUS
HIGH QUALITY TOOLS

90 |

HVLP

HIGH VOLUME LOW PRESSURE




POWX351
130W



POWX354
500W

Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz
Tank capacity	800ml	800ml
Flow speed	0-320g/min	0-900g/min
Max. viscosity	60din/sec	100din/sec
Nozzle diameter	Ø0.8mm	Ø1.8 - 2.6mm
Cable	2m	2m
Features	- Multi purpose spray gun for every surface - Adjustable paint flow control - Round spray pattern - Sprays full latex paint - Soft grip	- High Volume Low Pressure - Adjustable paint flow control - Internal air check valve 3 spray patterns - Sprays full latex paint - Quick release - Quick change filter - Easy cleaning - Soft grip
Included	1x viscosity cup 1x cleaning pin 1x nozzle Ø0.8mm 1x spray basket nozzle 2x valve 1x key for nozzle	1x viscosity cup 1x nozzle Ø1.8mm 1x nozzle Ø2.6mm (mounted)
	 5 400338 068898 >	 5 400338 068904 >



PAINT SPRAY GUN | 750W WITH TROLLEY


VERFPISTOOL // PISTOLET PULVÉRISATEUR DE PEINTURE // FARBSPRITZPISTOLE // PISTOLA PULVERIZADORA DE PINTURA



	HVLP
	HIGH VOLUME LOW PRESSURE
	POWX358 750W
Voltage - frequency	220-240V~ 50Hz
Tank capacity	800ml
Flow speed	0-800g/min
Max. viscosity	60din/sec
Nozzle diameter	Ø1.8 - 2.6mm
Cable	2m
Features	• High Volume Low Pressure • Adjustable paint flow control • 3 spray patterns • Quick release • Quick change filter • Easy cleaning • Innovative wheel design • Hose, accessories and cable storage • Telescopic handle
Included	• 1x trolley • 1x viscosity cup • 1x nozzle Ø1.8mm • 1x nozzle Ø2.6mm (mounted) • 1x air hose 3m
	 5 400338 068911 >

HVLP
HIGH VOLUME / LOW PRESSURE

- Reduced overspray
- Reduced blowback
- Fast and even coverage
- No waste of paint



AIR PRESSURE PUMP/AIR PUMP | 18V | 8V

LUCHTDrukPOMP/ LUCHTPOMP // POMPE À AIR // LUFTDRUCKPUMPE/ LUFTPUMPE // BOMBA DE PRESSIÓN/ BOMBA DE AIRE



POWERPLUS
HIGH QUALITY TOOLS

92 |

+ BMC

	 POWX1700 18V Li-ion	 POWX1710 8V Li-ion NEW
Battery capacity	1500mAh	2000mAh
Max. pressure	8bar	10.3bar
Air debit	35l/min	
Flexible hose	0.5m	
Features	• Lock-on switch blow function • Ideal for inflating car or bicycle tyres, rubber toys, airbed and footballs • Long air hose • Also capable of slightly heavier work • 1h quick charger • Soft grip • Worklight	• Ideal for inflating bicycle or car tyres, inflatable boats, balls, toys or airbeds. • Very compact • Handy storage bag • USB charging • LED light
Included	• 1x tyre valve adaptor • 1x ball adaptor • 1x airbed adaptor • 1x quick charger • 1x battery • 1x BMC 	• 1x tyre valve adaptor • 1x ball adaptor • 1x boat adaptor • 1x toy adaptor • 1x USB charging cable • 1x storage bag
	 5 400338 067075 >	 5 400338 097317 >

POWX1700

BLOW 4 TYRES
WITH 1 FULLY CHARGED BATTERY



POWX1710

EASY TO TAKE WITH YOU



SELF-LEVELING LASER LEVEL

ZELFNIVELLERENDE LASERWATERPAS // LASER POINTEUR À NIVELLEMENT AUTOMATIQUE // SELBSTNIVELLIERENDER LINIENLASER // NIVEL LÁSER AUTONIVELANTE



+ BMC




POWX720 Self-leveling


Battery	2x AA battery 1.5V
Laser wave length	650nm
Laser power	≤ 1mW
Self-leveling	Scope: ≤ 6° - Speed: ≤ 7sec
Laser class	2
Operative distance	≤ 10m
Spread angle	≤ 90°
Tripod height	475-1240mm
Features	• Self-leveling to 6° in 7 sec • Beeping sound when out of range • Adjustable tripod • 360° rotating base • 3 function line: horizontal, vertical and intersecting beams
Included	• 1x 360° rotating base • 1x tripod • 1x wall bracket • 2x 1.5V AA battery • 1x BMC 




5 400338 031557 >



HORIZONTAL, VERTICAL & CROSS HAIR



SELF-LEVELING TO 6° IN 7 SECONDS



CONCRETE/ PAINT MIXER | 1600W

BETON-/VERFMENGER // MÉLANGEUR À BÉTON/PEINTURE // RÜHRWERK // MEZCLADOR



POWERPLUS
HIGH QUALITY TOOLS

94 |

ADJUSTABLE SPEED 2 GEARS

SOFT START

POWX0841
1600W



Voltage - frequency	220-240V~ 50Hz
Rotation speed	0-500min ⁻¹ / 0-800min ⁻¹
Paddle size	Ø160mm / length: 590mm
Cable	3m
Features	• Electronic speed regulator (6) • Constant speed control • Aluminium gear box • Soft start • Lock-on button • Spindle thread: M14 • Soft grip
Included	• 1x mixing paddle Ø160mm • 2x spanner



5 400338 091339 >

ADJUSTABLE SPEED (6)



GEAR SELECTION SWITCH (2)



CONCRETE/PAINT MIXER | 1600W DOUBLE ROTATION

BETON-/VERFMENGER DUBBELE ROTATIE // MÉLANGEUR À BÉTON/PEINTURE DOUBLE ROTATION // RÜHRWERK DOPPELROTATION // MEZCLADOR DOBLE ROTACIÓN



POWERPLUS
HIGH QUALITY TOOLS

| 95

6 SPEED

+ CARRYING BAG

POWX089
1600W



Voltage - frequency	230V~ 50Hz
Rotation speed	290-480min ⁻¹ / 380-620min ⁻¹
Spindle thread	M18
Paddle size	Ø114 / Ø140mm x 600mm
Cable	3m
Features	• Lightweight • +50% faster • -70% vibration • Double rotation • Adjustable speed (6) • Converter for a single M14 paddle
Included	• 1x double rotation mixing paddle Ø114/Ø140mm x 600mm • 2x spanner • 1x carrying bag • M18 > M14 converter

ADJUSTABLE SPEED



LOCK BUTTON + ON/OFF SWITCH



+ CARRYING BAG



WELDING MACHINE | 160A

LASPOST // APPAREIL DE SOUDAGE // SCHWEISSGERÄT // SOLDADOR ARCO ELECTRÓNICO



POWERPLUS
HIGH QUALITY TOOLS



**POWX480
160A**

Voltage - frequency	230V~ 50Hz
No load voltage	48V
Current range	55-160A
Input capacity	8Kw
Electrode capacity	Ø2-4mm
Cable	3m
Features	• Fan cooled thermostatic protection • Overload protection • Current scale • Current regulation
Included	• 1x electrode holder • 1x earth clamp • 1x welding cable • 1x brush/hammer • 1x protective mask



5 400338 071461 >

SOLDERING IRON | 30W | 60W | 4V

SOLDERING GUN | 100W

SOLDEERBOUT EN -PISTOOL // FER ET PISTOLET À SOUDER // LÖTKOLBEN UND -PISTOLE // SOLDADOR Y PISTOLA DE SOLDADURA



POWERPLUS
HIGH QUALITY TOOLS

| 97

	 POWX1382 30W	 POWX1384 60W	 POWX1386 100W	 POWX1388 4V NEW
Voltage - frequency	230V~ 50Hz	220-230V~ 50Hz	230V~ 50Hz	
Battery capacity				4400mAh
Warming time				60sec
Max. temperature	380°C	430°C	680°C	370°C
Cable	1.15m	1.15m	1.35m	1.0m
Features	• Soft grip	• Soft grip	• LED worklight • Soft grip	• Pre heat time only 60sec • 60min work time • Battery level indicator
Included	• 1x iron stand • 1x soldering needle	• 1x iron stand • 1x soldering needle	• 2x soldering tip	• 1x USB charging cable • 1x soldering tip
	 5 400338 079245 >	 5 400338 079252 >	 5 400338 079283 >	 5 400338 095139 >

NAIL/STAPLE GUN | 45W | 50W

NAGEL-/NIETAPPARAAT // AGRAFEUSE/CLOUEUSE // KOMBI TACKER // GRAPADORA/CLAVADORA



POWERPLUS
HIGH QUALITY TOOLS

98 |

+ BMC

+ BMC



POWX13700
45W



POWX13800
50W

Voltage - frequency	230-240V~ 50Hz	220-240V~ 50Hz
Magazine capacity	Up to 100 nails/staples	Up to 50 nails/staples
Firing capacity	20 nails/staples per minute	30 nails/staples per minute
Max. length nails	16mm	32mm
Staple length	8-14mm	15-25mm
Staple width	11.4mm	5.8mm
Cable	2m	2m
Features	- Cooling vents - Quick release for easy loading - Safety contact nose - Soft grip	- Impact force setting - Quick release for easy loading - Cooling vents - Safety contact nose - Soft grip
Included	200x staple 14mm 100x nail 15mm 1x BMC	300x staple 16mm 200x nail 25mm 1x BMC

EASY NAILS/STAPLES REPLACEMENT

POWX13700



POWX13800



5 400338 091322 >



5 400338 091315 >

HOT GLUE GUN | 78W | 25W | 4V

HETELJUMPISPOOL // PISTOLET À COLLE CHAUDE // HEISSKLEBEPISTOLE // PISTOLA ENCOLADORA



+ BMC

| 99

	 POWX143 78W	 POWX146 25W	 POWX147 4V NEW
Voltage - frequency	220-240V~ 50Hz	220-240V~ 50Hz	
Battery capacity			2200mAh
Gluing capacity	8-12g/min	15g/min	3g/min
Warming time	5 minutes	5 minutes	25 seconds
Max. temperature	---°C	---°C	---°C
Glue stick	Ø 11mm	Ø 11mm	Ø 11mm
Cable length	1.5m	1.5m	1.0m
Features	- Mechanical feed system - Support bracket	- Power supply station for working without a mains cable - Control lamp - Support bracket - Removable nozzles - Glue drip tray	- Pre heat time only 25sec 50min work time - No-drip system - Battery level indicator
Included	2x glue stick 1x support bracket 1x precision nozzle	6x glue stick Ø11mm x 150mm 1x loading station 1x support bracket 2x round head nozzle 1x precision nozzle 1x cable 1x BMC	2x glue stick Ø11mm x 150mm 1x USB charging cable
	 5 400338 072154 >	 5 400338 078989 >	 5 400338 095146 >

POWX146



Can be used with the loading station or with a mains cable

CHANGEABLE NOZZLES



POWERPLUS
HIGH QUALITY TOOLS

varo

VIC. VAN ROMPUY nv

JOSEPH VAN INSTRAAT 9
2500 LIER - BELGIUM

TEL +32 3 292 92 92 - FAX +32 3 292 92 72
INFO@VARO.COM - WWW.VARO.COM

OFFICES:

IBERICA BRICOLAGE S.L. - ESPAÑA
ASIA PACIFIC HONG KONG Ltd / SHANGHAI PRC
AUSTRALIA Pty Ltd

CAT22010100 - PRINTED MARCH 2022

© COPYRIGHT VARO - VIC. VAN ROMPUY NV 2022 / PRODUCT SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. VARO IS NOT RESPONSIBLE FOR TYPOGRAPHICAL OR PHOTOGRAPHIC ERRORS THAT MAY APPEAR IN THIS CATALOGUE. PICTURES MAY VARY FROM THE ACTUAL PRODUCTS. WE RESERVE THE RIGHT TO MAKE ADJUSTMENTS OR CORRECTIONS DUE TO ERRORS, CHANGING MARKET CONDITIONS, PRODUCT DISCONTINUATIONS, OR TYPOGRAPHIC OR PHOTOGRAPHIC ERRORS IN ADVERTISEMENTS OR PRODUCT DESCRIPTIONS. ITEM AVAILABILITY AND PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

5 400338 099724 >

