

TrommALL®
OVERBUILT TO OUTPERFORM

Unit 25 Bay Road Business Park,
Mountmellick,
Co. Laois, Ireland.
T +353 (0) 57 8679034
Sales@trommall.com
WWW.TROMMALL.COM
Spares 086 8340234
Service 086 8320861

The ALL NEW TrommALL MS2500




Our most flexible and economical screener to date
From transport position to fully operational in under 4 minutes
Tried and tested in the toughest environments

T +353 (0) 57 8679034
Sales@trommall.com
WWW.TROMMALL.COM

TrommALL MS2500

The TrommALL MS2500 is as strong as it looks on its corrugated 6mm steel walls, making it incredibly stable. The reason for this is simple, we know it needs to endure a life time of hard work and heavy pounding working in your industry. This is just one of the many features that are built into this TrommALL machine. It's all part of the quality that comes as standard with all machines in the TrommALL range.

This philosophy is evident again when looking at the engine, we have selected only the best, a Japanese built Yanmar 10hp diesel engine which in turn powers a single vibrating shaft on our double deck screen.



How it works.



Our all new TrommALL MS2500 is easily loaded from the rear with your loader. Standing just under 10ft tall, it is the ideal height to be easily loaded, yet high enough to allow a large amount of screened product to build up under it, so that you are not constantly emptying it.



As you can see our 2 deck system, screens your product with maximum efficiency. The clearance height at the point of removing the screened product is 6ft. Which in turn allows for a large amount of product to be screened at the one time.

What it can screen.



Specifications


Transport length: 5,950 mm
 Transport width: 2,146 mm
 Transport height: 2,350 mm
 Work height: 2,870 mm
 Screenbox length: 1,820 mm
 Screenbox width: 1,820 mm

Powered by: Yanmar 10hp Diesel Engine
 Output: 6,3 kW (10Hp)
 Fuel tank capacity: 26 L
 Fuel consumption: 2-3 l / h

Technical specifications come under changes with no forward warning.
 12 month warranty, or 1 000 hours.
 Mesh sizes available from 2mm to 100mm.

Video

To see out TrommALL MS2500 in action simply scan this QR code.



The screened product is removed using the bucket from the loader with ease. The deck screen at the top not only has a clearance height of 6ft, the deck screen is set at an incline to ensure the bucket can easily reach the front of inner walls.



Once work is complete the TrommALL MS2500 can be picked up using our specially designed lift assist for transportation to a new location to continue working.



TrommALL®

OVERBUILT TO OUTPERFORM

Unit 25 Bay Road Business Park,
Mountmellick,
Co. Laois, Ireland.
www.TrommALL.com
T +353 (0) 57 8679034
Sales@trommall.com
Spares 086 8340234
Service 086 8320861

If the TrommALL MS2500 is not what you are looking for then contact us today about another machine from our range.

TrommALL Models include: MS 2500 • MS 2500 W • MS 2500 ST • MS 2500 ST* • MS 2500 STE • 5100W • 5100W* • 5100WT • 5100WT* • 5100TR • 5100ST • 5800W • 5800W* • 5800TR • 5800ST



Unit 25 Bay Road Business Park, Mountmellick, Co. Laois, Ireland.
www.TrommALL.com • T +353 (0) 57 8679034 •
Sales@trommall.com • Facebook / Twitter / Youtube

TrommALL®
OVERBUILT TO OUTPERFORM