


TEST REPORT PN-EN 13032 Light and lighting. Measurement and presentation of photometric data of lamps and luminaires	
Report Number.	BS-3/161/B/4/15
Date of issue	03.02.2016
Total number of pages	14
Applicant's name	Agropian System Dariusz Janiak
Address	ul.Szeroka 29, 05-860 Płochocin, Polska
Test specification: Standard : PN-EN 13032-1+A1:2012 Test procedure..... : Photometric data Non-standard test method.....: N/A	
Test Report Form No.....	ITE_PREDOM_13032
Test Report Form(s) Originator....	ITE PREDOM Division
Master TRF	2014-03
Copyright © 2012 Worldwide System for Conformity Testing and Certification of Electrotechnical Equipment and Components (IECEE), Geneva, Switzerland. All rights reserved. This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context. If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed. This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.	
Test item description	LED luminaire
Trade Mark.....	Agropian System
Manufacturer	Agropian System Dariusz Janiak ul.Szeroka 29, 05-860 Płochocin, Polska
Model/Type reference.....	LAMPA AS LED LD2XBC
Ratings.....	230V AC, 50Hz, 21W

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict

Testing procedure and testing location:	
☒ CB Testing Laboratory:	ITE PREDOM Divison
Testing location/ address..... : 02-255 Warszawa, ul. Krakowiaków 53, Poland	
☐ Associated CB Laboratory:	
Testing location/ address..... :	
Tested by (name + signature)	M. Jasiński 
Approved by (+ signature)	T. Małyska 
Supervised by (+ signature)	A. Piotrowski 
☐ Testing procedure: TMP	
Testing location/ address..... :	
Tested by (name + signature)	
Approved by (+ signature)	
☐ Testing procedure: WMT	
Testing location/ address..... :	
Tested by (name + signature)	
Witnessed by (+ signature)..... :	
Approved by (+ signature)	
☐ Testing procedure: SMT	
Testing location/ address..... :	
Tested by (name + signature)	
Approved by (+ signature)	
Supervised by (+ signature)	

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict

List of Attachments (including a total number of pages in each attachment):**1 photometric file-** LAMPA AS LED LD2XBC**Summary of testing: Tests Result - positive**

Tests performed (name of test and test clause):
PN-EN 13032-1+A1:2012 – photometric files

Testing location:
 ITE PREDOM Division
 02-255 Warszawa, ul. Krakowiaków 53, Poland

Test item particulars	LED Luminaire
Classification of installation and use.....	Normal use
Supply Connection.....	Cord
Testing	
Date of receipt of test item.....	25.01.2016
Date (s) of performance of tests	25.01.2016 – 03.02.2016

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict

General remarks:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.

"(See Enclosure #)" refers to additional information appended to the report.

"(See appended table)" refers to a table appended to the report.

Throughout this report a ☒ comma / ☐ point is used as the decimal separator.

General product information:

Photometric data and graphs of luminaires.

Photometric files are an integral part of this report and have been delivered to the applicant along with the report.

LAMPA AS LED LD2XBC

Electrical parameters

Supply voltage U [V]	230,0
Supply current I [A]	0,10
Power P [W]	20,0
Power factor PF [-]	0,89
Frequency f [Hz]	50,0

Photometric parameters

total luminous flux [lm]	2304
total luminous efficacy [lm/W]	115,2

PN-EN 13032-1																								
Clause	Requirement + Test										Result - Remark										Verdict			

Luminous intensity [cd]

G _r °/C _r °	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
0,0	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68	794,68
1,0	792,49	789,72	792,49	794,34	793,41	797,10	793,41	788,80	786,96	786,96	784,19	782,34	781,42	781,42	783,27	785,11	786,96	797,10	799,87	798,95	799,87	797,10	796,18	794,34
2,0	781,42	782,34	784,19	789,72	787,88	792,49	789,72	783,27	781,42	780,50	773,12	770,35	765,74	772,20	774,96	778,65	782,34	793,41	798,95	798,95	799,87	791,57	788,80	785,11
3,0	767,58	765,74	768,50	774,96	784,19	785,11	785,11	778,65	773,12	763,89	749,13	738,06	733,45	740,83	745,44	764,81	779,58	791,57	800,79	797,10	792,49	782,34	772,20	770,35
4,0	757,43	759,28	761,12	759,28	767,58	778,65	780,50	770,35	758,36	736,21	731,60	731,60	735,29	733,45	733,45	739,91	766,66	786,03	797,10	797,10	785,11	769,43	768,50	758,36
5,0	746,36	748,21	744,52	755,59	759,28	774,04	775,89	768,50	738,98	727,91	737,14	749,13	754,67	752,82	740,83	731,60	750,98	782,34	798,03	795,26	773,12	768,50	753,74	750,98
6,0	752,82	746,36	734,37	740,83	750,98	772,20	773,12	762,05	723,30	728,83	747,29	756,51	762,05	758,36	755,59	738,98	732,52	779,58	798,03	787,88	774,96	757,43	748,21	752,82
7,0	751,90	748,21	741,75	738,06	753,74	767,58	774,96	755,59	723,30	741,75	751,90	761,12	769,43	762,97	761,12	754,67	729,76	777,73	794,34	786,03	764,81	747,29	756,51	755,59
8,0	753,74	744,52	742,67	734,37	742,67	764,81	771,27	745,44	723,30	748,21	759,28	765,74	774,96	767,58	763,89	757,43	731,60	769,43	796,18	779,58	757,43	750,98	752,82	753,74
9,0	751,90	746,36	738,98	739,91	735,29	758,36	769,43	736,21	735,29	750,98	763,89	771,27	774,04	774,96	769,43	762,05	743,60	756,51	792,49	772,20	750,98	755,59	757,43	754,67
10,0	751,90	740,83	739,91	738,06	729,76	753,74	768,50	725,14	737,14	754,67	765,74	769,43	774,96	771,27	774,04	763,89	751,90	746,36	791,57	767,58	746,36	747,29	756,51	752,82
11,0	749,13	735,29	735,29	736,21	726,99	746,36	765,74	714,07	739,91	758,36	759,28	771,27	778,65	773,12	770,35	767,58	752,82	733,45	788,80	765,74	748,21	752,82	753,74	749,13
12,0	743,60	733,45	732,52	736,21	728,83	738,98	761,12	709,46	740,83	763,89	765,74	774,96	778,65	779,58	773,12	774,96	751,90	722,38	786,03	762,97	750,98	754,67	748,21	745,44
13,0	742,67	731,60	728,83	734,37	731,60	737,14	758,36	706,69	742,67	758,36	766,66	768,50	781,42	776,81	774,04	765,74	751,90	714,07	782,34	756,51	748,21	750,05	746,36	743,60
14,0	738,98	725,14	724,22	728,83	727,91	736,21	756,51	705,77	743,60	753,74	761,12	768,50	777,73	780,50	773,12	762,97	752,82	715,00	777,73	747,29	740,83	746,36	744,52	738,98
15,0	739,91	724,22	720,53	725,14	720,53	728,83	752,82	704,85	746,36	756,51	763,89	761,12	767,58	774,96	774,96	766,66	750,98	714,07	775,89	739,91	742,67	742,67	738,98	738,06
16,0	735,29	722,38	715,92	722,38	721,45	719,61	750,98	707,61	747,29	755,59	760,20	750,05	756,51	762,97	773,12	767,58	754,67	712,23	771,27	732,52	742,67	740,83	736,21	738,06
17,0	734,37	719,61	715,92	717,76	718,69	712,23	746,36	709,46	744,52	753,74	750,98	741,75	750,05	754,67	765,74	762,97	757,43	715,92	769,43	724,22	738,06	736,21	737,14	732,52
18,0	729,76	715,92	713,15	713,15	715,00	705,77	741,75	708,54	737,14	754,67	738,98	733,45	742,67	747,29	753,74	762,05	750,98	720,53	762,97	717,76	731,60	730,68	734,37	731,60
19,0	722,38	708,54	712,23	705,77	711,31	699,31	737,14	703,00	734,37	751,90	736,21	726,99	738,06	740,83	745,44	760,20	746,36	724,22	757,43	712,23	726,99	726,07	731,60	726,07
20,0	716,84	703,00	707,61	702,08	704,85	691,01	733,45	702,08	735,29	744,52	727,91	722,38	738,06	734,37	738,06	754,67	743,60	722,38	752,82	712,23	719,61	722,38	726,99	717,76
21,0	705,77	698,39	700,23	701,16	700,23	689,16	729,76	704,85	731,60	731,60	718,69	723,30	735,29	734,37	729,76	744,52	742,67	716,84	749,13	708,54	717,76	719,61	718,69	711,31
22,0	699,31	688,24	692,85	699,31	693,78	687,32	724,22	698,39	731,60	719,61	715,92	721,45	731,60	732,52	724,22	733,45	742,67	718,69	742,67	706,69	713,15	714,07	713,15	703,92

PN-EN 13032-1																							
Clause	Requirement + Test											Result - Remark							Verdict				

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
23,0	694,70	680,86	687,32	693,78	686,40	682,71	719,61	697,47	724,22	715,92	714,07	715,92	731,60	728,83	725,14	725,14	739,91	715,00	737,14	703,92	707,61	712,23	705,77	699,31
24,0	692,85	676,25	679,02	688,24	680,86	678,09	714,07	692,85	722,38	706,69	712,23	719,61	723,30	731,60	722,38	716,84	731,60	712,23	732,52	698,39	700,23	707,61	696,54	694,70
25,0	692,85	676,25	671,63	680,86	677,17	677,17	707,61	689,16	717,76	700,23	706,69	705,77	711,31	718,69	717,76	712,23	728,83	706,69	726,07	688,24	693,78	700,23	693,78	694,70
26,0	688,24	675,32	666,10	672,56	669,79	670,71	701,16	684,55	714,07	692,85	706,69	694,70	698,39	704,85	713,15	701,16	724,22	702,08	720,53	683,63	687,32	692,85	686,40	691,01
27,0	679,94	668,87	661,49	663,33	665,18	662,41	697,47	681,78	705,77	690,09	700,23	679,02	688,24	691,01	714,07	698,39	716,84	699,31	715,92	680,86	685,47	686,40	684,55	685,47
28,0	670,71	662,41	661,49	657,80	661,49	656,87	690,09	681,78	691,93	685,47	686,40	670,71	682,71	678,09	698,39	696,54	708,54	691,01	706,69	678,09	680,86	674,40	684,55	678,09
29,0	661,49	651,34	657,80	645,80	655,03	651,34	684,55	679,02	679,94	681,78	668,87	667,94	681,78	675,32	679,94	692,85	695,62	689,16	698,39	669,79	675,32	663,33	676,25	668,87
30,0	660,56	643,03	648,57	639,34	650,42	646,72	677,17	674,40	671,63	674,40	655,95	665,18	660,56	672,56	664,25	686,40	682,71	682,71	687,32	659,64	667,02	657,80	667,94	663,33
31,0	649,49	640,27	638,42	634,73	641,19	639,34	669,79	665,18	663,33	676,25	652,26	641,19	620,89	655,03	663,33	682,71	676,25	675,32	677,17	650,42	660,56	650,42	660,56	659,64
32,0	639,34	631,96	631,96	628,27	635,65	632,89	662,41	654,11	655,95	665,18	650,42	603,36	615,36	614,43	656,87	678,09	665,18	666,10	672,56	639,34	654,11	647,65	648,57	648,57
33,0	622,74	619,97	624,58	627,35	629,20	626,43	654,11	646,72	645,80	651,34	646,72	599,67	631,04	609,82	655,03	663,33	653,18	655,03	666,10	632,89	643,03	648,57	644,88	637,50
34,0	607,05	604,29	620,89	621,82	619,97	614,43	643,96	641,19	633,81	633,81	608,90	617,20	650,42	624,58	620,89	643,03	640,27	647,65	656,87	623,66	630,12	640,27	640,27	619,05
35,0	600,60	590,45	607,98	613,51	609,82	606,13	631,96	636,58	631,04	621,82	578,45	631,04	644,88	643,96	587,68	631,96	627,35	638,42	648,57	612,59	618,13	631,04	628,27	603,36
36,0	597,83	583,07	594,14	603,36	601,52	595,98	619,05	627,35	625,51	612,59	578,45	625,51	630,12	635,65	585,84	620,89	622,74	631,96	643,03	606,13	608,90	622,74	613,51	601,52
37,0	589,53	581,22	579,38	595,06	593,22	581,22	609,82	619,05	619,97	605,21	595,98	612,59	609,82	626,43	602,44	612,59	616,28	627,35	632,89	600,60	595,98	612,59	597,83	596,91
38,0	583,07	571,07	564,62	583,99	578,45	571,07	598,75	609,82	610,74	601,52	609,82	595,06	598,75	610,74	619,97	609,82	610,74	621,82	625,51	590,45	586,76	602,44	582,14	587,68
39,0	572,92	564,62	557,24	576,61	568,31	561,85	589,53	599,67	601,52	588,60	600,60	580,30	585,84	595,98	611,67	601,52	601,52	616,28	615,36	583,07	579,38	597,83	580,30	581,22
40,0	559,08	559,08	554,47	569,23	559,08	552,62	582,14	591,37	597,83	544,32	585,84	568,31	580,30	580,30	599,67	554,47	593,22	607,98	607,05	574,76	570,15	584,91	572,92	570,15
41,0	546,16	543,40	545,24	557,24	545,24	543,40	571,07	584,91	586,76	529,56	570,15	564,62	584,91	572,00	581,22	532,33	595,98	598,75	595,98	565,54	563,69	572,00	561,85	560,00
42,0	531,40	531,40	535,09	543,40	536,02	536,02	561,85	574,76	567,38	529,56	556,31	568,31	573,84	577,53	565,54	526,79	578,45	589,53	587,68	554,47	560,93	553,54	552,62	546,16
43,0	514,80	514,80	529,56	525,87	530,48	524,02	553,54	566,46	548,01	547,09	544,32	558,16	560,00	566,46	552,62	542,47	564,62	583,07	578,45	542,47	555,39	536,02	542,47	532,33
44,0	500,04	496,35	516,64	511,11	524,02	513,87	543,40	555,39	531,40	555,39	536,02	547,09	550,78	552,62	541,55	555,39	542,47	572,00	566,46	536,02	544,32	518,49	527,71	512,95

PN-EN 13032-1																							
Clause	Requirement + Test												Result - Remark						Verdict				

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
45,0	487,12	484,35	500,04	502,80	513,87	503,73	531,40	542,47	515,72	541,55	536,94	534,17	557,24	536,94	544,32	541,55	531,40	560,93	555,39	526,79	532,33	516,64	516,64	497,27
46,0	478,82	467,75	487,12	496,35	500,04	493,58	520,33	526,79	507,42	527,71	526,79	543,40	546,16	545,24	536,02	525,87	516,64	548,01	547,09	517,56	520,33	505,57	501,88	483,43
47,0	466,82	457,60	467,75	486,20	488,96	486,20	509,26	511,11	501,88	505,57	514,80	528,64	564,62	534,17	524,95	504,65	506,49	528,64	534,17	505,57	504,65	497,27	480,66	474,20
48,0	454,83	448,37	452,06	475,13	476,05	476,97	500,04	498,19	494,50	490,81	499,11	547,09	546,16	554,47	508,34	489,89	499,11	515,72	523,10	496,35	497,27	486,20	465,90	464,98
49,0	437,30	434,53	436,38	464,98	467,75	466,82	489,89	484,35	460,36	477,89	505,57	531,40	523,10	539,71	511,11	475,13	488,96	499,11	510,18	488,04	490,81	475,13	451,14	450,22
50,0	425,31	417,00	425,31	447,45	457,60	455,75	476,05	471,44	420,69	471,44	491,73	505,57	515,72	515,72	497,27	464,06	440,07	488,04	498,19	476,05	476,05	459,44	441,91	431,77
51,0	411,47	405,01	416,08	429,00	443,76	444,68	464,98	458,52	409,62	473,28	511,11	498,19	512,95	503,73	518,49	467,75	416,08	472,36	489,89	462,21	463,13	444,68	429,92	417,93
52,0	399,47	393,02	402,24	412,39	427,15	432,69	455,75	441,91	409,62	457,60	496,35	498,19	491,73	506,49	506,49	456,67	409,62	460,36	473,28	450,22	440,07	423,46	416,08	407,78
53,0	381,02	381,95	384,71	392,09	408,70	417,93	442,84	429,00	429,92	438,22	472,36	475,13	487,12	481,58	480,66	443,76	425,31	444,68	457,60	434,53	422,54	410,55	398,55	395,78
54,0	377,33	363,49	369,95	375,49	391,17	405,01	426,23	420,69	426,23	425,31	463,13	470,51	478,82	476,05	466,82	428,07	440,99	428,07	444,68	420,69	412,39	389,33	382,87	375,49
55,0	371,80	357,96	357,96	360,73	383,79	391,17	409,62	409,62	413,31	428,07	458,52	463,13	443,76	468,67	466,82	430,84	426,23	417,00	431,77	401,32	406,86	377,33	371,80	369,95
56,0	369,95	354,27	345,04	350,58	377,33	373,64	396,71	397,63	393,02	418,85	437,30	428,07	428,07	432,69	444,68	417,00	408,70	404,09	420,69	385,64	393,94	368,11	358,88	365,34
57,0	350,58	349,66	327,51	336,74	364,42	356,11	379,18	381,95	371,80	435,46	436,38	412,39	420,69	417,00	440,99	442,84	384,71	392,09	407,78	374,57	381,95	355,19	340,43	363,49
58,0	347,81	332,13	321,06	321,98	350,58	342,28	368,11	372,72	358,88	407,78	421,62	403,17	404,09	407,78	427,15	415,16	368,11	378,26	393,94	362,57	369,03	336,74	337,66	344,12
59,0	343,20	327,51	315,52	305,37	334,89	329,36	356,11	357,04	345,97	379,18	382,87	385,64	394,86	392,09	389,33	383,79	348,73	366,26	381,95	349,66	350,58	321,98	333,05	342,28
60,0	326,59	323,82	309,06	290,61	316,44	318,29	339,51	337,66	347,81	394,86	370,88	376,41	369,95	382,87	375,49	399,47	348,73	363,49	364,42	342,28	335,82	305,37	322,90	336,74
61,0	292,46	307,22	294,30	278,62	301,68	308,14	325,67	314,60	333,05	368,11	367,18	352,42	376,41	357,04	370,88	373,64	343,20	338,58	350,58	332,13	311,83	293,38	309,06	321,06
62,0	304,45	274,93	292,46	261,09	278,62	298,91	313,68	293,38	310,91	361,65	344,12	358,88	357,96	366,26	346,89	363,49	326,59	314,60	333,05	317,37	294,30	271,24	307,22	286,00
63,0	283,23	283,23	282,31	250,94	259,24	286,00	297,07	282,31	305,37	347,81	332,13	336,74	335,82	343,20	333,97	356,11	307,22	295,22	317,37	300,76	273,08	267,55	297,07	297,99
64,0	263,86	264,78	262,01	249,10	243,56	271,24	284,15	270,31	296,15	308,14	315,52	317,37	324,75	321,06	318,29	312,75	303,53	280,46	301,68	285,08	260,17	265,70	271,24	277,70
65,0	248,17	247,25	246,33	240,79	230,64	253,71	265,70	254,63	317,37	297,07	315,52	307,22	309,06	310,91	317,37	298,91	297,99	269,39	286,92	273,08	247,25	252,79	266,62	259,24
66,0	240,79	233,41	242,64	226,95	215,88	240,79	250,02	209,42	293,38	288,77	294,30	295,22	300,76	299,84	293,38	291,53	304,45	257,40	271,24	258,32	228,80	245,40	248,17	242,64

PN-EN 13032-1																							
Clause	Requirement + Test												Result - Remark						Verdict				

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
67,0	233,41	223,26	224,19	226,95	197,43	227,88	236,18	190,05	263,86	274,93	279,54	285,08	293,38	289,69	280,46	276,77	265,70	203,89	255,55	239,87	209,42	244,48	231,57	234,33
68,0	214,96	215,88	204,81	213,11	182,67	205,73	217,73	187,28	260,17	242,64	262,93	275,85	277,70	279,54	263,86	245,40	278,62	181,75	239,87	215,88	197,43	226,03	213,11	226,03
69,0	194,66	197,43	197,43	182,67	168,83	184,51	202,04	206,66	250,02	253,71	253,71	263,86	262,93	265,70	252,79	258,32	250,94	176,21	219,57	195,59	178,06	195,59	207,58	208,50
70,0	187,28	179,90	189,13	187,28	154,07	168,83	185,44	189,13	239,87	231,57	246,33	242,64	246,33	245,40	245,40	236,18	248,17	202,97	202,04	189,13	170,68	198,35	199,28	190,97
71,0	178,98	175,29	170,68	171,60	153,15	159,61	168,83	167,91	198,35	215,88	232,49	236,18	257,40	241,71	232,49	218,65	206,66	184,51	188,21	176,21	172,52	180,82	181,75	186,36
72,0	164,22	164,22	153,15	154,07	144,84	145,77	154,99	153,15	193,74	202,04	211,27	237,10	218,65	238,02	210,35	205,73	194,66	160,53	169,75	160,53	156,84	165,14	163,30	173,44
73,0	153,15	147,61	150,38	147,61	138,39	132,85	135,62	143,92	176,21	193,74	214,04	199,28	205,73	202,04	216,81	197,43	178,06	145,77	153,15	142,08	160,53	163,30	163,30	154,99
74,0	132,85	131,93	138,39	137,46	131,93	112,55	122,70	134,70	146,69	182,67	194,66	193,74	209,42	196,51	192,82	185,44	149,46	140,23	136,54	120,86	140,23	147,61	148,53	139,31
75,0	125,47	122,70	123,63	117,17	107,02	93,18	106,10	115,32	154,07	165,14	169,75	195,59	194,66	198,35	169,75	166,06	160,53	127,32	119,93	101,48	134,70	130,08	131,93	130,08
76,0	105,17	107,02	108,86	113,48	106,10	80,26	89,49	110,71	132,85	163,30	172,52	178,06	175,29	181,75	176,21	171,60	133,77	107,02	102,41	93,18	119,01	130,08	116,24	114,40
77,0	97,79	94,10	100,56	103,33	91,33	71,96	74,73	117,17	120,86	143,00	162,37	150,38	154,99	151,30	163,30	142,08	124,55	115,32	89,49	79,34	102,41	114,40	109,79	100,56
78,0	85,80	84,88	83,03	88,57	86,72	59,97	62,74	107,02	118,09	126,39	140,23	148,53	154,07	152,22	136,54	130,08	121,78	95,95	74,73	67,35	102,41	103,33	90,41	91,33
79,0	78,42	74,73	75,65	78,42	71,96	49,82	48,90	95,95	104,25	132,85	128,24	135,62	136,54	136,54	131,93	136,54	107,94	95,03	62,74	55,35	77,50	89,49	83,03	79,34
80,0	68,27	69,19	64,58	64,58	64,58	43,36	41,52	63,66	101,48	113,48	122,70	114,40	117,17	114,40	120,86	110,71	108,86	71,04	46,13	58,12	81,19	71,04	71,04	74,73
81,0	51,66	51,66	59,04	58,12	57,20	38,75	31,37	58,12	76,57	96,87	98,72	108,86	105,17	110,71	98,72	103,33	79,34	62,74	35,98	56,28	65,50	65,50	66,43	55,35
82,0	43,36	42,44	43,36	48,90	46,13	35,06	22,14	54,43	83,95	89,49	95,03	88,57	97,79	90,41	91,33	89,49	90,41	48,90	25,83	35,98	56,28	59,04	49,82	45,21
83,0	37,83	37,83	35,06	40,59	35,06	29,52	16,61	38,75	63,66	73,81	76,57	81,19	80,26	80,26	83,95	77,50	64,58	40,59	20,30	34,14	44,28	48,90	39,67	41,52
84,0	29,52	30,44	31,37	30,44	29,52	23,06	11,99	35,98	61,81	59,97	66,43	69,19	71,04	71,96	65,50	59,04	63,66	37,83	15,68	29,52	36,90	35,98	35,06	33,21
85,0	22,14	23,06	23,06	26,75	24,91	17,53	9,23	33,21	41,52	54,43	57,20	60,89	59,97	59,04	56,28	51,66	47,97	35,98	11,99	25,83	31,37	30,44	26,75	24,91
86,0	17,53	17,53	18,45	19,37	18,45	13,84	6,46	25,83	35,06	43,36	47,97	48,90	50,74	48,90	46,13	44,28	38,75	28,60	8,30	18,45	23,06	23,06	20,30	18,45
87,0	16,61	16,61	16,61	15,68	15,68	11,99	5,54	18,45	27,68	34,14	39,67	42,44	42,44	41,52	38,75	34,14	27,68	20,30	6,46	15,68	19,37	17,53	17,53	17,53
88,0	16,61	16,61	15,68	14,76	13,84	10,15	4,61	11,99	21,22	29,52	33,21	35,06	34,14	33,21	30,44	28,60	22,14	13,84	5,54	12,92	15,68	16,61	16,61	16,61

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
89,0	15,68	15,68	15,68	14,76	13,84	9,23	4,61	11,07	16,61	22,14	23,06	24,91	23,99	23,99	21,22	19,37	16,61	11,99	4,61	11,07	14,76	15,68	16,61	16,61
90,0	16,61	15,68	15,68	14,76	12,92	8,30	4,61	8,30	11,99	14,76	16,61	19,37	19,37	20,30	17,53	15,68	13,84	10,15	4,61	10,15	14,76	15,68	15,68	15,68
91,0	16,61	16,61	15,68	14,76	12,92	9,23	4,61	8,30	11,07	12,92	13,84	14,76	14,76	14,76	13,84	12,92	11,99	10,15	4,61	11,07	14,76	15,68	15,68	16,61
92,0	16,61	15,68	15,68	14,76	12,92	9,23	4,61	8,30	11,07	12,92	13,84	13,84	13,84	13,84	13,84	12,92	12,92	10,15	4,61	11,07	14,76	15,68	15,68	15,68
93,0	15,68	15,68	14,76	13,84	12,92	9,23	4,61	9,23	11,07	12,92	13,84	13,84	13,84	13,84	13,84	12,92	11,99	10,15	4,61	11,07	14,76	14,76	15,68	15,68
94,0	15,68	15,68	15,68	14,76	12,92	9,23	4,61	9,23	11,07	12,92	13,84	13,84	13,84	13,84	13,84	12,92	11,99	10,15	4,61	11,07	14,76	15,68	15,68	16,61
95,0	16,61	16,61	15,68	14,76	12,92	10,15	4,61	9,23	11,07	11,99	13,84	13,84	13,84	13,84	13,84	12,92	12,92	10,15	4,61	11,99	14,76	15,68	15,68	16,61
96,0	16,61	16,61	15,68	13,84	12,92	10,15	4,61	9,23	11,07	12,92	13,84	13,84	13,84	13,84	13,84	12,92	11,99	11,07	4,61	11,99	13,84	15,68	15,68	16,61
97,00	16,61	16,61	15,68	14,76	12,92	10,15	4,61	9,23	11,07	12,92	13,84	13,84	13,84	13,84	13,84	12,92	12,92	11,07	5,54	12,92	14,76	14,76	15,68	16,61
98,00	16,61	16,61	15,68	14,76	12,92	11,07	4,61	10,15	11,99	12,92	13,84	13,84	13,84	13,84	13,84	12,92	12,92	11,07	5,54	11,99	14,76	15,68	15,68	16,61
99,00	16,61	16,61	15,68	14,76	13,84	11,07	5,54	10,15	11,99	12,92	13,84	14,76	14,76	14,76	13,84	12,92	12,92	11,07	5,54	11,99	14,76	15,68	16,61	16,61
100,00	16,61	16,61	15,68	14,76	13,84	11,07	5,54	10,15	11,07	12,92	13,84	13,84	14,76	13,84	13,84	12,92	12,92	11,07	5,54	11,99	13,84	15,68	16,61	16,61
101,00	16,61	16,61	16,61	14,76	12,92	10,15	5,54	10,15	11,99	12,92	13,84	14,76	14,76	14,76	13,84	13,84	12,92	11,07	5,54	11,07	14,76	15,68	16,61	17,53
102,00	16,61	17,53	15,68	15,68	13,84	11,07	5,54	10,15	11,99	12,92	13,84	14,76	14,76	14,76	13,84	13,84	12,92	10,15	5,54	11,07	14,76	15,68	16,61	17,53
103,00	17,53	16,61	15,68	14,76	13,84	10,15	5,54	9,23	11,99	12,92	13,84	14,76	14,76	14,76	14,76	13,84	12,92	9,23	5,54	11,07	14,76	15,68	16,61	17,53
104,00	17,53	17,53	16,61	15,68	13,84	10,15	5,54	9,23	11,99	13,84	14,76	14,76	14,76	14,76	14,76	13,84	12,92	9,23	5,54	11,07	14,76	15,68	16,61	17,53
105,00	17,53	16,61	16,61	14,76	13,84	10,15	5,54	9,23	11,99	13,84	14,76	15,68	15,68	14,76	14,76	13,84	12,92	9,23	5,54	10,15	13,84	15,68	17,53	17,53
106,00	17,53	17,53	16,61	15,68	12,92	10,15	5,54	8,30	11,99	13,84	13,84	15,68	14,76	14,76	14,76	13,84	12,92	8,30	5,54	10,15	14,76	16,61	16,61	17,53
107,00	18,45	17,53	16,61	15,68	13,84	10,15	6,46	8,30	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	12,92	8,30	5,54	10,15	13,84	15,68	17,53	18,45
108,00	18,45	17,53	16,61	15,68	12,92	9,23	5,54	9,23	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	12,92	8,30	5,54	10,15	13,84	15,68	17,53	17,53
109,00	18,45	17,53	16,61	15,68	12,92	9,23	6,46	8,30	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	12,92	8,30	6,46	10,15	13,84	16,61	17,53	18,45
110,00	18,45	18,45	17,53	15,68	13,84	9,23	6,46	8,30	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	11,99	8,30	6,46	9,23	13,84	16,61	17,53	18,45

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
111,00	18,45	18,45	16,61	15,68	12,92	9,23	6,46	9,23	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	11,99	8,30	6,46	10,15	13,84	15,68	17,53	18,45
112,00	18,45	18,45	16,61	15,68	12,92	9,23	6,46	8,30	11,99	13,84	15,68	15,68	15,68	15,68	14,76	13,84	11,99	8,30	6,46	10,15	13,84	15,68	17,53	18,45
113,00	18,45	18,45	16,61	14,76	13,84	9,23	6,46	8,30	11,99	13,84	14,76	15,68	15,68	15,68	14,76	13,84	11,99	8,30	6,46	9,23	13,84	15,68	17,53	18,45
114,00	18,45	18,45	16,61	14,76	12,92	9,23	6,46	9,23	11,99	13,84	15,68	15,68	15,68	15,68	14,76	13,84	11,07	8,30	6,46	9,23	13,84	15,68	17,53	18,45
115,00	18,45	18,45	16,61	15,68	12,92	9,23	6,46	8,30	11,07	13,84	15,68	16,61	16,61	15,68	15,68	13,84	11,07	8,30	6,46	9,23	12,92	15,68	17,53	18,45
116,00	18,45	18,45	16,61	15,68	12,92	9,23	6,46	8,30	11,07	13,84	15,68	15,68	16,61	15,68	14,76	13,84	11,07	8,30	6,46	9,23	12,92	15,68	17,53	18,45
117,00	18,45	18,45	17,53	14,76	11,99	9,23	7,38	8,30	11,07	13,84	15,68	15,68	15,68	15,68	15,68	13,84	11,07	8,30	7,38	9,23	12,92	15,68	17,53	18,45
118,00	18,45	18,45	16,61	15,68	11,99	9,23	7,38	8,30	11,07	13,84	15,68	15,68	16,61	15,68	14,76	13,84	10,15	8,30	6,46	9,23	11,99	15,68	17,53	18,45
119,00	18,45	18,45	16,61	14,76	11,99	9,23	7,38	8,30	11,07	13,84	15,68	16,61	16,61	16,61	14,76	13,84	11,07	8,30	7,38	9,23	11,99	15,68	17,53	18,45
120,00	19,37	18,45	16,61	14,76	11,99	9,23	7,38	8,30	11,07	13,84	15,68	16,61	16,61	15,68	14,76	12,92	11,07	8,30	7,38	9,23	11,99	15,68	17,53	18,45
121,00	18,45	18,45	16,61	14,76	11,99	9,23	7,38	8,30	11,07	13,84	15,68	15,68	16,61	15,68	14,76	12,92	10,15	8,30	7,38	9,23	11,99	15,68	17,53	18,45
122,00	18,45	18,45	16,61	14,76	11,99	9,23	7,38	8,30	10,15	13,84	15,68	15,68	16,61	15,68	14,76	12,92	11,07	8,30	7,38	9,23	11,07	14,76	17,53	18,45
123,00	19,37	18,45	16,61	13,84	11,99	9,23	7,38	8,30	10,15	12,92	15,68	15,68	16,61	15,68	14,76	11,99	10,15	8,30	7,38	9,23	11,07	14,76	17,53	18,45
124,00	18,45	17,53	16,61	13,84	11,99	9,23	7,38	8,30	10,15	12,92	15,68	15,68	15,68	15,68	14,76	11,99	10,15	9,23	7,38	9,23	11,07	14,76	17,53	18,45
125,00	18,45	18,45	16,61	13,84	11,07	9,23	7,38	8,30	10,15	11,99	14,76	15,68	15,68	15,68	14,76	11,99	10,15	8,30	7,38	9,23	10,15	13,84	16,61	18,45
126,00	18,45	17,53	16,61	13,84	11,07	9,23	7,38	8,30	10,15	11,99	14,76	15,68	15,68	15,68	14,76	11,99	10,15	8,30	7,38	9,23	10,15	13,84	16,61	18,45
127,00	18,45	17,53	15,68	12,92	11,07	9,23	7,38	8,30	9,23	11,99	14,76	15,68	15,68	15,68	13,84	11,99	10,15	8,30	8,30	9,23	10,15	12,92	16,61	18,45
128,00	18,45	17,53	15,68	12,92	11,07	9,23	7,38	8,30	9,23	11,99	13,84	15,68	15,68	15,68	13,84	11,99	10,15	8,30	8,30	9,23	10,15	12,92	16,61	18,45
129,00	18,45	17,53	14,76	13,84	11,07	9,23	7,38	8,30	9,23	11,07	13,84	15,68	15,68	14,76	12,92	11,99	10,15	8,30	7,38	9,23	10,15	11,99	15,68	17,53
130,00	18,45	17,53	15,68	12,92	11,07	9,23	8,30	8,30	9,23	11,07	13,84	14,76	15,68	14,76	12,92	11,99	10,15	8,30	7,38	9,23	10,15	11,99	15,68	17,53
131,00	17,53	16,61	14,76	12,92	11,07	9,23	8,30	8,30	9,23	11,07	13,84	14,76	14,76	13,84	12,92	11,99	10,15	8,30	8,30	9,23	10,15	11,99	14,76	16,61
132,00	16,61	15,68	14,76	12,92	11,07	9,23	8,30	8,30	9,23	11,07	12,92	13,84	14,76	13,84	12,92	11,99	10,15	8,30	8,30	9,23	10,15	11,99	13,84	15,68

PN-EN 13032-1																								
Clause	Requirement + Test										Result - Remark										Verdict			

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
133,00	16,61	15,68	14,76	12,92	11,07	9,23	8,30	8,30	9,23	10,15	12,92	13,84	14,76	13,84	12,92	11,99	10,15	9,23	8,30	9,23	10,15	11,07	13,84	15,68
134,00	15,68	15,68	13,84	12,92	11,07	9,23	8,30	8,30	9,23	10,15	12,92	13,84	14,76	13,84	12,92	11,99	10,15	9,23	8,30	9,23	10,15	11,99	13,84	15,68
135,00	15,68	14,76	13,84	12,92	11,07	9,23	7,38	8,30	9,23	10,15	11,99	13,84	13,84	13,84	12,92	11,07	10,15	9,23	8,30	9,23	10,15	11,07	12,92	15,68
136,00	15,68	14,76	13,84	12,92	11,07	9,23	8,30	8,30	9,23	10,15	11,99	13,84	13,84	13,84	12,92	11,07	10,15	9,23	8,30	9,23	10,15	11,07	12,92	14,76
137,00	14,76	14,76	13,84	12,92	11,07	9,23	8,30	8,30	9,23	10,15	11,99	13,84	13,84	12,92	11,99	11,99	10,15	9,23	8,30	9,23	10,15	11,07	12,92	14,76
138,00	14,76	14,76	13,84	11,99	11,07	9,23	8,30	8,30	9,23	10,15	11,07	12,92	13,84	12,92	12,92	11,07	10,15	9,23	8,30	9,23	9,23	11,07	11,99	14,76
139,00	14,76	14,76	13,84	11,99	11,07	9,23	8,30	8,30	9,23	10,15	11,07	12,92	13,84	12,92	11,99	11,07	10,15	9,23	8,30	8,30	10,15	11,07	11,99	14,76
140,00	14,76	13,84	12,92	11,99	11,07	9,23	8,30	8,30	9,23	10,15	11,07	12,92	13,84	12,92	11,99	11,07	10,15	9,23	8,30	9,23	9,23	10,15	11,99	14,76
141,00	14,76	13,84	12,92	11,99	11,07	9,23	8,30	8,30	9,23	9,23	11,07	12,92	12,92	12,92	11,99	11,07	10,15	9,23	8,30	9,23	10,15	11,07	11,99	13,84
142,00	13,84	13,84	12,92	11,99	11,07	9,23	8,30	8,30	9,23	9,23	11,07	12,92	12,92	12,92	11,99	11,07	10,15	9,23	8,30	9,23	9,23	10,15	11,07	13,84
143,00	13,84	13,84	12,92	11,99	10,15	9,23	8,30	8,30	9,23	9,23	11,07	11,99	12,92	12,92	11,99	11,07	10,15	9,23	8,30	9,23	10,15	10,15	11,07	12,92
144,00	13,84	13,84	12,92	11,99	11,07	9,23	8,30	8,30	9,23	9,23	11,07	11,99	12,92	12,92	11,99	11,07	10,15	9,23	8,30	9,23	10,15	10,15	11,07	12,92
145,00	13,84	12,92	12,92	11,99	11,07	9,23	8,30	8,30	9,23	9,23	10,15	11,99	12,92	12,92	11,07	11,07	10,15	9,23	8,30	9,23	10,15	10,15	11,07	12,92
146,00	13,84	12,92	11,99	11,99	10,15	9,23	8,30	9,23	8,30	9,23	10,15	11,07	12,92	11,99	11,07	10,15	10,15	9,23	8,30	9,23	9,23	10,15	11,07	11,99
147,00	12,92	12,92	12,92	11,99	10,15	9,23	8,30	8,30	9,23	9,23	10,15	11,07	11,99	11,99	11,07	11,07	10,15	9,23	8,30	9,23	9,23	10,15	11,07	11,99
148,00	12,92	12,92	11,99	11,99	11,07	9,23	8,30	9,23	9,23	9,23	10,15	11,07	11,99	11,99	11,07	11,07	10,15	9,23	8,30	9,23	9,23	10,15	11,07	11,99
149,00	12,92	12,92	11,99	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	11,07	11,99	11,99	11,07	10,15	10,15	9,23	8,30	9,23	9,23	10,15	10,15	11,99
150,00	12,92	11,99	11,99	11,07	11,07	9,23	8,30	9,23	8,30	9,23	9,23	10,15	11,99	11,07	11,07	10,15	10,15	9,23	8,30	9,23	9,23	10,15	10,15	11,07
151,00	12,92	11,99	11,99	11,07	10,15	9,23	8,30	9,23	8,30	9,23	9,23	10,15	11,07	11,07	11,07	10,15	10,15	9,23	8,30	9,23	9,23	10,15	10,15	11,07
152,00	12,92	11,99	11,99	11,07	11,07	9,23	8,30	9,23	9,23	9,23	9,23	10,15	11,07	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	10,15	10,15	11,07
153,00	12,92	11,99	11,99	11,07	11,07	9,23	8,30	9,23	9,23	9,23	9,23	10,15	11,07	11,07	11,07	10,15	10,15	9,23	9,23	9,23	9,23	9,23	10,15	10,15
154,00	11,99	11,99	11,99	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	11,07	11,07	11,07	10,15	10,15	9,23	8,30	9,23	10,15	10,15	10,15	10,15


PN-EN 13032-1																								
Clause	Requirement + Test										Result - Remark										Verdict			

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
155,00	11,99	11,99	11,99	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	11,07	11,07	10,15	10,15	10,15	9,23	8,30	9,23	9,23	10,15	10,15	10,15
156,00	11,99	11,99	11,99	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	11,07	11,07	10,15	10,15	10,15	9,23	9,23	9,23	10,15	10,15	10,15	10,15
157,00	11,07	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	10,15	11,07	10,15	10,15	10,15	9,23	8,30	9,23	10,15	9,23	10,15	10,15
158,00	10,15	11,99	11,07	11,07	10,15	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	9,23	10,15
159,00	10,15	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	11,07	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	10,15	10,15
160,00	10,15	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	10,15	9,23	8,30	9,23	9,23	9,23	9,23	10,15
161,00	10,15	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	9,23	9,23
162,00	10,15	11,07	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23
163,00	10,15	10,15	11,07	11,07	10,15	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23
164,00	10,15	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23
165,00	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23
166,00	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23
167,00	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23
168,00	9,23	10,15	10,15	10,15	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23
169,00	9,23	10,15	10,15	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	10,15	10,15	10,15	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23
170,00	9,23	9,23	10,15	10,15	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	10,15	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23
171,00	9,23	9,23	9,23	9,23	9,23	8,30	8,30	8,30	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23
172,00	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23
173,00	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	8,30
174,00	9,23	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23
175,00	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23
176,00	9,23	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	8,30	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23	9,23

PN-EN 13032-1																								
Clause	Requirement + Test										Result - Remark										Verdict			

G[°]/C[°]	0,0	15,0	30,0	45,0	60,0	75,0	90,0	105,0	120,0	135,0	150,0	165,0	180,0	195,0	210,0	225,0	240,0	255,0	270,0	285,0	300,0	315,0	330,0	345,0
177,00	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	9,23	8,30	8,30	9,23	9,23	9,23	9,23	9,23
178,00	9,23	9,23	9,23	9,23	8,30	8,30	8,30	8,30	8,30	9,23	9,23	9,23	8,30	8,30	9,23	8,30	9,23	9,23	9,23	9,23	9,23	9,23	8,30	9,23
179,00	9,23	8,30	8,30	9,23	9,23	9,23	8,30	9,23	9,23	9,23	8,30	8,30	9,23	8,30	8,30	8,30	9,23	8,30	8,30	9,23	8,30	9,23	9,23	9,23
180,00	8,30	8,30	8,30	8,30	9,23	8,30	9,23	8,30	9,23	9,23	8,30	8,30	8,30	8,30	8,30	9,23	8,30	8,30	8,30	8,30	9,23	9,23	8,30	9,23

PN-EN 13032-1			
Clause	Requirement + Test	Result - Remark	Verdict



Oprawa: Lampa AS LED LD2XBC Źródło: LED

Strumień źr.: 2304 lm

Jednostki: [cd/klm]