





MOSQUITERA PUERTA ABATIBLE
HINGED DOOR INSECT SCREEN
MOUSTIQUAIRE PORTE BATTANTE
INSEKTENSCHUTZ SCHWENKTÜR





S.ABATIBLE

MOSQUITERA PUERTA ABATIBLE

HINGED DOOR INSECT SCREEN

MOUSTIQUAIRE PORTE BATTANTE

INSEKTENSCHUTZ SCHWENKTÜR





"Bisagras regulables de retroceso"

"Adjustable recoil hinges"

"Charnières auto-réglables"

"Regulierbare Rückzugfeder"

"Perfiles cortados en inglete"

"Profiles cut to 45°"

"Profils coupés en onglet"


"Profile auf 45° geschnitten"

"Imán perimetral en sus perfiles"

"Magnet situated in the frame"

"Aimant pour profil"

"Eingearbeiteter Magnet"



1

Perfil hoja Ref. S1031

Leaf profile ref. S1031

Profil vantail réf. S1031

Türflügelprofil Ref. S1031




2

Perfil tapajuntas Ref. S1214

Top rubber profile ref. S1214

Profil joint tubéréf. S1214

Schutzprofil Ref. S1214



A

Perfil marco estrecho Ref. S1219

Frame profile narrow ref. S1219

Profil pour cadre étroit réf. S1219

Rahmenprofil schmal Ref. S1219

B

Perfil compensador Ref. S1218

Regulation profile ref. S1218

Profil compensateur réf. S1218

Regulierungsprofil Ref. S1218

4

Perfil intermedio Ref. S1215

Middle Profile ref. S1215

Profil intermédiaire réf. S1215

Querprofil Ref. S1215




1+2

Perfiles Ref. S1031 y S1214

Profiles ref. S1031 and S1214

Profil réf. S1031 et S1214

Profile Ref. S1031 und S1214



4+2

Perfiles Ref. S1215 y S1214

Profiles ref. S1215 and S1214

Profil réf. S1215 et S1214

Profile Ref. S1215 und S1214



Sistema abatible

Hinged door

Système porte battante

Schwenktür




Escuadra de aluminio de 90°

Aluminium angle 90°

Equerre en aluminium de 90°

Aluminiumwinkel 90°




Bisagra con muelle de retroceso

Hinge with recoil spring

Charnière avec ressort

Scharnier mit Rückzugfeder





Máquina de Troquelar

Whole punching machine
Poinçonneuse
Perforiermaschine

Perfiles corte inglete, cantos redondeados

Profiles cut to 45°, rounded rims
Profils coupés en onglet, angles arrondis
Profil, zu 45° geschnitten, abgerundete Kanten

Sistema puerta abatible doble

Double hinged door
Système de porte battante double
Zweiflügige Schwenktür

