

HOT
ASPHALT
ON DEMAND

HUGE FINANCIAL SAVINGS

100% HOT ASPHALT RECYCLING

MOBILE AND
STATIC MODELS
AVAILABLE

24/7 RAPID RESPONSE

BLACK has never been so **GREEN**

HOPPER & CONVEYOR

10 TON CAPACITY



VERSATILITY

Hot-Mix Asphalt on demand.
No more trips to or waiting in
line at the asphalt plant.
Uniform mix every 150Kg batch.
Ideal for recycling large
breakout through to graded
Asphalt planing.

SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.

Dual loading facility front and rear.

LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.



Manufactured by RSL

Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY

T: +44 (0) 1530 249 266 **E**: sales@asphaltsolutions.co.uk




BLACK has never been so **GREEN**


HOPPER & CONVEYOR

10 TON Capacity

Specification:



All equipped with the following:-





Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY

T: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk

ULTIMATE

VEHICLE OR TRAILER MOUNTED

HOT ASPHALT



BLACK HAS NEVER BEEN SO GREEN



VIRGIN ASPHALT ON DEMAND

100% HOT ASPHALT **RECYCLING**

ON SITE TRAINING **PROVIDED**



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 150Kg batch. Ideal for recycling large breakout through to graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.





ULTIMATE

VEHICLE OR TRAILER MOUNTED










Height A	1.2m
Width B	1.3m
Length C	1.9m
Weight net	700Kg
Fuel	Diesel
Generator	110, 240V
Trailer Mounted	Available
Static	Available
Truck Mounted	Yes
Burner	TBL 20
Metals	Steel
Powder Coating	YES (Branding)
GPS	Included
Data Logging	Included

- Mixing drum with internal lifters
- Fully certificated operating panel
- 4kva Diesel Power generator with external 110, 240V Outputs
- Chain drive system
- Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted, Truck mounted or Skid mounted options
- Temperature monitoring with external display and management recording program
- Work lights
- On site training provided
- Key start generator
 - Operation and Maintenance Manuals

TECHNICAL DATA





Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk



VEB 250 VEHICLE OR TRAILER MOUNTED

HOT ASPHALT HEATING MOBILE UNIT



BLACK HAS NEVER BEEN SO GREEN



VIRGIN ASPHALT ON DEMAND

100% HOT ASPHALT RECYCLING

ON SITE TRAINING PROVIDED



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 250Kg batch. Ideal for recycling large breakout through to graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.





VEHICLE OR TRAILER MOUNTED










Height A	1.3m
Width B	1.6m
Length C	2.9m
Weight net	850Kg
Fuel	Diesel
Generator	110, 240V
Trailer Mounted	Available
Static	Available
Truck Mounted	Yes
Burner	Baltur
Metals	Steel
Powder Coating	YES (Branding)
GPS	Included
Data Logging	Included

- Mixing drum with internal lifters
- Fully certificated operating panel
- 4kwa Diesel Power generator with external 110, 240V Outputs
- Chain drive system
- Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted, Truck mounted or Skid mounted options
- Temperature monitoring with external display and management recording program
- Work lights
- On site training provided
- Key start generator
 - Operation and Maintenance Manuals

TECHNICAL DATA





Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk



VEHICLE OR TRAILER MOUNTED

HOT ASPHALT



BLACK HAS NEVER BEEN SO GREEN



VIRGIN ASPHALT ON DEMAND

100% HOT ASPHALT **RECYCLING**

ON SITE TRAINING **PROVIDED**



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 500Kg batch. Ideal for recycling large breakout through to graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.



MANUFACTURED BY RSL

VEHICLE OR TRAILER MOUNTED










Height A	1.3m
Width B	1.6m
Length C	2.9m
Weight net	950Kg
Fuel	Diesel
Generator	110, 240V
Trailer Mounted	Available
Static	Available
Truck Mounted	Yes
Burner	Baltur
Metals	Steel
Powder Coating	YES (Branding)
GPS	Included
Data Logging	Included



- Mixing drum with internal liftersFully certificated operating panel
- 4kva Diesel Power generator with external 110, 240V Outputs
- Chain drive system
- Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted, Truck mounted or Skid mounted options
- Temperature monitoring with external display and management recording program
- Work lights
- On site training provided
- Key start generator
 - Operation and Maintenance Manuals

TECHNICAL DATA





Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk



TRAILER MOUNTED OR STATIC

HOT ASPHALT
HEATING MOBILE UNIT



BLACK HAS NEVER BEEN SO GREEN



VIRGIN ASPHALT ON DEMAND

100% HOT ASPHALT RECYCLING

ON SITE TRAINING PROVIDED



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 1 ton batch.
Ideal for recycling large breakout through to
graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.





TRAILER MOUNTED OR STATIC











Height A	1.5m
Width B	1.9m
Length C	4.1 m
Weight net	1200Kg
Fuel	Diesel
Generator	110, 240V
Trailer Mounted	Available
Static	Available
Truck Mounted	Yes
Burner	Baltur
Metals	Steel
Powder Coating	YES (Branding)
GPS	Included
Data Logging	Included
Capacity	1000kg



- Fully certificated operating panel
- 6kva Diesel Power generator with external 110, 240V Outputs
- Chain drive system
- Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted, Truck mounted or Skid mounted options
- Timed controlled heating process
- Temperature monitoring with external display and management recording program
- Work lights
- On site training provided
- Key start generator
- Operation and Maintenance Manuals

TECHNICAL DATA





Asphalt Solutions Limited

Unit 12 Hill lane industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk



VEB 5000 **TRAILER** MOUNTED OR STATIC

HOT ASPHALT



BLACK HAS NEVER BEEN SO GREEN



HOT ASPHALT ON DEMAND

100% HOT ASPHALT **RECYCLING**

ON SITE TRAINING **PROVIDED**



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 5 ton batch. Ideal for recycling large breakout through to graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.





TRAILER MOUNTED OR STATIC











Height A	2.8m
Width B	2.5m
Length C	9.3m
Weight net	12 Ton
Fuel	Diesel
Generator	415v
Trailer Mounted	Available
Static	Available
Truck Mounted	No
Burner	Baltur
Metals	Steel
Powder Coating	YES (Branding)
GPS	Included
Data Logging	Included
Capacity	5000kg



- Fully certificated operating panel
- 65kva Diesel Power generator
- Planetary Gearbox drive system
- · Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted, Truck mounted or Skid mounted options
- Timed controlled heating process
- Temperature monitoring with external display
- Work lights
- On site training provided
- Key start generator
- Cyclone Filtration
- Additive Dosing System
 - Operation and Maintenance Manuals

TECHNICAL DATA





Asphalt Solutions Limited

Unit 12 Hill Lane Industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266

E: sales@asphaltsolutions.co.uk



TRAILER MOUNTED OR STATIC

HOT ASPHALT
HEATING MOBILE UNIT



BLACK HAS NEVER BEEN SO GREEN



HOT ASPHALT ON DEMAND

100% HOT ASPHALT RECYCLING

ON SITE TRAINING PROVIDED



VERSATILITY

Hot-Mix Asphalt on demand. No more trips to or waiting in line at the asphalt plant.

Uniform mix every 10 ton batch. Ideal for recycling large breakout through to graded Asphalt planing.



SIMPLE TO USE

An easy to use control panel mounted on the VEB Asphalt Recycler series needs only one operator.



LOW MAINTENANCE

Maintenance cycles at defined intervals ensure optimum efficiency only one operator.



TRAILER MOUNTED OR STATIC










Height A Width B Length C 14.0m Weight net 18Ton Fuel Diesel Generator 415v Trailer Mounted Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating GPS Included Data Logging Capacity 10000kg		
Length C 14.0m Weight net 18Ton Fuel Diesel Generator 415v Trailer Mounted Available Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Height A	3.0m
Weight net 18Ton Fuel Diesel Generator 415v Trailer Mounted Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating GPS Included Included	Width B	2.8m
Fuel Diesel Generator 415v Trailer Mounted Available Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Length C	14.0m
Generator 415v Trailer Mounted Available Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Weight net	18Ton
Trailer Mounted Available Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Fuel	Diesel
Static Available Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Generator	415v
Truck Mounted No Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Trailer Mounted	Available
Burner Baltur Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Static	Available
Metals Steel Powder Coating YES (Branding) GPS Included Data Logging Included	Truck Mounted	No
Powder Coating YES (Branding) GPS Included Data Logging Included	Burner	Baltur
GPS Included Data Logging Included	Metals	Steel
Data Logging Included	Powder Coating	YES (Branding)
	GPS	Included
Capacity 10000kg	Data Logging	Included
	Capacity	10000kg

- Mixing drum with internal lifters
- Fully certificated operating panel
- 110kva Diesel Power generator
- Planetary Gearbox drive system
- Discharge chute
- BALTUR Recycling high efficiency Diesel burner
- Burner limit safety switch
- Hydraulic discharge rams
- Trailer mounted or Skid mounted options
- Timed controlled heating process
- Temperature monitoring with external display
- Work lights
- On site training provided
- Key start generator
- Cyclone Filtration
- Operation and Maintenance Manuals

TECHNICAL DATA





Unit 12 Hill Lane Industrial Estate, Markfield, Leicestershire, LE67 9PY **T**: +44 (0) 1530 249 266





