



Cucharones barredora

Broom buckets



Serie M
Cubierta abierta



Serie M
Cubierta cerrada



Serie MFS
Fast system

Características Specifications

Generales series M y MFS

Generals M & MFS series

El cucharón barredora sirve, entre otras aplicaciones, para barrer y recoger materiales. También se utiliza para su carga y distribución (relleno con arena de juntas y vetas, distribución de martillo, etc. Muy recomendable para trabajos en obras públicas, construcción, industria y jardinería.

The broom bucket serves as a collector for different materials. It is also used for charging and distributing them (fill sand in joints and seams, distribute sand, etc).

Is is very recommended for jobs in public works, building, industry and gardening.




▲ Sistema de cepillo lateral - opción
Side sweeper system - option



▲ Sistema de riego - opción
Sprinkler system - option




▲ Tapa acceso motor hidráulico
Hydraulic motor access cover



▲ Cuchilla atornillada doble uso más otra soldada
Bolted blade of dual-use and other welded




▲ Ruedas deslizamiento cuchara - opción
Wheels for sliding the bucket - option




▲ Sistema regulación cepillo central
Adjusting system for the central brush

Específicas serie M Specifics M Series



▲ Discos cepillo central y cepillo lateral
Discs central brush and side sweeper



▲ Sistema para facilitar el cambio del cepillo central - opción
System for changing the central brush in a easier way - option

Específicas serie MFS Specifics MFS Series



▲ Tiras cepillo central y cepillo lateral
Strips central brush and side brush



▲ Sistema rápido cambio cepillo central
Fast system for changing the central brush



▲ Sencilla y rápidamente acoplable a una gran cantidad de máquinas
Easily and quickly attached to different machines

Especificaciones Técnicas Technical features

Ancho barrido Swept width	Ø Cepillo central Ø Central brush	Capacidad recojedor Bucket capacity	Peso Weight
(mm)	(mm)	(L)	(Kg)
1220	550	353	266
1370	550	397	298
1520	550	440	331
1680	550	486	366
1850	550	536	403
2050	550	595	551
2200	550	638	581
2350	550	680	639
2550	550	753	694

CE

Características Specifications



▲ Serie M



▲ Serie M



▲ Serie MR

