

Cucharones 4x1

Combination 4x1 buckets



Características


Specifications



Modelos, datos técnicos e ilustraciones sujetas a cambios sin previo aviso. Models, specifications and illustrations are subject to change without notice.

Características

Specifications



▲ Sencilla y rápidamente acoplable a una gran cantidad de máquinas.
Easily and quickly attached to different machines.

Especificaciones Técnicas

Technical features

Modelo Model	L	Capacidad Capacity	Dientes Teeth	Peso Weight
	(mm)	(L / LSAE)		(Kg)(*)
CB.0900S	920	145 / 190	- / 5	175
CB.1100S	1120	175 / 235	- / 5	195
CB.1220S	1240	195 / 260	- / 6	218
CB.1370S	1400	210 / 280	- / 7	262
CB.1520S	1550	235 / 315	- / 8	280
CB.1680S	1700	260 / 350	- / 9	300
CB.1820S	1850	280 / 380	- / 10	320

CB.1100G	1130	208 / 280	- / 5	315
CB.1220G	1250	230 / 310	- / 6	325
CB.1370G	1370	260 / 350	- / 7	350
CB.1520G	1540	290 / 390	- / 8	372
CB.1680G	1690	320 / 430	- / 9	395
CB.1880G	1890	355 / 480	- / 10	432
CB.2020G	2020	385 / 510	- / 10	448
CB.2130G	2130	400 / 540	- / 11	465
CB.2350G	2350	450 / 600	- / 12	500

CB.1600K	1600	520 / 670	- / 8	457
CB.1850K	1850	610 / 780	- / 9	497
CB.2000K	2000	660 / 845	- / 10	525

CB.2100V	2100	690 / 890	- / 10	535
CB.2200V	2200	725 / 935	- / 10	550
CB.2300V	2300	760 / 980	- / 11	570

CE

(*) Peso del acoplamiento no incluido.
Adaptor frame's weight not included.



Modelos, datos técnicos e ilustraciones sujetas a cambios sin previo aviso. Models, specifications and illustrations are subject to change without notice.