



Hydraulic Presses with structure

- series C-frame presses
- monolithic series
- composite series

X > HYDRAULIC PRESSES AND MORE...

HYDRAULIC PRE

X > AMONGST OUR IDEAS THERE IS DEFINITELY THE RIGHT SOLUTION FOR YOU

OMERA, with its hydraulic presses featuring the unmistakable trademark, stands out against the background of its competitors in a key sector for the mechanical industry. Present on the market since 1951 with its now historic iron-workers, punching machines and trimming-beading machines, the company has since 1970 continued to make its contribution in terms of innovation, experience and advanced technology to the field of sheet metal working.

OMERA has achieved excellent sales results over the years, becoming a leading figure in the industry, remaining ever faithful to the basic ideas of its founder partners and pursuing the increase in technical knowledge within the company and nurturing technical development in hydraulics, electronics, telematics and the components sector. All this has enabled the company to play a new role as a proposer of new solutions and use the most up-to-date and advanced design techniques, in order to give the customers, irrespective of their particular field, the product/service best suited to their needs.

Precisely this close bond that unites OMERa with its customers, is the testimony of a vocation to services, which manifests in the achievement of the best possible performances.



SSES, AND MORE...



SINCE
1951



X > **OMERA. SHEET METAL WORKING TECHNOLOGY BECOMES AUTHENTICALLY VERSATILE.**

X Handed down from generation to generation, knowledge and experience acquired in the field have become the company's fundamental heritage and at the same time, a wealth to be shared by all our customers.

The need for the hydraulic press user to be competitive cannot be neglected and this aspect has an ever greater influence on our everyday work at OMER, and consequently in the design of the

most appropriate solutions.

Technical and technological versatility has therefore left the realm of good intentions to enter with full credits into OMER's list of strategic objectives, with the aim of proposing not only formally valid and reliable products but products that are destined to become significant in terms of quality and able to combine technology with the highest performances required by the end-user.



G TECHNOLOGY BEC



The versatility of the hydraulic presses when used as a single unit, and the ease with which they can be fitted into a production line enhance their performance capabilities, making them conceptually entirely different from a normal machine tool.

The technological solutions proposed improve their structural solidity, ergonomics and silent functioning at high performances.

HYDRAULIC C-FRAME PRESSES



HYDRAULIC MONOLITHIC PRESSES



HYDRAULIC COMPOSITE PRESSES



X > **OMERA.** PROJECTS THAT LOVE CHALLENGES.

OMERA. PROJECTS T

X > **TECHNOLOGY**

The favourable reception the presses have enjoyed on the market was due, amongst other things, to the considerable investments made by OMERÁ in technology intended as a combination of means, instruments and resources, whose optimal use has enabled the company to constantly make improvements from within.

It is this integration of experience and methodology that radically alters our relations with customers because our objective is to customise, rendering the work just as useful as it is necessary to bring real progress to the requirements and wishes of our customers.







THAT LOVE CHALLENGE

X > RESEARCH AND DEVELOPMENT

In order for presses to truly become containers of infinite high-performance solutions, the company's "know-how" must be oriented and finalised towards the innovation of processes and products. Interpretation of the user's needs and the transformation of these into ever more appropriate solutions renders this particular task of the company more important and decisive than ever as far as the result is concerned.

This is a "capability" of OMERa that is constantly being refined, also through specific and well-aimed training programmes designed for the human resources employed in the company.



X > **OMERA.** A TRULY SPECIAL PRODUCTION PROCESS.

TRULY SPECIAL PROD



OMERA occupies a leadership position in the development on a worldwide scale of technology, applications and services connected with sheet metal working.

By integrating its experience and working synergistically with other companies in the group, OMERa has been able to familiarise itself in depth with all the technical and production problems as well as the true needs of the industry, creating the very best conditions in which to provide the right answer for every customer.

With time, the demand for quality in this field has evolved considerably as a natural consequence of the changes taking place in the international market scenario.

For this reason, OMERa is the first in line to adapt the manufacturing techniques used in its production cycle and, at the same time, to perfect both working methods and processes through developing its technology.

Every OMERa press, and likewise the lines, are constructed at the highest levels of functionality using a complete, rigorous production programme covering the entire manufacturing cycle.

Assembly, carried out in the factory in Chiuppano, and supported by the most advanced working technology available on the market today, enables the construction of presses with the highest levels of efficiency.



DUCTION PROCESS.

**X** > QUALITY CONTROL

Quality control is of strategic importance for OMER as it is part of the development of an on-going programme that complies with the requirements of standard UNI EN ISO 9001/2000 in order to maintain company competitiveness by consistently improving the product, service and processes.

Amongst the factors that have led to the unquestionable international success of the company through the presses, undoubtedly quality research on the product, in terms of performance and reliability, the competitiveness of its prices and the development of innovative solutions aimed at achieving ever better levels of quality at competitive costs and within set timescales play a significant role.

**X** > TESTING

The presses are subject to continuous, rigorous tests carried out both during the various machining stages and after the final assembly.

This testing is carried out following the criteria laid down by the most advanced international standards using specialised personnel to guarantee end-users the very best working performance of the machines they have purchased.



X > OMERA. QUALITY OF SERVICE. QUALITY IN PERFORMANCE.

QUALITY OF SERVICE

X > SERVICE

Gaining the confidence of customers and becoming their inseparable partners means providing a complete and specialised service along with an excellent product.

Dialogue with the end-users of our products is an essential condition for setting in motion the growth process we need in order to pursue our mutual aims for improvement.

For 50 years service has been our real competitive edge. The experience we have acquired and being at our customers' disposal to follow them step by step, from the design stage to the stated performance controls, is OMERA's true strong point.

For OMERA service means creating value through a series of complementary activities, which can be summarised as follows:

> INSTALLATION

The proven experience as well as recognised skills of OMERA's technicians become evident during the installation and start-up stage of every single new press, as well as during checks on site that performance complies with the original project.

> ASSISTANCE

Both from the head offices and the around 40 partner agencies spread all over the world, OMERA guarantees the users of its presses continuous assistance and the possibility of speaking directly to an attentive, qualified person who is able to give advice about their requirements.

> PROGRAMMED MAINTENANCE

This is the formal obligation that OMERA undertakes to each and every one of its customers. Through programmed periodic inspections and check ups, we have achieved the objective of maintaining installations in perfect efficient working order over time preventing downtime and supplementary maintenance.

> TRAINING

To be used to its best, every OMERA plant installed requires the user to be properly trained. Training of these personnel is a service within the service that OMERA provides on site through its qualified technicians.



QUALITY IN PERFOR

X APPLICATIONS

In the stage prior to the choice of a press, it is advisable to examine all the ranges of products you intend to manufacture and consider how they may evolve in the future. In this stage it would also be appropriate to consider those aspects connected with hourly production rates and production batches. The wide choice of classes and models available enables the presses to be utilised in a vast range of applications, of which these are some of the most common: 1) Simple drawing or drawing in several stages in sequence (re-drawing); 2) Blanking and punching; 3) Coining; 4) Embossing; 5) Bending; 6) Assembly work; 7) Extrusion.

Whatever your requirements are, thanks to the long, corroborated experience we have acquired over time, our technical staff will be able to analyse and recommend you the most suitable product and solutions.

Here below we have illustrated the general concepts on which the OMER A project is based.




X STRUCTURE

In all the presses models, machine rigidity is considered of the utmost importance so that flexure under full load is reduced, to guarantee perfect working order of the equipment throughout its life. For this reason, the design stage is followed by a finite element simulation (FEM) test.

After the welding process, the steel structure is subject to a controlled-cycle stress-relieving process that serves to stabilise the structure to prevent breakage over time due to residual tensions caused by the weldings and to guarantee the machine's geometric stability over time. The structure is then sand blasted.

Machining is carried out on modern CNC machines to guarantee maximum precision.



X > GUIDE TO CHOOSING A QUALITY HYDRAULIC PRESS.

GUIDE TO CHOOSING

X > CYLINDERS

The cylinder unit is one of the critical elements of the hydraulic press and this is why Omera always pays particular attention to the finishes of these components.

They are made of forged steel, carefully machined and lapped and checked by ultrasound.

The pistons are made of excellent quality steel, ground and chrome-plated to lengthen the life of the seals.



X > HYDRAULIC SYSTEM

The adoption of the most sophisticated hydraulic and electronic technology together with long experience of their application enable us to produce high-performance plants with proven reliability over time.



The hydraulic system controls the machine functions of the various actuators and also performs the function of cooling and filtering the oil.

The use of proportional valves enables performance to be maximised by adapting to the particular needs of the dies used, ensuring high speed and accuracy whilst maintaining an enviable smoothness of movement.

The pump capacity can be adjusted and the use of automatic regulators allows power output to be maximised according to the conditions in which it is used.

During the design and construction stages, particular attention is paid to solutions concerning noise emission. Research carried out in this area enables us today to deliver particularly quiet machines.

The tanks have inspection windows for submerged apparatus.



A QUALITY HYDRAU

X > MACHINE FUNCTION

The following function cycles are normally provided: manual, automatic and adjustment.

In the manual, i.e. single cycle, the operator provides for loading and unloading the pieces, while during the automatic cycle this function is performed by an automation.

The adjustment cycle is used to carry out tests and setting up the equipment.



On a double-acting conventional press, the main stages of a work cycle include the rapid approach of the slide, the work stroke and rapid return of the slide and blank-holder cushion and intervention of the ejector. The cushion may perform the upstroke at the same time as the slide or be delayed.

The following functions are also provided:

- limitation of main slide capacity
- limitation of working speed, for particular drawing operations
- continuous variation of the blank-holder cushion reaction capacity
- coining controlled by a timer

Some applications require different work cycles to the conventional ones, of which the following are just a few examples:

- with upper triple action (both active and passive)
- with drawing from the bottom
- with reversible hydraulic system, to be able to draw both from the top and the bottom
- with independent blank-holder cushion, to reduce working times
- with programmed entry devices (e.g. alternate punching)



X > ELECTRICAL SYSTEM

The electric and electronic command and control devices are housed in a cabinet separate from the press. The components used are of high quality to provide maximum reliability and guarantee long life over time.

The process is managed by the use of a programmable computer system while press safety is managed using electromechanical logic.

The dimensions of the cabinets allow considerable free space for any future additions to the machine and provide very effective ventilation. On request, air conditioning systems can be installed.



GUIDE TO CHOOSING

X > CONTROL SYSTEM

> CNC description


Apart from some versions of the C-frame press series, where it can in any case be fitted as an optional, all the presses are managed by a CNC device, which in the basic version enables the following parameters to be controlled and managed:

- Memorisation of 200 programmes
- Machine function cycles
- Control of slide stroke
- Control of blank-holder cushion stroke
- Control of the ejector depending on slide stroke
- Control of auxiliary cams for external automations
- Control of lubrication device
- Control of production with piece-counter for two batches
- Control of stopping ramps and speed
- Value offset (equipment maintenance)
- Machine diagnostics with help on line

Communication between the operator and the machine takes place through a video system and user-friendly keyboard. The machine can be programmed directly by means of the keyboard or through self-learning and the parameters can be varied during the work cycle.

The positions are read by absolute digital encoders.

A CNC is used to manage as many as six different pressures of the blank-holder cushion, depending on its position, as well as the normal functions.




OMERA A QUALITY HYDRAU

> PC description

On request, a new-generation industrial PC, capable of running the following parameters, as well as those described above can be applied:

- Unlimited memorisation of programmes with floppy disk back up
- Overseeing pressure trends
- Managing slide locking device
- Managing automatic equipment loading/unloading cycles
- Speed management
- Managing production of pieces in several batches
- Complete diagnostics of the hydraulic system, PLC input and output, electronic cams and references to proportional valves
- Interface for connection to the "Ethernet" network
- Modem cards for teleservicing
- Alarms with help videos and complete explanations, historic logs, page helps



GUIDE TO CHOOSING

X > SAFETY AND CE CERTIFICATION

OMERA has always paid particular attention to safety problems regarding both the operator and the machine.

This frame of mind has developed over the years thanks to the considerable quota of the product going for export and the design office's co-operation with a number of different standards approval boards; OMERa is therefore today able to offer the market one of the safest products of its kind.

Protections for the operator are:

- highly sensitive photo-electric barriers
- electrically-controlled mobile protections
- fixed side protections
- intrinsic hydraulic safety locks with redundant control
- locking of the slide in position at T.D.C.
- two-hand control where photo-electric barriers are not provided
- specially designed hydraulic circuits and sound-proof panels to minimise noise emissions
- ergonomically-designed machines for safe and perfect accessibility

Appropriate protection systems are also provided to prevent damage caused by improper use or malfunctioning as well as for the safety of the machine.



X > ACCESSORIES


A truly vast and tested range of accessories to make the machine more flexible and more productive. The versatility of OMERa presses is an "ingredient" made-to-measure after choosing the final result together with our clients.

Here are just a few examples:

- Rapid Die Change: clamps, lifting rails, brackets, trolleys
- Industrial PC
- Low noise hydraulic unit
- Blanking shock-absorbers, both at stroke end and at several intervention points
- Automation/automatic line interface, set up for external protections
- Regenerative or independently activated cushion
- Cooling by means of air heat exchangers
- Triple action and fourth action (both active and passive)
- Reversible circuit for drawing from the top or the bottom
- Mobile trolleys or tables



... A QUALITY HYDRAU...



X > SERIES C-FRAME PRESSES

SERIES

X > QUALITY AS STANDARD

Besides being machined on modern machines tools, our presses are assembled in series. This enables us to optimise quality controls as well as the production process and provide **you with a highly reliable product.**

X > HIGH PRODUCTION PERFORMANCE

Constant updating of the product and the use of advanced technology enable productivity to be increased. Our presses offer you **the chance to lower your production costs.**

X > A WEALTH OF ACCESSORIES PROVIDED

The C-frame series of presses comes **already complete** with a large number of accessories. In fact, the hydraulic ejector, timer-controlled coining, locking of the slide in position, heat exchanger cooling, pump with automatic power limiting, diagnostics, etc. are all supplied along with the machine.

X > EASY MAINTENANCE

The design concepts, the experience accumulated over many years of manufacturing presses, the centralised layout of the control organs as well as clear and detailed instructions **will facilitate the maintenance of these presses.**



C-FRAME PRESSES



C-FRAME PRESSES

X > TECHNICAL DATA

 > MODEL		OPI.C-50	OPI.C-80	OPI.C-80V	OPI.C-125	OPI.C-125V	OPI.C-160	OPI.C-160V	OPI.C-200V
Slide capacity	kN	500	800	800	1250	1250	1600	1600	2000
Cushion capacity	kN	200	315	315	500	500	650	650	800
Slide stroke	mm	400	600	600	600	600	650	650	650
Cushion stroke	mm	200	250	250	250	250	300	300	300
Distance table/slide	mm	800	1000	1000	1000	1000	1000	1000	1000

Table surfaces	mm
600 x 500	
750 x 600	
1000 x 750	
1000 x 800	



X > MONOLITHIC SERIES

X > HIGH PRODUCTIVITY GUARANTEED

Thanks to the technology used to **maximise the system's output** as well as allow unconventional machining to be carried out, our presses enable you to reduce your production costs. The choice of the model and appropriate configuration will enable you to meet all your production requirements.

X > RELIABILITY AND TECHNOLOGY


The quality of construction, experience and technological choices, as well as the components used, make our presses a reliable product. The generous sizing and attention to detail in their mechanical machining are further guarantees of their ability to **carry out repeated production processes** and of the equipment's long life.

X > A WIDE CHOICE OF ACCESSORIES

The wide choice of accessories available enables you to customise your press according to your specific requirements and benefit from the use of a product built **with these concepts in mind**.

X > AUTOMAZIONE INTEGRATA

The automatic version of the machine comes out during the design stage. Our presses were created right from the beginning to also function automatically. By adopting an electronic interface, the press is already ready **for connection to any external devices** and to function in complete safety thanks to the presence of protective signalling devices and CE certification.



MONOLITHIC SERIES



X > MONOLITHIC SERIES

X > APPLICATIONS

- bottom ends for water heaters and tanks
- cooker tops
- domestic appliances
- drinks containers
- stainless steel pots and pans
- pressurised containers
- gas cylinders
- fire extinguishers

The presses in the monolithic series are widely used in a vast range of applications in a whole host of different industries involving sheet metal working.

The machines can also be supplied complete with dies and automatic feeding systems.



MONOLITHIC SERIES

X > TECHNICAL DATA

MODEL

OPI.M-125 OPI.M-160 OPI.M-200 OPI.M-250 OPI.M-315 OPI.M-400 OPI.M-500 OPI.M-630 OPI.M-800 OPI.M-1000

Slide capacity	kN	1250	1600	2000	2500	3150	4000	5000	6300	8000	10000
Cushion capacity	kN	500/800	630/1000	800/1250	1000/1600	1250/2000	1600/2500	2000/3150	2500/4000	3150/5000	4000/6300
Slide stroke	mm	650 800	650 800	650 800	800 1000	800 1000	800 1000	800 1000	800 1000	800 1000	800 1000
Cushion stroke	mm	250 350	250 350	300 350	350 450	350 450	350 450	350 450	350 450	350 450	350 450
Distance table/slide	mm	1000 1300	1000 1300	1000 1300	1300 1600	1300 1600	1300 1600	1300 1600	1300 1600	1300 1600	1300 1600

Table surfaces	mm
1000 x 800	
1200 x 1100	
1400 x 1200	
1600 x 1200	
1600 x 1400	
2000 x 1500	
2500 x 1500	



X > COMPOSITE SERIES

X > MADE TO MEASURE POWER

Often those who use large-sized hydraulic presses have specific problems to solve, sometimes connected with existing dies, and sometimes with the peculiarity of pieces to be produced. The acknowledged skills of our technicians is to work at our clients' side in order to create projects that satisfy their requirements, even in the future, through suitable customizing interventions.

X > TECHNOLOGY AND EVOLVING FLEXIBILITY

In a world that is developing continuously and frenetically, new requirements - emerging every day - require us to devise new solutions: alongside our **Research & Development** office we have a series of specialised suppliers who contribute to our efforts to develop and improve our presses in a continuous cycle.

X > CHOOSING SOLUTIONS

Our ability to listen to what our customers are saying about their requirements, our readiness to **propose alternatives based on experience and innovation** and our ability to identify together with the customer the best way to proceed: these are the qualities that have led us to become a partner for our customers.

X > GREAT RELIABILITY

Experience and quality cannot be invented but are the fruit of years of work and continuous improvement.

This is why we are proud of the results we have achieved and **the large number of applications** and customers prove it.



COMPOSITE SERIES



X > COMPOSITE SERIES

X > APPLICATIONS

The composite series has been designed for applications in which structural rigidity and flexibility in terms of production are the particular prerogatives required. Machines with several actions from the top or bottom or special solutions enable complex shapes and large dimensions to be achieved in a number of different industries, such as:

- domestic appliances
- car and vehicle bodies
- structural elements
- stainless steel sinks
- cooker tops




COMPOSITE SERIES

X > TECHNICAL DATA

MODEL		OPI.T-400	OPI.T-500		OPI.T-630		OPI.T-800		OPI.T-1000		OPI.T-1250		OPI.T-1600		OPI.T-2000		
Slide capacity	kN	4000	5000		6300		8000		10000		12500		16000		20000		
Cushion capacity	kN	1600/2500	2000/3150		2500/4000		3150/5000		4000/6300		5000/8000		6300/10000		8000/12500		
Slide stroke	mm	800	1000	800	1000	800	1000	800	1000	800	1250	1000	1250	1250	1600	1250	1600
Cushion stroke	mm	350	450	350	450	350	450	350	450	350	500	450	500	450	600	450	600
Distance slide/table	mm	1300	1600	1300	1600	1300	1600	1300	1600	1300	2000	1600	2000	2000	2500	2000	2500

Table surfaces	mm
1600 x 1400	
2000 x 1500	
2500 x 1500	
3000 x 2000	
3500 x 2000	
4000 x 2500	
4500 x 2500	
5000 x 2500	



X > FROM THE PRESS TO THE AUTOMATIC LINE.

FROM THE PRESS

X > INTEGRATED PRODUCTION PROJECTS

The internal teamwork of a company specialised in the construction of a diversified series of products successfully recognised at international level, the intense structural co-operation with die-makers we trust, the majority share in a company manufacturing special machines, have allowed Omera to achieve the enviable technological background which today enables it to successfully construct reliable, technologically-advanced automatic production lines, and provide a first-class service.

We have achieved perfect integration between our customers and ourselves as suppliers generating all-round growth for both parties, enabling the realisation of a large number of installations in a wide range of different manufacturing industries.



AUTOMATIC LINE FOR STAINLESS STEEL POTS AND LIDS



PRODUCTION LINE FOR HOUSEHOLD APPLIANCES PARTS



PRODUCTION LINE OF WATER HEATERS



LINE FOR GPL GAS BOTTLES OF 12 KG



LINE FOR ENDS OF BIG DIMENSIONS


TO THE AUTOMATIC



PRODUCTION OF ENDS IN STEEL DUPLEX



PRODUCTION OF ENDS FROM COIL IN ZIG ZAG



AUTOMATIC LINE FOR ELECTRIC MOTOR LAMINATIONS



AUTOMATIC LINE FOR AIR/VENTILATION DUCTS



AUTOMATIC LINE FOR ALUMINIUM POTS



www.omer a.com

1.054 - EN - REV. 3



OMERA S.r.l.
Via Ponte dei Granatieri, 8
36010 Chiappano (Vicenza) Italy
Tel. +39 0445 805444 - Fax. +39 0445 805404
ucomm@omer a.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =

