



PREMAC HYDRO MOBILE

FURY

3500



BUILT FOR WASTE
TREATMENT

www.shredder-bano.com



Rotor back door with
bolts-free hydraulic
opening.



PREMAC HYDRO MOBILE

FURY


3500

Remote Control device



Over -Belt magnetic separator






Internal pivoting pusher
without lubrication: automatic
and manual functioning
adjustable from control panel;



**Hardox Screen for output
material size control:**
interchangeable. Screen
support with hydraulic
opening for cleaning and
maintenance operations.



**Diesel-powered
SCANIA brand
motor**




**Tracks with
hydraulic drive**

PREMAC HYDRO MOBILE

FURY

3500



Hydraulically driven
Tilting Hopper



Hydraulic transmission with
variable speed




Rotating and Interchangeable
Blades – Heat treated Blades
Holders



Control panel with
smart user interface
and remote assistance
device for both the
shredder and the
Scania motor



Easily transportable




Open and closed hopper

PREMAC HYDRO MOBILE


FURY

3500



CLOSED HOPPER VERSION



WORK DIMENSIONS (MM UNIT-14100 X3000X3000XH.6000 SIZES)



TRANSPORT DIMENSIONS (MM UNIT- 9800X3000XH.6500 SIZE)




PREMAC HYDRO MOBILE


FURY

3500

OPEN HOPPER VERSION



WORK DIMENSIONS (MM UNIT-14100X3000XH.4500 SIZES)



TRANSPORT DIMENSIONS (MM UNIT- 9800X3100XH.3500 SIZES)



TECHNICAL DATA

FURY 3500

	Unit	Dimension
OPEN TILTED HOPPER VERSION		
WORK Sizes	mm	14100x3000xh.4150
TRANSPORT Sizes	mm	9800x3000xh.3500
CLOSE TILTED HOPPER VERSION		
WORK Sizes	mm	14100x3000xh.6000
TRANSPORT Sizes	mm	9800x3000xh.3500
Weight	Kg	43.000
Entrance mouth	Mm	3500x2500
Rotor Length	mm	3500
ROTOR SPEED		
Option 1	Rpm	From 0 to 186
Option 2	Rpm	From 0 to 50
Rotor blades	N°	168 mis. 80x80 mm
	N°	210 mis. 60x60 mm
Counter knives	N°	6
	N°	12
Screen hole diameter	mm	from Ø30 to Ø120 Hardox
Tipper	mm	2500x2100
Heating Engine	Type	Scania DC16
Heating Engine power	kW	566@2000rpm
Central tank emission regulations	---	Stage V – Tier4f

Bano Recycling srl reserves the right to make technical changes without notice.



Bano Recycling, a history of challenges

As we look back at the beginning of our story, we recall our optimism and pride. It is a story of an intrepid entrepreneur who started the manufacture of wood-fired heating boilers in the years of the Italian economic miracle: between the end of the Second World War and late 1960s.

It is the story of an entire generation of brave women and men who changed the history of the country: transforming it from a poor, mainly rural nation, into a major industrial power, playing a leading role in the modern society and culture.

The history of our country, the struggles and triumphs of our past are essential sources of inspiration to face the everyday challenges in the eternal pursuit of innovation



BANO MOBILE SHREDDING SYSTEMS TO EXPAND YOUR BUSINESS

BANO has recently expanded its range of **mobile shredding units** to respond to the growing demand for mobile solutions in the plastic and waste recycling industry.

Versatility, compact dimensions and **mobility** respond to the specific needs of the market and to the necessity of the user to move the system to different locations.

High performances with low energy requirements and **low operating costs** are guaranteed by the exclusive Bano cutting system and by the different rotor designs specific for every kind of application.



EUROPE & REST OF THE WORLD

Bano Recycling s.r.l.
via Antoniana, 10
35011 Campodarsego
Padova - Italy
tel. +39 049 9200757
fax +39 049 9200172
info@banoeco.com
shredder-bano.com

NORTH AMERICA

55 Unsworth Drive
L8W 3K4 Hamilton
Ontario - Canada
Direct office: 905.318.5772
Toll free #: 1.877.844.4561