


EUSKRON[®]

Cutting Technology



PROMOCION



Herramientas de fresado

PROMOTION

Milling tools

AS0616.10

Ti



Extras / Extras




AS0616.10	Ø D	Ø d	L	Lc	a	Z			
AS0616.10.25.25.110	25	25	110	40	15	2	ADMX 1606	AD-40	EE-15
AS0616.10.25.25.140	25	25	140	60	15	2	ADMX 1606	AD-40	EE-15
AS0616.10.32.25.110	32	25	110	40	15	3	ADMX 1606	AD-40	EE-15
AS0616.10.32.25.140	32	25	140	60	15	3	ADMX 1606	AD-40	EE-15
AS0616.10.32.32.110	32	32	110	40	15	3	ADMX 1606	AD-40	EE-15
AS0616.10.32.32.140	32	32	140	60	15	3	ADMX 1606	AD-40	EE-15
AS0616.10.40.32.110	40	32	110	40	15	4	ADMX 1606	AB-40	EE-15
AS0616.10.40.32.140	40	32	140	60	15	4	ADMX 1606	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL

* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
ADMX 1606 SR-M	TB40	Grupo	P20-P40	M20-M35	K20-K40	-	S15-S25
		Vc (m/min)	300-195	180-115	180-115	-	90-35
		Fz (mm/z)	0,10-0,25	0,10-0,25	0,10-0,25	-	0,10-0,21
		Ap (mm)	0,3-13,0	0,3-13,0	0,3-13,0	-	0,3-11,0
ADMX 1606 SR-M	TB30	Grupo	P20-P40	M20-M35	K20-K40	S15-S30	S15-S25
		Vc (m/min)	300-195	180-115	285-185	700-560	90-35
		Fz (mm/z)	0,10-0,25	0,10-0,25	0,10-0,25	0,10-0,30	0,10-0,25
		Ap (mm)	0,3-13,0	0,3-13,0	0,3-13,0	1,0-13,0	0,3-11,0



Placas / Inserts



	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
ADMX 1606	9,95	16	4,5	6,25	0,8 / 1,6

AS0616.91

Ti



Extras / Extras




AS0616.91	Ø D	Ø d	L	a	Z			
AS0616.91.050.22.05	50	22	45	15	5	ADMX 1606	AB-40	EE-15
AS0616.91.063.27.06	63	27	50	15	6	ADMX 1606	AB-40	EE-15
AS0616.91.080.27.07	80	27	50	15	7	ADMX 1606	AB-40	EE-15
AS0616.91.100.32.08	100	32	55	15	8	ADMX 1606	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL

* Para otros diámetros consultar / any other size contact us


		P	M	K	N	S	H
ADMX 1606 SR-M	TB40	Grupo	P20-P40	M20-M35	K20-K40	-	S15-S25
		Vc (m/min)	300-195	180-115	180-115	-	90-35
		Fz (mm/z)	0,10-0,25	0,10-0,25	0,10-0,25	-	0,10-0,21
		Ap (mm)	0,3-13,0	0,3-13,0	0,3-13,0	-	0,3-11,0
ADMX 1606 SR-M	TB30	Grupo	P20-P40	M20-M35	K20-K40	S15-S30	S15-S25
		Vc (m/min)	300-195	180-115	285-185	700-560	90-35
		Fz (mm/z)	0,10-0,25	0,10-0,25	0,10-0,25	0,10-0,30	0,10-0,21
		Ap (mm)	0,3-13,0	0,3-13,0	0,3-13,0	1,0-13,0	0,3-11,0

Placas / Inserts



	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
ADMX 1606	9,95	16	4,5	6,25	0,8 / 1,6 3,2

AS1100.10



Extras / Extras




AS1100.10	Ø D	Ø d	L	Lc	a	Z			
AS1100.10.25.25.110	25	25	110	40	15	2	APKT 1604	AD-40	EE-15
AS1100.10.25.25.140	25	25	140	60	15	2	APKT 1604	AD-40	EE-15
AS1100.10.25.25.250	25	25	250	60	15	2	APKT 1604	AD-40	EE-15
AS1100.10.32.25.110	32	25	110	40	15	3	APKT 1604	AB-40_9	EE-15
AS1100.10.32.25.140	32	25	140	60	15	3	APKT 1604	AB-40_9	EE-15
AS1100.10.32.32.110	32	32	110	40	15	3	APKT 1604	AB-40_9	EE-15
AS1100.10.32.32.140	32	32	140	60	15	3	APKT 1604	AB-40_9	EE-15
AS1100.10.32.32.250	32	32	250	60	15	2	APKT 1604	AB-40_9	EE-15
AS1100.10.40.25.110	40	25	110	40	15	4	APKT 1604	AB-40	EE-15
AS1100.10.40.32.110	40	32	110	40	15	4	APKT 1604	AB-40	EE-15
AS1100.10.40.32.140	40	32	140	60	15	4	APKT 1604	AB-40	EE-15
AS1100.10.40.32.200	40	32	200	60	15	2	APKT 1604	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL

* Para otros diámetros consultar / any other size contact us




		P	M	K	N	S	H
APKT 1604 PDR-GM	IC25M / EO26	Grupo	P10-P30	M10-M25	-	-	S05-S15
		Vc (m/min)	355-235	210-140	-	-	105-45
		Fz (mm/z)	0,15-0,30	0,20-0,26	-	-	0,20-0,21
		Ap (mm)	1,0-13,0	1,0-9,8	-	-	1,0-7,8
APKT 1604 PDR-GM	GO25	Grupo	P20-P40	M20-M30	K20-K35	-	-
		Vc (m/min)	265-195	125-115	230-195	-	-
		Fz (mm/z)	0,15-0,25	0,15-0,25	0,15-0,30	-	-
		Ap (mm)	1,0-13,0	1,0-9,0	1,0-13,0	-	-
APKT 1604 PDR-GM	GO40	Grupo	P15-P35	M15-M35	K15-K35	N10-N30	S15-S25
		Vc (m/min)	255-185	105-115	220-185	635-525	75-70
		Fz (mm/z)	0,15-0,25	0,15-0,25	0,15-0,25	0,15-0,25	0,08-0,15
		Ap (mm)	1,0-13,0	1,0-9,0	1,0-9,0	1,0-13,0	1,0-12,0
APKT 1604 PDR-GM	V234/VP300	Grupo	P20-P40	M20-M40	-	-	-
		Vc (m/min)	255-185	150-120	-	-	-
		Fz (mm/z)	0,15-0,20	0,15-0,20	-	-	-
		Ap (mm)	1,0-13,0	1,0-9,0	-	-	-

Placas / Inserts



	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
APKT 1604	9,44	17,0	4,6	5,67	0,8

AS1100.91



Extras / Extras




AS1100.91	Ø D	Ø d	L	a	Z			
AS1100.91.040.16.03	40	16	45	15,5	3	APKT 1604	AB-40	EE-15
AS1100.91.040.16.04	40	16	45	15,5	4	APKT 1604	AB-40	EE-15
AS1100.91.050.22.04	50	22	45	15,5	4	APKT 1604	AB-40	EE-15
AS1100.91.050.22.05	50	22	45	15,5	5	APKT 1604	AB-40	EE-15
AS1100.91.063.27.04	63	27	50	15,5	4	APKT 1604	AB-40	EE-15
AS1100.91.063.27.06	63	27	50	15,5	6	APKT 1604	AB-40	EE-15
AS1100.91.080.27.05	80	27	50	15,5	5	APKT 1604	AB-40	EE-15
AS1100.91.080.27.07	80	27	50	15,5	7	APKT 1604	AB-40	EE-15
AS1100.91.100.32.07	100	32	50	15,5	7	APKT 1604	AB-40	EE-15
AS1100.91.100.32.08	100	32	50	15,5	8	APKT 1604	AB-40	EE-15
AS1100.91.125.40.08	125	40	63	15,5	8	APKT 1604	AB-40	EE-15
AS1100.91.125.40.10	125	40	63	15,5	10	APKT 1604	AB-40	EE-15
AS1100.91.160.40.10	160	40	63	15,5	10	APKT 1604	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL



* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
APKT 1604 PDR-GM	IC25M / EO26	Grupo	P10-P30	M10-M25	-	S05-S15	-
		Vc (m/min)	355-235	210-140	-	105-45	-
		Fz (mm/z)	0,15-0,30	0,20-0,26	-	0,20-0,21	-
		Ap (mm)	1,0-13,0	1,0-9,8	-	1,0-7,8	-
APKT 1604 PDR-GM	GO25	Grupo	P20-P40	M20-M30	K20-K35	-	-
		Vc (m/min)	265-195	125-115	230-195	-	-
		Fz (mm/z)	0,15-0,25	0,15-0,25	0,15-0,30	-	-
		Ap (mm)	1,0-13,0	1,0-9,0	1,0-13,0	-	-
APKT 1604 PDR-GM	GO40	Grupo	P15-P35	M15-M35	K15-K35	N10-N30	S15-S25
		Vc (m/min)	255-185	105-115	220-185	635-525	75-70
		Fz (mm/z)	0,15-0,25	0,15-0,25	0,15-0,25	0,15-0,25	0,08-0,15
		Ap (mm)	1,0-13,0	1,0-9,0	1,0-9,0	1,0-13,0	1,0-12,0
APKT 1604 PDR-GM	V234/VP300	Grupo	P20-P40	M20-M40	-	-	-
		Vc (m/min)	255-185	150-120	-	-	-
		Fz (mm/z)	0,15-0,20	0,15-0,20	-	-	-
		Ap (mm)	1,0-13,0	1,0-9,0	-	-	-

Placas / Inserts



	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
APKT 1604	9,44	17,0	4,6	5,67	0,8

DS4906.90 43°

Extras / Extras




DS4906.90 43°	Ø D	Ø D1	d	L	a	Z			
DS4906.90.063.27.05	63	54	27	50	4	5	ODMT/ODMX 0605	AB-40	EE-15
DS4906.90.080.32.06	80	71	32	50	4	6	ODMT/ODMX 0605	AB-40	EE-15
DS4906.90.100.32.07	100	90	32	50	4	7	ODMT/ODMX 0605	AB-40	EE-15
DS4906.90.125.40.08	125	115	40	63	4	8	ODMT/ODMX 0605	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL



* Para otros diámetros consultar / any other size contact us

			P	M	K	N	S	H	
ODMX 0605	ZZN	EO26	Grupo	P15-P30	M15-M25	K15-K30	-	-	H10-H20
			Vc (m/min)	280-170	165-100	265-160	-	-	55-30
			Fz (mm/z)	0,15-0,45	0,15-0,34	0,15-0,45	-	-	0,10-0,20
			Ap (mm)	1,0-8,6	1,0-6,5	1,0-8,6	-	-	0,3-1,5
ODMT 0605	ZZN	TO40	Grupo	P30-P50	M20-M40	K20-K40	-	S20-S30	-
			Vc (m/min)	200-180	110-90	250-200	-	40-35	-
			Fz (mm/z)	0,15-0,5	0,1-0,5	0,15-0,6	-	0,1-0,25	-
			Ap (mm)	1,0-8,6	1,0-6,5	1,0-8,6	-	1,0-5,2	-
ODMT 0605	ZZN	TB30	Grupo	P20-P40	M20-M35	K20-K40	N15-N30	S15-S25	H15-H25
			Vc (m/min)	265-170	155-100	250-160	775-575	75-30	50-30
			Fz (mm/z)	0,15-0,45	0,15-0,34	0,15-0,45	0,10-0,40	0,15-0,27	0,10-0,20
			Ap (mm)	1,0-8,6	1,0-6,5	1,0-8,6	1,0-4,0	1,0-5,2	0,3-1,5
ODMT 0605	ZZN	TB40	Grupo	P25-P50	M20-M40	K20-K40	-	S20-S30	-
			Vc (m/min)	290-200	170-120	275-190	-	85-75	-
			Fz (mm/z)	0,10-0,30	0,10-0,30	0,10-0,30	-	0,10-0,30	-
			Ap (mm)	1,0-4,0	1,0-4,0	1,0-4,0	-	1,0-4,0	-

Placas / Inserts




	d (mm)	d1 (mm)	s (mm)
ODMT 0605	15,875	5,5	5,56
ODMX 0605	15,875	5,5	5,56

DS4909.91 45°

DS4909.91 45°	Ø D	Ø D1	d	L	a	Z			
DS4909.91.050.22.05	50	63,5	22	50	5	5	HNGX/XNGX 0906	AB-40	EE-15
DS4909.91.063.27.06	63	76,5	27	50	5	6	HNGX/XNGX 0906	AB-40	EE-15
DS4909.91.080.32.07	80	93,5	32	50	5	7	HNGX/XNGX 0906	AB-40	EE-15
DS4909.91.100.32.09	100	113,5	32	63	5	9	HNGX/XNGX 0906	AB-40	EE-15
DS4909.91.125.40.11	125	138,5	40	63	5	11	HNGX/XNGX 0906	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL



* Para otros diámetros consultar / any other size contact us

Placas / Inserts

	d (mm)	d1 (mm)	s (mm)
HNGX 0906	16,50	4,9	6,35
XNGX 0906	16,50	4,9	6,35

HNGX 0906
ANSN-F
TB30

	P	M	K	N	S	H
Grupo	P20-P40	M20-M35	K20-K40	N15-N30	S15-S25	H15-H25
Vc (m/min)	320-240	190-145	300-225	800-600	95-80	60-55
Fz (mm/z)	0,10-0,25	0,10-0,25	0,10-0,25	0,10-0,25	0,10-0,25	0,10-0,25
Ap (mm)	1,0-5,0	1,0-4,0	1,0-5,0	1,0-5,0	1,0-4,0	0,25-1,0


DM5100.91 36°

DM5100.91 36°	Ø D	Ø d	L	a	Z				
DM5100.91.066.27.05	66	27	55	7	5	PDEX 1104	AB-50	BJ-54	EE-20
DM5100.91.080.32.06	80	32	50	7	6	PDEX 1104	AB-50	BJ-54	EE-20
DM5100.91.100.32.07	100	32	50	7	7	PDEX 1104	AB-50	BJ-54	EE-20
DM5100.91.116.40.08	116	40	63	7	8	PDEX 1104	AB-50	BJ-54	EE-20
DM5100.91.125.40.08	125	40	63	7	8	PDEX 1104	AB-50	BJ-54	EE-20




HERRAMIENTA PROMOCIONADA / PROMOTED TOOL

* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
PDEX 110420 SN	EO26	Grupo	P15-P30	-	K15-K30	-	-
		Vc (m/min)	270-250	-	270-250	-	-
		Fz (mm/z)	0,30-1,20	-	0,30-1,20	-	-
		Ap (mm)	1,0-4,0	-	1,0-4,0	-	-
PDEX 110420 SN	GO25 / TC25M	Grupo	P20-P30	M20-M30	K20-K30	-	-
		Vc (m/min)	220-165	130-95	205-155	-	-
		Fz (mm/z)	0,20-1,2	0,20-0,80	0,20-1,0	-	-
		Ap (mm)	1,0-4,0	1,0-3,0	1,0-4,0	-	-
PDEX 110420 SN	TC40M	Grupo	P25-P50	M20-M40	K20-K40	-	S20-S30
		Vc (m/min)	225-140	160-130	330-255	-	105-80
		Fz (mm/z)	0,3-1,20	0,3-1,2	0,10-0,30	-	0,10-0,25
		Ap (mm)	0,5-4,5	0,5-4,5	0,5-0,30	-	0,5-4,5
PDHW 120420	F120	Grupo	P10-P35	-	K10-K30	-	-
		Vc (m/min)	230-130	-	280-80	-	-
		Fz (mm/z)	0,3-1,2	-	0,3-1,2	-	-
		Ap (mm)	0,5-4,0	-	0,5-4,0	-	-

Placas / Inserts

	d (mm)	l (mm)	d1 (mm)	s (mm)	m (mm)
PDEX 1104	16,5	11,988	5,2	4,76	17,82


DS5090.91 19°

DS5090.91 19°	Ø D ₁	Ø D	Ø d	L	a	Z			
DS5090.91.052.22.04	37,6	52	22	50	2	4	PDEX 0905	AM-50	EE-20
DS5090.91.063.27.05	48,6	63	27	50	2	5	PDEX 0905	AM-50	EE-20
DS5090.91.080.32.06	65,5	80	32	55	2	6	PDEX 0905	AM-50	EE-20

 **HERRAMIENTA PROMOCIONADA / PROMOTED TOOL**


* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
PDEX 0905	IC25M	Grupo	P10-P30	M10-M25	-	-	-
		Vc (m/min)	325-150	195-90	-	-	-
		Fz (mm/z)	0,2-1,2	0,2-0,8	-	-	-
		Ap (mm)	0,5-2,0	1,0-2,0	-	-	-
PDEX 0905	TC40M	Grupo	P35-P50	M25-M40	-	-	-
		Vc (m/min)	245-140	160-145	-	-	-
		Fz (mm/z)	0,3-1,2	0,3-1,2	-	-	-
		Ap (mm)	0,5-2,0	0,5-2,0	-	-	-

Placas / Inserts

	d (mm)	l (mm)	d1 (mm)	s (mm)	m (mm)	R Torico
PDEX 0905	13,5	9	5,5	5,47	14,4	4,75

EM3613.10



Extras / Extras




EM36HX.10	Ø D	Ø d	L	Lc	a	Z				
EM3613.10.25.25.125	25	25	125	30	6	2	RDHX 12T3	AB-35	BJ-09	EE-15
EM3613.10.25.25.200	25	25	200	32	6	2	RDHX 12T3	AB-35	BJ-09	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL




* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
RDHX 12T3	T26	Grupo	P15-P25	M15-M25	K15-K35	-	-
		Vc (m/min)	255-200	180-150	240-180	-	-
		Fz (mm/z)	0,15-0,40	1,10-0,3	0,15-0,40	-	-
		Ap (mm)	0,5-3,0	0,5-3,0	0,5-3,0	-	-
RDHX 12T3	EO40	Grupo	P25-P45	M25-M35	K25-K35	-	-
		Vc (m/min)	270-165	160-140	255-155	-	-
		Fz (mm/z)	0,10-0,35	0,10-0,26	0,10-0,35	-	-
		Ap (mm)	0,5-3,0	0,5-3,0	0,5-3,0	-	-

Placas / Inserts



	d (mm)	d1 (mm)	s (mm)
RDHX 12T3	12,0	3,9	3,97


EM3613.91

EM3613.91	Ø D	d	L	a	Z				
EM3613.91.052.22.05	52	22	50	6	5	RDHX 12T3	AB-35	BK-10	EE-15
EM3613.91.066.27.06	66	27	50	6	6	RDHX 12T3	AB-35	BK-10	EE-15
EM3613.91.080.27.07	80	27	50	6	7	RDHX 12T3	AB-35	BK-10	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL



* Para otros diámetros consultar / any other size contact us

		P	M	K	N	S	H
RDHX 12T3	T26	Grupo	P15-P25	M15-M25	K15-K35	-	-
		Vc (m/min)	255-200	180-150	240-180	-	-
		Fz (mm/z)	0,15-0,40	1,10-0,3	0,15-0,40	-	-
		Ap (mm)	0,5-3,0	0,5-3,0	0,5-3,0	-	-
RDHX 12T3	EO40	Grupo	P25-P45	M25-M35	K25-K35	-	-
		Vc (m/min)	270-165	160-140	255-155	-	-
		Fz (mm/z)	0,10-0,35	0,10-0,26	0,10-0,35	-	-
		Ap (mm)	0,5-3,0	0,5-3,0	0,5-3,0	-	-

Placas / Inserts

	d (mm)	d1 (mm)	s (mm)
RDHX 12T3	12,0	3,9	3,97

KS6450.11



KS6450.11	Ø D	Ø d	L	Lc	a	Zc	Zn			
KS6450.11.25.25.095	25	25	95	48	29	1	2	APKT 1604	AB-40	EE-15
KS6450.11.32.32.115	32	32	115	53	44	2	6	APKT 1604	AB-40	EE-15
KS6450.11.40.32.130	40	32	130	65	58	2	8	APKT 1604	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL


* Para otros diámetros consultar / any other size contact us

APKT 1604
PDR

IC25M (EO26)



	P	M	K	N	S	H
Grupo	P10-P30	M10-M25	-	-	S05-S15	-
Vc (m/min)	355-235	210-140	-	-	105-45	-
Fz (mm/z)	0,20-0,35	0,20-0,26	-	-	0,20-0,21	-
Ap (mm)	1,0-13,0	1,0-9,8	-	-	1,0-7,8	-

Placas / Inserts

	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
APKT 1604	9,44	17,0	4,6	5,67	0,8

KS0616.11

Ti



Extras / Extras




KS0616.11	Ø D	Ø d	L	Lc	a	Zc	Zn			
KS0616.11.32.32.115	32	32	115	53	44	2	6	ADMX 160608	AB-40	EE-15
KS0616.11.40.32.130	40	32	130	65	58	2	8	ADMX 160608	AB-40	EE-15
KS0616.11.50.32.130	50	32	130	70	56	2	8	ADMX 160608	AB-40	EE-15

HERRAMIENTA PROMOCIONADA / PROMOTED TOOL

* Para otros diámetros consultar / any other size contact us


Placas / Inserts



	d (mm)	l (mm)	d1 (mm)	s (mm)	r (mm)
ADMX 160608	9,95	16	4,5	6,25	0,8-1,6- 3,2

ADMX 160608
SR-M
TB40

	P	M	K	N	S	H
Grupo	P25-P50	M20-M40	K20-K40	-	S20-S30	-
Vc (m/min)	240-175	140-105	225-165	-	70-35	-
Fz (mm/z)	0,17-0,35	0,17-0,26	0,17-0,35	-	0,17-0,21	-
Ap (mm)	1,0-13,0	1,0-9,8	1,0-13,0	-	1,0-7,8	-



EUSKRON®

Polígono Industrial Eluseder 4
31876 Areso (Navarra) SPAIN
Tel. + 34 948 510 807
Fax + 34 948 510 634
euskron@euskron.com
www.euskron.com