

%Outlet

Hasta un 65% - Up to 65% off



AC0300.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016847	AC0300.00.16.16.090.01	90°	TPUN 1603	16		16	90	32	14	3	2
001179	AC0300.00.16.20.110.01	90°	TPUN 1603	16		20	110	40	14	1	15
004250	AC0300.00.20.20.110.01	90°	TPUN 1603	20		20	110	40	14	1	12
003821	AC0300.00.20.20.200.01	90°	TPUN 1603	20		20	200	40	14	1	1
002102	AC0300.00.21.20.110.01	90°	TPUN 1603	21		20	110	40	14	1	1
002429	AC0300.00.25.25.110.01	90°	TPUN 1603	25		25	110	40	14	1	12
016843	AC0300.00.25.25.110.02	90°	TPUN 1603	25		25	110	32	14	2	6
002309	AC0300.00.32.25.110.02	90°	TPUN 1603	32		25	110	40	14	2	2
016532	AC0300.00.32.25.115.02	90°	TPUN 1603	32		25	115	40	14	2	1
003812	AC0300.00.40.25.110.03	90°	TPUN 1603	40		25	110	40	14	3	11
016533	AC0300.00.40.25.110.03	90°	TPUN 1603	40		25	110	40	14	3	1



AC0300.01.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000877	AC0300.01.20.20.090.01	90°	TPUN 1603	20		20	90	40	14	1	3
000052	AC0300.01.25.25.110.01	90°	TPUN 1603	25		25	110	40	14	1	1
000053	AC0300.01.32.25.110.02	90°	TPUN 1603	32		25	110	40	14	2	10
000054	AC0300.01.40.25.110.03	90°	TPUN 1603	40		25	110	40	14	3	15



AC0300.03.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007173	AC0300.03.16.03.125.01	90°	TPUN 1603	16		MORSE3	125	35	14	1	2
000055	AC0300.03.20.03.125.01	90°	TPUN 1603	20		MORSE3	125	40	14	1	3
000056	AC0300.03.25.03.125.01	90°	TPUN 1603	25		MORSE3	125	40	14	1	5
000057	AC0300.03.32.03.120.02	90°	TPUN 1603	32		MORSE3	120	40	14	2	13
000058	AC0300.03.40.03.125.03	90°	TPUN 1603	40		MORSE3	125	40	14	3	



AC0300.90.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000001	AC0300.90.040.16.03	90°	TPUN 1603	40		16	45	-	14	3	5
000002	AC0300.90.050.22.03	90°	TPUN 1603	50		22	45	-	14	3	10
007491	AC0300.90.063.27.04	90°	TPUN 1603	63		27	50	-	14	4	1
000004	AC0300.90.080.27.05	90°	TPUN 1603	80		27	50	-	14	5	7
000005	AC0300.90.100.32.06	90°	TPUN 1603	100		32	50	-	14	6	10
000006	AC0300.90.125.40.06	90°	TPUN 1603	125		40	50	-	14	6	12



AC0400.90.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000008	AC0400.90.080.27.04	90°	TPUN 2204	80		27	50	-	18	4	3
000009	AC0400.90.100.32.05	90°	TPUN 2204	100		32	50	-	18	5	1



AC0500.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001997	AC0500.00.20.20.110.02	90°	TPUN 1103	20		20	110	32	9	2	8
003939	AC0500.00.20.20.135.02	90°	TPUN 1103	20		20	135	32	9	2	2
001998	AC0500.00.25.25.110.02	90°	TPUN 1103	25		25	110	40	9	2	3
001999	AC0500.00.32.25.110.03	90°	TPUN 1103	32		25	110	40	9	3	14
002000	AC0500.00.40.25.110.04	90°	TPUN 1103	40		25	110	40	9	4	13



AC0500.01.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001025	AC0500.01.20.20.090.02	90°	TPUN 1103	20		20	90	32	9	2	1
000047	AC0500.01.32.25.115.03	90°	TPUN 1103	32		25	115	29	9	3	4
000048	AC0500.01.40.25.115.04	90°	TPUN 1103	40		25	115	29	9	4	4



AC0500.03. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000049	AC0500.03.20.03.125.02	90°	TPUN 1103	20		MORSE3	125	29	9	2	8
000050	AC0500.03.25.03.125.02	90°	TPUN 1103	25		MORSE3	125	29	9	2	10



AC0500.90. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000011	AC0500.90.040.16.04	90°	TPUN 1103	40		16	45	-	9	4	3
000012	AC0500.90.050.22.04	90°	TPUN 1103	50		22	45	-	9	4	3



AS0134.03. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003850	AS0134.03.32.03.125.02	90°	TCMT 16T3	32		MORSE3	125	40	14	2	12



AS0215.00. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
006132	AS0215.00.16.15.200.02	90°	R215.4409	16		15	200		8	2	4
006134	AS0215.00.20.19.250.03	90°	R215.4409	20		19	250		8	3	4
006139	AS0215.00.25.24.250.03	90°	R215.4409	25		24	250		8	3	4



AS0390.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007191	AS0390.00.10.16.100.01	90°	R390.11T308	10		16	100		10	1	1
005764	AS0390.00.12.11.125.01	90°	R390.11T308	12		11	125		10	1	2
006124	AS0390.00.12.11.135.01	90°	R390.11T308	12		11	135		10	1	4
007194	AS0390.00.12.16.100.01	90°	R390.11T308	12		16	100		10	1	5
015658	AS0390.00.16.15.255.01	90°	R390.11T308	16		15	255		10	1	1
008152	AS0390.00.20.19.170.02	90°	R390.11T308	20		19	170		10	2	2
006133	AS0390.00.20.19.250.03	90°	R390.11T308	20		19	250		10	3	3
007331	AS0390.00.20.25.250.02	90°	R390.11T308	20		25	250		10	2	1
006429	AS0390.00.32.32.300.03	90°	R390.11T308	32		32	300		10	3	2
007256	AS0390.00.32.32.370.03	90°	R390.11T308	32		32	370		10	3	1
007273	AS0390.00.40.32.350.04	90°	R390.11T308	40		32	350		10	4	3



AS0390.01.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
012768	AS0390.01.23,65.25.120.03	90°	R390.11T308	23,6		25	120		10	3	1



AS0390.08.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
006147	AS0390.08.25.12.057.03	90°	R390.11T308	25		M12	57		10	3	1



AS0390.90.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001961	AS0390.90.040.16.03	90°	R390.170408	40		16	45		16	3	4



AS0700.00.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
001307	AS0700.00.16.20.100.01	90°	ADLT 1503	16		20	100	32	14	1	8
008020	AS0700.00.17.20.100.01	90°	ADLT 1503	17		20	100	32	14	1	10
001075	AS0700.00.25.25.110.02	90°	ADLT 1503	25		25	110	40	14	2	3
000916	AS0700.00.25.25.140.02	90°	ADLT 1503	25		25	140	70	14	2	16
001305	AS0700.00.27.25.110.02	90°	ADLT 1503	27		25	110	40	14	2	2
001593	AS0700.00.32.25.110.03	90°	ADLT 1503	32		25	110	40	14	3	6
004345	AS0700.00.32.25.140.03	90°	ADLT 1503	32		25	140	70	14	3	22
004458	AS0700.00.32.32.140.03	90°	ADLT 1503	32		32	140	70	14	3	20
005326	AS0700.00.40.25.110.04	90°	ADLT 1503	40		25	110	40	14	4	20
001273	AS0700.00.40.25.160.04	90°	ADLT 1503	40		25	160	100	14	4	1
000913	AS0700.00.40.32.110.04	90°	ADLT 1503	40		32	110	40	14	4	10
004346	AS0700.00.40.32.140.04	90°	ADLT 1503	40		32	140	70	14	4	8



AS0700.01.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
016855	AS0700.01.16.20.090.01	90°	ADLT 1503	16		20	90	32	14	1	7
000059	AS0700.01.16.20.100.01	90°	ADLT 1503	16		20	100	32	14	1	13
000060	AS0700.01.20.20.090.01	90°	ADLT 1503	20		20	90	32	14	1	1
000063	AS0700.01.25.25.110.02	90°	ADLT 1503	25		25	110	40	14	2	14
000068	AS0700.01.25.25.140.02	90°	ADLT 1503	25		25	140	70	14	2	47
000064	AS0700.01.32.25.110.03	90°	ADLT 1503	32		25	110	40	14	3	14
000069	AS0700.01.32.25.140.03	90°	ADLT 1503	32		25	140	70	14	3	19
000061	AS0700.01.32.32.110.03	90°	ADLT 1503	32		32	110	32	14	3	2
000066	AS0700.01.32.32.140.03	90°	ADLT 1503	32		32	140	70	14	3	13
000065	AS0700.01.40.25.110.04	90°	ADLT 1503	40		25	110	45	14	4	8
000070	AS0700.01.40.25.140.04	90°	ADLT 1503	40		25	140	70	14	4	8
003748	AS0700.01.40.32.110.04	90°	ADLT 1503	40		32	110	45	14	4	24
000067	AS0700.01.40.32.140.04	90°	ADLT 1503	40		32	140	70	14	4	13



AS0700.02.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001306	AS0700.02.16.20.090.01	90°	ADLT 1503	16		20	90	32	14	1	4
001577	AS0700.02.25.25.110.02	90°	ADLT 1503	25		25	110	40	14	2	2
001024	AS0700.02.32.25.110.03	90°	ADLT 1503	32		25	110	40	14	3	5
001578	AS0700.02.32.32.125.03	90°	ADLT 1503	32		32	125	40	14	3	1



AS0700.03.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001304	AS0700.03.32.03.130.03	90°	ADLT 1503	32		MORSE3	130	70	14	3	10



AS0700.04.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000072	AS0700.04.20.20.090.01	90°	ADLT 1503	20		20	90	32	14	1	2
000080	AS0700.04.25.25.140.02	90°	ADLT 1503	25		25	140	70	14	2	7
000076	AS0700.04.32.25.110.03	90°	ADLT 1503	32		25	110	40	14	3	5
000081	AS0700.04.32.25.140.03	90°	ADLT 1503	32		25	140	70	14	3	7
000073	AS0700.04.32.32.110.03	90°	ADLT 1503	32		32	110	40	14	3	5
000078	AS0700.04.32.32.140.03	90°	ADLT 1503	32		32	140	70	14	3	5
000077	AS0700.04.40.25.110.04	90°	ADLT 1503	40		25	110	45	14	4	8
000082	AS0700.04.40.25.140.04	90°	ADLT 1503	40		25	140	70	14	4	10
000079	AS0700.04.40.32.140.04	90°	ADLT 1503	40		32	140	70	14	4	3



AS0700.08.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000186	AS0700.08.20.12.058.01	90°	ADLT 1503	20		M12	58	34	14	1	9
000188	AS0700.08.32.16.064.03	90°	ADLT 1503	32		M16	64	41	14	3	3



AS0700.10.

90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
017533	AS0700.10.25.25.140.02	90° ADLT 1503	25		25	140	70	14	2	1



AS0700.90.

90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000013	AS0700.90.040.16.04	90° ADLT 1503	40		16	45	-	14	4	16
000014	AS0700.90.050.22.05 Izq.	90° ADLT 1503	50		22	45	-	14	5	5
006947	AS0700.90.063.27.05	90° ADLT 1503	63		27	50	-	14	6	1
000015	AS0700.90.063.27.06	90° ADLT 1503	63		27	50	-	14	6	1
000016	AS0700.90.080.27.06	90° ADLT 1503	80		27	50	-	14	6	17
017140	AS0700.90.100.32.06	90° ADLT 1503	100		32	50	-	14	6	1
000017	AS0700.90.100.32.07	90° ADLT 1503	100		32	50	-	14	7	19
000018	AS0700.90.125.40.08	90° ADLT 1503	125		40	63	-	14	8	7



AS0800.00.

90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000123	AS0800.00.40.25.110.03	90° APLT 1504	40		25	110	40	15	3	13
000122	AS0800.00.40.32.110.03	90° APLT 1504	40		32	110	40	15	3	10



AS0800.90.

90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000024	AS0800.90.040.16.03	90° APLT 1504	40		16	45	-	15	3	15
000025	AS0800.90.050.22.04	90° APLT 1504	50		22	45	-	15	4	7
001265	AS0800.90.050.22.04 IZQ.	90° APLT 1504	50		22	45	-	15	4	3
007334	AS0800.90.063.22.05	90° APLT 1504	63		22	50	-	15	5	6
001266	AS0800.90.063.27.04 IZQ.	90° APLT 1504	63		27	50	-	15	4	3



AS0800.90. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000026	AS0800.90.063.27.05	90°	APLT 1504	63		27	50	-	15	5	2
004568	AS0800.90.080.27.05	90°	APLT 1504	80		27	50	-	15	5	1
001264	AS0800.90.080.27.05 IZQ.	90°	APLT 1504	80		27	50	-	15	5	3
000027	AS0800.90.080.27.06	90°	APLT 1504	80		27	50	-	15	6	16
000028	AS0800.90.100.32.07	90°	APLT 1504	100		32	50	-	15	7	7
016455	AS0800.90.125.40.07	90°	APLT 1504	125		40	63	-	15	7	2
000029	AS0800.90.125.40.08	90°	APLT 1504	125		40	63	-	15	8	5



AS0909.90. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
005767	AS0909.90.050.22.06	90°	SOMT 09T3	50		22	50	-	8	6	5
017260	AS0909.90.050.22.06 Pr										1
017154	AS0909.90.063.22.07 Pr										1



AS0910.00. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002115	AS0910.00.16.20.110.01	90°	SDLT 0903	16		20	110	32	8	1	1
007837	AS0910.00.16.20.160.01	90°	SDLT 0903	16		20	160	32	8	1	3
002116	AS0910.00.20.20.110.02	90°	SDLT 0903	20		20	110	32	8	2	1
007839	AS0910.00.25.25.160.03	90°	SDLT 0903	25		25	160	35	8	3	14
007249	AS0910.00.30.25.120.02	90°	SDLT 0903	30		25	120	32	8	2	5
002118	AS0910.00.32.32.110.04	90°	SDLT 0903	32		32	110	40	8	4	20
007840	AS0910.00.32.32.160.04	90°	SDLT 0903	32		32	160	40	8	4	11
002119	AS0910.00.40.32.110.05	90°	SDLT 0903	40		32	110	40	8	5	3



AS0910.90.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
002110	AS0910.90.040.16.05	90°	SDLT 0903	40		16	45	-	8	5	1
002112	AS0910.90.050.22.06	90°	SDLT 0903	50		22	45	-	8	6	13
002113	AS0910.90.063.27.07	90°	SDLT 0903	63		27	50	-	8	7	11



AS0912.90.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
005769	AS0912.90.050.22.04	90°	SDMT 12T3	50		22	45	-	11	4	3
005771	AS0912.90.063.27.05	90°	SDMT 12T3	63		27	50	-	11	5	15
005772	AS0912.90.080.27.06	90°	SDMT 12T3	80		27	50	-	11	6	16



AS1000.03.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
003618	AS1000.03.25.03.125.02	90°	APMT 1604	25		MORSE3	125	40	15	2	9
003875	AS1000.03.40.03.130.03	90°	APMT 1604	40		MORSE3	130	70	15	3	14



AS1000.04.

90°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
000093	AS1000.04.25.25.110.02	90°	APMT 1604	25		25	110	40	15	2	1
000100	AS1000.04.25.25.140.02	90°	APMT 1604	25		25	140	60	15	2	11
000094	AS1000.04.32.25.110.03	90°	APMT 1604	32		25	110	50	15	3	10
000101	AS1000.04.32.25.140.03	90°	APMT 1604	32		25	140	70	15	3	12
000096	AS1000.04.32.32.115.03	90°	APMT 1604	32		32	115	50	15	3	10
000098	AS1000.04.32.32.140.03	90°	APMT 1604	32		32	140	70	15	3	13
000095	AS1000.04.40.25.120.03	90°	APMT 1604	40		25	120	50	15	3	18
000102	AS1000.04.40.25.140.03	90°	APMT 1604	40		25	140	70	15	3	17



AS1000.04.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000097	AS1000.04.40.32.120.03	90°	APMT 1604	40		32	120	50	15	3	12
000099	AS1000.04.40.32.140.03	90°	APMT 1604	40		32	140	70	15	3	12



AS1020.90.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007335	AS1020.90.100.32.08	90°	AXKT 2006	100		32	50	-	18	8	6
007336	AS1020.90.125.40.09	90°	AXKT 2006	125		40	63	-	18	9	6



AS1025.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001312	AS1025.00.32.32.095.02	90°	APFX 1604	32		32	95	60	15	2	2



AS1025.90.

90°


Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003463	AS1025.90.063.27.03	90°	APFX 1604	63		27	50	-	15	3	13



AS1027.03.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003976	AS1027.03.32.03.140.03	90°	APMT 2004	32		MORSE3	140	55	19	3	4



AS1027.90.

90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
004115	AS1027.90.040.16.02	90°	APMT 2004	40		16	45	-	19	2	3



AS1100.01.

90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
007493	AS1100.01.22.25.110.02	90°	APKT 1604	22		25	110	40	15	2	1
007494	AS1100.01.22.25.135.02	90°	APKT 1604	22		25	135	60	15	2	3
007496	AS1100.01.40.32.140.03	90°	APKT 1604	40		32	140	60	15	3	7



AS1500.00.

90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
007174	AS1500.00.16.20.160.02	90°	CCMT 0602	16		20	160	20	5	2	3
002487	AS1500.00.19.20.120.03	90°	CCMT 0602	19		20	120	20	5	3	3
003490	AS1500.00.20.20.160.03	90°	CCMT 0602	20		20	160	32	5	3	4
004104	AS1500.00.25.20.160.04	90°	CCMT 0602	25		20	160	32	5	4	1
001280	AS1500.00.31.20.090.04	90°	CCMT 0602	31		20	90	32	5	4	1



AS1500.02.

90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
001242	AS1500.02.22.20.105.03	90°	CCMT 0602	22		20	105	32	5	3	3



AS1500.04.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001236	AS1500.04.10.20.090.01	90°	CCMT 0602	10		20	90	20	5	1	2
001238	AS1500.04.18.20.090.02	90°	CCMT 0602	18		20	90	20	5	2	7
001241	AS1500.04.22.20.090.03	90°	CCMT 0602	22		20	90	32	5	3	4



AS1530.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016834	AS1530.00.32.32.140.03	90°	CCMX 09T3	32		32	140	42	8	3	15



AS1540.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003816	AS1540.00.20.20.125.02	90°	CCMT 09T3	20		20	125	42	8	2	15
002931	AS1540.00.25.22.115.02	90°	CCMT 0602	25		22	115	32	5	2	8
001477	AS1540.00.25.25.125.02	90°	CCMT 09T3	25		25	125	32	5	2	8
003815	AS1540.00.25.25.125.03	90°	CCMT 09T3	25		25	125	42	8	3	3
003817	AS1540.00.26.25.200.03	90°	CCMT 09T3	26		25	200	42	8	3	3
004448	AS1540.00.32.25.125.03	90°	CCMT 09T3	32		25	125	32	5	3	5
003813	AS1540.00.32.25.125.04	90°	CCMT 09T3	32		25	125	42	8	4	9
010768	AS1540.00.32.25.200.03	90°	CCMT 09T3	32		25	200	32	5	3	2
003818	AS1540.00.33.32.200.04	90°	CCMT 09T3	33		32	200	42	8	4	13



AS1600.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
011136	AS1600.00.13.12.170.01	90°	APKT 1003	13		12	170	120	9	1	2
001770	AS1600.00.14.14.125.01	90°	APKT 1003	14		14	125	70	9	1	10
008387	AS1600.00.17.16.200.02	90°	APKT 1003	17		16	200	150	9	2	3



AS1600.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007797	AS1600.00.21.18.200.03	90°	APKT 1003	21		18	200	150	9	3	1
008670	AS1600.00.21.20.200.03	90°	APKT 1003	21		20	200	150	9	3	6
010667	AS1600.00.21.20.270.02	90°	APKT 1003	21		20	270	40	9	2	3
005021	AS1600.00.25.24.170.03	90°	APKT 1003	25		24	170	120	9	3	2



AS1600.11.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007175	AS1600.11.22.20.095.03	90°	APKT 1003	22		20	95	40	9	3	2



AS1605.00.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001030	AS1605.00.12.20.100.01	90°	ANMT 1003	12		20	100	32	9	1	5
016894	AS1605.00.14.20.100.01	90°	ANMT 1003	14		20	100	32	9	1	3
001031	AS1605.00.14.20.125.01	90°	ANMT 1003	14		20	125	32	9	1	10
000993	AS1605.00.16.20.125.01	90°	ANMT 1003	16		20	125	32	9	1	6
016832	AS1605.00.18.20.110.02	90°	ANMT 1003	18		20	110	40	10	2	4
001294	AS1605.00.18.20.125.02	90°	ANMT 1003	18		20	125	32	9	2	7
016897	AS1605.00.20.20.110.03	90°	ANMT 1003	20		20	110	40	9	3	2
001293	AS1605.00.20.20.120.03	90°	ANMT 1003	20		20	120	40	9	3	7
001292	AS1605.00.22.25.110.03	90°	ANMT 1003	22		25	110	40	9	3	5
001037	AS1605.00.25.25.110.04	90°	ANMT 1003	25		25	110	40	9	4	2
001590	AS1605.00.32.25.110.05	90°	ANMT 1003	32		25	110	40	10	5	12



AS1607.00. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
005809	AS1607.00.16.16.100.02	90°	ACMT 1003	16		16	100	25	9	2	5
005810	AS1607.00.20.20.110.03	90°	ACMT 1003	20		20	110	25	9	3	6



AS1607.01. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
005811	AS1607.01.16.16.100.02	90°	ACMT 1003	16		16	100	25	9	2	7
005812	AS1607.01.20.20.110.03	90°	ACMT 1003	20		20	110	25	9	3	2



AS1610.10. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016924	AS1610.10.32.20.095.05	90°	APKT 1003	32		20	95	27	9	5	1



AS1800.90. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000121	AS1800.90.080.27.04	90°	AKLW 2004	80		27	50	-	18	4	2



BC2000.90. 75°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000129	BC2000.90.050.22.03	75°	SPUN 1203	50	55,8	22	45	-	10	3	15



BC2000.90.

75°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000130	BC2000.90.050.22.04	75°	SPUN 1203	50	55,8	22	45	-	10	4	16
000131	BC2000.90.063.27.04	75°	SPUN 1203	63	68,8	27	50	-	10	4	10
000132	BC2000.90.080.27.05	75°	SPUN 1203	80	85,8	27	50	-	10	5	9
000133	BC2000.90.100.32.06	75°	SPUN 1203	100	105,8	32	50	-	10	6	8
000134	BC2000.90.125.40.06	75°	SPUN 1203	125	130,8	40	63	-	10	6	9
003652	BC2000.90.250.60.10	75°	SPUN 1203	250	255,8	60	63	-	10	10	1



BK2000.90.

75°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000124	BK2000.90.080.27.06	75°	SPUN 1203	80	85,8	27	50	-	10	6	7
000125	BK2000.90.100.32.07	75°	SPUN 1203	100	105,8	32	50	-	10	7	9
000126	BK2000.90.125.40.09	75°	SPUN 1203	125	130,8	40	63	-	10	9	1
005324	BK2000.90.130.40.08	75°	SPUN 1203	130	135,8	40	63	-	10	9	1



BS2600.90.

82°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000151	BS2600.90.050.16.03	82°	APMT 1604	50	53,7	16	45	-	8	3	6
001208	BS2600.90.063.27.04	82°	APMT 1604	63	66,7	27	50	-	8	4	6
000153	BS2600.90.080.27.05	82°	APMT 1604	80	83,7	27	50	-	8	5	3
000154	BS2600.90.100.32.06	82°	APMT 1604	100	103,7	32	50	-	8	6	2
002299	BS2600.90.125.40.06	82°	SPUN 1203	125	128,2	40	63	-	8	6	6



BS2700.00.

85°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000141	BS2700.00.32.25.110.02	85°	ADLT 1503	32	33,8	25	110	32	8	2	6



BS2700.00. 85°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000142	BS2700.00.40.32.110.03	85°	ADLT 1503	40	41,8	32	110	32	8	3	11
000143	BS2700.00.50.25.110.04	85°	ADLT 1503	50	51,8	25	110	32	8	4	2



BS2700.01. 85°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016528	BS2700.01.40.32.110.03	85°	ADLT 1503	40	41,8	32	110	32	8	3	1



BS2700.03. 85°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000144	BS2700.03.32.03.115.02	85°	ADLT 1503	32	33,8	MORSE3	115	32	8	2	3
000145	BS2700.03.50.03.115.04	85°	ADLT 1503	50	51,8	MORSE3	115	32	8	4	4



BS2700.90. 85°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000147	BS2700.90.080.27.05	85°	ADLT 1503	80	81,8	27	50	-	8	5	2
000148	BS2700.90.100.32.06	85°	ADLT 1503	100	101,8	32	50	-	8	6	9



BS2800.90.

85°


Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000149	BS2800.90.080.27.05	85°	HPMN 0704	80	81,8	27	50	-	11	5	10
000150	BS2800.90.100.32.06	85°	HPMN 0704	100	101,8	32	50	-	11	6	7



CC5040.90.

57°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
001022	CC5040.90.063.22.03	57°	HPMN 0704	63	71,6	22	50	-	5	3	5
001020	CC5040.90.080.32.04	57°	HPMN 0704	80	88,6	32	50	-	5	4	2
001021	CC5040.90.100.40.05	57°	HPMN 0704	100	108,6	40	50	-	5	5	7
001023	CC5040.90.130.40.06	57°	HPMN 0704	130	138,6	40	63	-	5	6	9



DC4000.90.

45°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
001088	DC4000.90.080.27.06 IZQ.	45°	SEKN 1203	80	93,4	27	50	-	6	6	1
007348	DC4000.90.105.32.06	45°	SEKN 1203	105	118,4	32	50	-	6	6	1
000256	DC4000.90.200.60.09	45°	SEKN 1203	200	213,4	60	63	-	6	9	5



DC4700.90.

45°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000274	DC4700.90.050.22.04	45°	SEMN 1204	50	63,9	22	45	-	6	4	7
000275	DC4700.90.063.27.05	45°	SEMN 1204	63	76,8	27	50	-	6	5	1
000276	DC4700.90.080.27.06	45°	SEMN 1204	80	83,9	27	50	-	6	6	1
000277	DC4700.90.100.32.06	45°	SEMN 1204	100	113,9	32	50	-	6	6	4



DC4900.90.

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
005636	DC4900.90.063.27.04			63							2
004450	DC4900.90.080.27.05	43°	OFER 0704, RFMT 1904	80	90,6	27	50	-	5	5	8
004451	DC4900.90.100.32.06	43°	OFER 0704, RFMT 1904	100	110,6	32	50	-	5	6	5
004452	DC4900.90.125.40.08	43°	OFER 0704, RFMT 1904	125	135,6	40	63	-	5	8	7



DK4000.90.

45°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
001505	DK4000.90.160.40.10	45°	SEKN 1203	160	174	40	63	-	6	10	2
001506	DK4000.90.200.60.12	45°	SEKN 1203	200	214	60	63	-	6	12	1



DK4000/410

45°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
001082	DK4000/4100.90.080.27.05	45°	SEKN 1203, SEKN 1504	80	94	27	60	-	6	5	13
016500	DK4000/4100.90.080.27.06	45°	SEKN 1203, SEKN 1504	80	94	27	60	-	6	6	1
001080	DK4000/4100.90.100.32.06	45°	SEKN 1203, SEKN 1504	100	114	32	60	-	6	6	14
001066	DK4000/4100.90.125.40.08	45°	SEKN 1203, SEKN 1504	125	139	40	63	-	6	8	16



DS4500.02.


45°

Art.	Referencia		Plaquita	ØD	ØD ₁	Ød	L	Lc	a	z	Unidades
001003	DS4500.02.32.25.100.03	45°	SEHT 1204	32	44,4	25	100	32	6	3	7
001194	DS4500.02.40.25.100.04	45°	SEHT 1204	40	52,4	25	100	32	6	4	1



DS4500.03. 45°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001788	DS4500.03.40.04.145.04	45°	SEHT 1204	40	52,4	MORSE4	145	32	6	4	2
001789	DS4500.03.50.04.145.05	45°	SEHT 1204	50	62,4	MORSE5	145	32	6	5	6



DS4600.90. 45°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
006046	DS4600.90.080.27.06 W/N	45°	SEHT 1204	80	102,2	27	50	-	6	6	4

DS4712.91.

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
014660	DS4712.91.066.27.06										21



DS4800.90. 45°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000280	DS4800.90.063.27.05	45°	SCMT 1204	63	79,1	27	50	-	6	5	1
000281	DS4800.90.080.32.06	45°	SCMT 1204	80	96,1	32	50	-	6	6	25



DS5350.90. 45°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003809	DS5350.90.080.27.06	45°	SPKT 1204	80	95	27	50	-	6	6	4



DS5350.90.

45°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
003810	DS5350.90.100.40.07	45°	SPKT 1204	100	115	40	50	-	6	7	6
003583	DS5350.90.125.40.07	45°	SPKT 1204	125	140	40	63	-	6	7	7
003584	DS5350.90.160.40.09	45°	SPKT 1204	160	175	40	63	-	6	9	1



DS5351.90.

45°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
003840	DS5351.90.063.27.06	45°	SPKT 1204	63	78	27	50	-	6	6	10
003841	DS5351.90.080.27.07	45°	SPKT 1204	80	95	27	50	-	6	7	7
003842	DS5351.90.100.40.08	45°	SPKT 1204	100	115	40	50	-	6	8	14



EM3012.00.

(Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
007507	EM3012.00.32.32.220.03	(Ap)	RPMT 1204	32		32	220	100	6	3	5



EM3012.02.

(Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
016534	EM3012.02.25.25.120.02	(Ap)	RPMT 1204	25		25	120	40	6	2	1
001186	EM3012.02.32.25.120.03	(Ap)	RPMT 1204	32		25	120	40	6	3	9
003737	EM3012.02.32.32.190.03	(Ap)	RPMT 1204	32		32	190	100	6	3	12



EM3012.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
008492	EM3012.90.100.32.08	(Ap)	RPMT 1204	100		32	50	-	6	8	6



EM3212.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
016901	EM3212.00.32.30.200.03	(Ap)	RCMT 1204	32		30	200	100	6	3	1



EM3212.02. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000898	EM3212.02.25.25.150.02	(Ap)	RCMT 1204	25		25	150	80	6	2	1
016900	EM3212.02.32.32.190.03	(Ap)	RCMT 1204	32		32	190	100	6	3	1



EM3220.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
006126	EM3220.90.125.40.06	(Ap)	RCMT 2006MO	125		40	63	-	10	6	4



EM3622.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
009415	EM3622.90.100.32.08	(Ap)	RDET 1204	100		32	50	-	6	8	3



ES3008.08. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000183	ES3008.08.20.12.059.03	(Ap)	RPMW 0802	20		M12	59	35	4	3	5



ES3012.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016496	ES3012.00.20.25.150.01	(Ap)	RPMT 1204	20		25	150	70	6	1	1
002773	ES3012.00.25.24.200.02	(Ap)	RPMT 1204	25		24	200	60	6	2	25
002475	ES3012.00.32.30.200.02	(Ap)	RPMT 1204	32		30	200	100	6	2	20
007724	ES3012.00.32.30.200.03	(Ap)	RPMT 1204	32		30	200	100	6	3	23
001064	ES3012.00.32.32.190.03	(Ap)	RPMT 1204	32		32	190	100	6	3	5
001411	ES3012.00.40.32.200.02	(Ap)	RPMT 1204	40		32	200	100	6	2	24



ES3012.01. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000159	ES3012.01.32.32.190.03	(Ap)	RPMT 1204	32		32	190	100	6	3	3
000190	ES3012.01.40.32.170.04	(Ap)	RPMT 1204	40		32	170	100	6	4	5



ES3016.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
007308	ES3016.90.063.22.04	(Ap)	RDEW 1604	63		22	50	-	6	4	5
006160	ES3016.90.100.32.06	(Ap)	RDEW 1604	100		32	50	-	8	6	2



ES3220.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
006122	ES3220.90.100.40.06	(Ap)	RCMT 2006	100		40	63	-	10	6	1



ES3610.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
002463	ES3610.00.20.18.260.02	(Ap)	RDMT 10T3	20		18	260	30	5	2	2
000885	ES3610.00.32.30.210.03	(Ap)	RDMT 1003	32		30	210	30	5	3	9
004166	ES3610.00.32.32.210.03	(Ap)	RDMT 10T3	32		32	210	40	5	3	3



ES3612.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
002180	ES3612.00.30.32.220.03	(Ap)	RDMT 1204	30		32	220	160	6	3	8
002182	ES3612.00.32.32.120.03	(Ap)	RDMT 1204	32		32	120	60	6	3	24
001188	ES3612.00.32.32.140.03	(Ap)	RDMT 1204	32		32	140	75	6	3	36
001056	ES3612.00.32.32.160.03	(Ap)	RDMT 1204	32		32	160	100	6	3	32
000862	ES3612.00.32.32.180.03	(Ap)	RDMT 1204	32		32	180	120	6	3	24
001189	ES3612.00.32.32.220.03	(Ap)	RDMT 1204	32		32	220	160	6	3	11
005328	ES3612.00.40.32.180.04	(Ap)	RDMT 1204	40		32	180	80	6	4	9



ES3612.01. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
016903	ES3612.01.40.32.180.04	(Ap)	RDMT 1204	40		32	180	80	6	4	1



ES3612.05. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
006073	ES3612.05.30.32.170.03	(Ap)	RDMT 1204	30		32	170	100	6	3	4



ES3612.08. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002776	ES3612.08.32.16.092.03	(Ap)	RDMT 1204	32		16	92	70	6	3	19
000195	ES3612.08.32.16.118.03	(Ap)	RDMT 1204	32		M16	118	96	6	3	1



ES3612.90. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000191	ES3612.90.050.22.05	(Ap)	RDMT 1204	50		22	45	-	6	5	28
000193	ES3612.90.070.32.06	(Ap)	RDMT 1204	70		32	50	-	6	6	47
001123	ES3612.90.100.40.08 M4.5	(Ap)	RDMT 1204	100		40	50	-	6	8	7



FS3800.03. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016907	FS3800.03.32.04.200.02	(Ap)	38W.D32, SDLT 0903	32		MORSE4	200	90	25	2	3
001105	FS3800.03.32.04.230.02	(Ap)	38W.D32, SDLT 0903	32		MORSE4	230	60	31	2	2
004815	FS3800.03.40.04.170.02	(Ap)	38W.D40, SCMT1204	40		MORSE4	170	60	20	1	10



FS3800.04. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000201	FS3800.04.40.32.120.02	(Ap)	38W.D32, SPMT1204	40		32	120	60	41	2	2



FS3800.08. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000203	FS3800.08.25.16.072.02	(Ap)	38W.D32, SDLT0903	25		M16	72	50	26	2	10
000204	FS3800.08.32.16.084.02	(Ap)	38W.D32, SDLT0903	32		M16	84	60	31	2	4
002037	FS3800.08.32.16.103.02	(Ap)	38W.D32, SDLT0903	32		M16	103	80	31	2	3
000205	FS3800.08.40.16.083.02	(Ap)	38W.D32, SPMT1204	40		M16	83	62	41	2	3



FS3804.01.

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
004574	FS3804.01.25.25.140.02			25							3



FS3840.03. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001253	FS3840.03.50.05.235.02	(Ap)	38D.250, 38D.150,	50		MORSE5	235	180	60	2	2
001107	FS3840.03.50.05.270.02	(Ap)	38D.250, 38D.150,	50		MORSE5	270	140	60	2	7
001108	FS3840.03.50.05.315.02	(Ap)	38D.250, 38D.150,	50		MORSE5	315	180	60	2	2



FS3844.03. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002886	FS3844.03.50.05.240.02	(Ap)	38D.250, 38D.150,	50		240	-	100	60	2	7
002887	FS3844.03.50.05.275.02	(Ap)	38D.250, 38D.150,	50		275	-	140	60	2	1
002888	FS3844.03.50.05.315.02	(Ap)	38D.250, 38D.150,	50		315	-	180	60	2	4



FS3856.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002638	FS3856.00.12.12.150.01	(Ap)	RC, LC 12	12		12	150	46	6	1	6
004774	FS3856.00.20.25.190.01	(Ap)	RC, LC 20	20		25	190	70	10	1	1
010414	FS3856.00.25.32.210.01	(Ap)	RC, LC 25	25		32	210	80	12	1	5
007541	FS3856.00.32.32.160.01	(Ap)	RC, LC 32	32		32	160	53	16	1	5
007598	FS3856.00.32.40.240.01	(Ap)	RC, LC 32	32		40	240	100	16	1	5



FS3860.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003991	FS3860.00.20.25.175.01	(Ap)	RCA 20	20		25	175	95	-	1	1
017175	FS3860.00.20.25.190.01	(Ap)	RCA 20	20		25	190	34	-	1	1
003992	FS3860.00.25.32.215.01	(Ap)	RCA 25	25		32	215	135	-	1	4



FS3860.03. (Ap)

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003993	FS3860.03.20.02.140.01	(Ap)	RCA 20	20		MORSE2	140	14	-	1	4
016910	FS3860.03.25.03.155.01	(Ap)	RCA 25	25		MORSE3	155	60	12	1	1
003994	FS3860.03.25.03.175.01	(Ap)	RCA 25	25		MORSE3	175	32	-	1	3



FS3880.00. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000797	FS3880.00.20.25.120.02	(Ap)	38H.D20, SPGX 0602	20		25	120	60	20	2	1
000802	FS3880.00.32.32.210.02	(Ap)	38H.D32, SPGX 0903	32		32	210	90	30	2	8
000804	FS3880.00.40.32.200.02	(Ap)	38H.D40, SPGX 0903	40		32	200	90	40	2	11



FS3880.01. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
016911	FS3880.01.20.25.120.02	(Ap)	38H.D20, SPGX 0602	20		25	120	60	20	2	1



FS3880.03. (Ap)

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000807	FS3880.03.16.02.115.02	(Ap)	38H.D16, SPGX 0602	16		MORSE2	115	60	17	2	1
001033	FS3880.03.16.02.135.02	(Ap)	38H.D16, SPGX 0602	16		MORSE2	135	60	17	2	3
001060	FS3880.03.20.03.140.02	(Ap)	38H.D20, SPGX 0602	20		MORSE3	140	50	20	2	6
000811	FS3880.03.25.03.155.02	(Ap)	38H.D25, SPGX 0903	25		MORSE3	155	60	27	2	6
000812	FS3880.03.25.03.175.02	(Ap)	38H.D25, SPGX 0903	25		MORSE3	175	90	27	2	5
016914	FS3880.03.32.04.195.02	(Ap)	38H.D32, SPGX 0903	32		MORSE4	195	90	30	2	4
000818	FS3880.03.50.05.260.03	(Ap)	38H.D50, SPGX 0903	50		MORSE5	260	125	50	2	2



HS1667.01. 90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
004172	HS1667.01.21.6.25.085.02	90°	APKT 1003	21,6		25	85	35	19	2	1



HS1667.11. 90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
006187	HS1667.11.25.25.110.02	90°	APKT 1003	25	25	110	35	19	2	30



HS6700.02. 90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000320	HS6700.02.29.25.100.02	90°	ADLT 1503	29	25	100	35	19	2	47



HS6700.03. 90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
000319	HS6700.03.29.03.140.02	90°	ADLT 1503	29	MORSE3	140	35	19	2	9



HS6700.04. 90°

Art.	Referencia	Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
001661	HS6700.04.29.25.100.02	90°	ADLT 1503	29	25	100	40	26	2	4
000321	HS6700.04.29.25.140.02	90°	ADLT 1503	29	25	140	35	19	2	2
016530	HS6700.04.32.32.100.02	90°	APKT 1003	32	32	100	35	19	2	1
000323	HS6700.04.32.32.110.02	90°	ADLT 1503	32	32	110	35	19	2	6
000324	HS6700.04.40.32.110.02	90°	ADLT 1503	40	32	110	35	19	2	8

HS6709.00. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
016833	HS6709.00.25.25.140.02	90°	CCMX 09T3, SPMX	25		25	140	70	26	2	9



HS6780.00. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
001964	HS6780.00.22.25.110.02	90°	SDLT 0903	22		25	110	35	8	2	14



HS7000.04. 90

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
004145	HS7000.04.32.25.110.02	90	APKT 1604	32		25	110	50	30	2	1



KS6200.20. 90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000283	KS6200.20.50.40.106.04	90°	APLT 1504, SPLT 1204	50		40	-	106	80	4	3
000287	KS6200.20.50.50.106.04	90°	APLT 1504, SPLT 1204	50		50	-	106	80	4	
013467	KS6200.20.63.40.100.04	90°	APLT 1504, SPLT 1204	63		40	-	100	77	4	
000288	KS6200.20.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	1
000289	KS6200.20.80.50.110.05	90°	APLT 1504, SPLT 1204	80		50	-	110	80	5	1



KS6200.21.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000290	KS6200.21.40.40.072	90°	APLT 1504, SPLT 1204	40		40	-	72	50	4	
000294	KS6200.21.50.40.106.04	90°	APLT 1504, SPLT 1204	50		40	-	106	80	4	1
000291	KS6200.21.50.50.106.04	90°	APLT 1504, SPLT 1204	50		50	-	106	80	4	
013468	KS6200.21.63.40.100.04	90°	APLT 1504, SPLT 1204	63		40	-	100	77	4	
000295	KS6200.21.63.40.117.04	90°	APLT 1504, SPLT 1204	63		40	-	117	88	4	2
000292	KS6200.21.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	1
000293	KS6200.21.80.50.125	90°	APLT 1504, SPLT 1204	80		50	-	125	88	5	1



KS6200.25.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
013469	KS6200.25.50.40.100.04	90°	APLT 1504, SPLT 1204	50		40	-	100	77	4	
000303	KS6200.25.50.50.106.04	90°	APLT 1504, SPLT 1204	50		50	-	106	80	4	2
000304	KS6200.25.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	1
000305	KS6200.25.80.50.110.05	90°	APLT 1504, SPLT 1204	80		50	-	110	80	5	1



KS6200.90.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000325	KS6200.90.050.22.04	90°	APLT 1504, SPLT 1204	50		22	65	-	43	4	4
000327	KS6200.90.080.32.05	90°	APLT 1504, SPLT 1204	80		32	80	-	68	5	8
000348	KS6200.90.100.40.06	90°	APLT 1504, SPLT 1204	100		40	90	-	78	6	1



KS6300.20.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
013472	KS6300.20.50.40.100.04	90°	APLT 1504, SPLT 1204	50		40	-	100	77	4	
005489	KS6300.20.50.50.106.03	90°	APLT 1504, SPLT 1204	50		50	-	106	77	3	



KS6300.20. 90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
002104	KS6300.20.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	4



KS6300.21. 90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
002665	KS6300.21.50.50.106.03	90°	APLT 1504, SPLT 1204	50		50	-	106	88	3	3
002105	KS6300.21.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	1
004579	KS6300.21.80.50.125.06	90°	APLT 1504, SPLT 1204	80		50	-	125	88	6	



KS6300.25. 90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
002106	KS6300.25.63.50.117.04	90°	APLT 1504, SPLT 1204	63		50	-	117	88	4	2
001761	KS6300.25.80.50.125.06	90°	APLT 1504, SPLT 1204	80		50	-	125	88	6	1



KS6300.90. 90°

Art.	Referencia		Plaquita	ØD	ØD ¹	Ød	L	Lc	a	z	Unidades
003279	KS6300.90.080.32.06	90°	APLT 1504, SPLT 1204	80		32	-	80	67	6	4



KS6600.00. 90°

Art.	Referencia	Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
003241	KS6600.00.25.25.110.02	90° ADLT 1503, SDLT 0903	25		25	110	50	33	2	1



KS6600.01. 90°

Art.	Referencia	Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002561	KS6600.01.40.32.125.04	90° ADLT 1503, SDLT 0903	40		32	125	70	50	4	1
000309	KS6600.01.40.32.130.04	90° ADLT 1503, SDLT 0903	40		32	130	70	50	4	5



KS6600.03. 90°

Art.	Referencia	Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000311	KS6600.03.40.04.185.04	90° ADLT 1503, SDLT 0903	40		MORSE4	185	70	50	4	2



KS6609.00. 90°

Art.	Referencia	Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000173	KS6609.00.25.25.125.02	90° SDLT 0903	25		25	125	40	40	2	4



KS6609.01. 90°

Art.	Referencia	Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
002097	KS6609.01.32.32.125.03	90° SDLT 0903	32		32	125	40	40	3	3
016991	KS6609.01.40.32.130.04	90° SDLT 0903	40		32	130	60	52	4	2



PAS0700.90

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000020	PAS0700.90.063.27.06	90°	ADLT 1503	63		27	50	-	14	6	4
000021	PAS0700.90.080.27.07	90°	ADLT 1503	80		27	50	-	14	7	7
000022	PAS0700.90.100.32.08	90°	ADLT 1503	100		32	50	-	14	8	18
000023	PAS0700.90.125.40.10	90°	ADLT 1503	125		40	63	-	14	10	10



PAS0800.90

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000030	PAS0800.90.050.22.05	90°	APLT 1504	50		22	45	-	15	5	6
000031	PAS0800.90.063.27.06	90°	APLT 1504	63		27	50	-	15	6	2
000033	PAS0800.90.100.32.08	90°	APLT 1504	100		32	50	-	15	8	11
000034	PAS0800.90.125.40.10	90°	APLT 1504	125		40	63	-	15	10	6



PAS1000.90

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000039	PAS1000.90.050.22.05	90°	APMT 1604	50		22	45	-	15	5	1
000040	PAS1000.90.063.27.06	90°	APMT 1604	63		27	50	-	15	6	2
000041	PAS1000.90.080.27.07	90°	APMT 1604	80		27	50	-	15	7	7
000042	PAS1000.90.100.32.08	90°	APMT 1604	100		32	50	-	15	8	8



TS6901.01.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
006829	TS6901.01.40.25.114.04 MD	90°	CCMT 09T3	40	19	25	110	27	18	4	18



US3900.05.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000240	US3900.05.17,5.25.128	90°	LCMX 03	17,5		25	128	44	-	2	
000241	US3900.05.18.25.128	90°	LCMX 03	18		25	128	45	-	2	2
000460	US3900.05.18.25.138.02	90°	LCMX 03	18		25	138	55	-	2	3
016840	US3900.05.19.25.115	90°	LCMX 03	19		25	115	48	-	2	3
000242	US3900.05.19.25.128	90°	LCMX 03	19		25	128	48	-	2	
000461	US3900.05.19.25.138	90°	LCMX 03	19		25	138	58	-	2	2
000243	US3900.05.20.25.128	90°	LCMX 03	20		25	128	50	-	2	2
000244	US3900.05.21.25.143	90°	LCMX 04	21		25	143	53	-	2	6
000463	US3900.05.21.25.153	90°	LCMX 04	21		25	153	63	-	2	1
000464	US3900.05.22.25.153	90°	LCMX 04	22		25	153	66	-	2	2
000247	US3900.05.23.25.143	90°	LCMX 04	23		25	143	58	-	2	5
000465	US3900.05.23.25.153	90°	LCMX 04	23		25	153	69	-	2	5
000248	US3900.05.24.25.143	90°	LCMX 04	24		25	143	60	-	2	7
000466	US3900.05.24.25.153	90°	LCMX 04	24		25	153	72	-	2	2
000249	US3900.05.25.25.143.02	90°	LCMX 04	25		25	143	63	-	2	15
000467	US3900.05.25.25.153	90°	LCMX 04	25		25	153	75	-	2	1

US3902.05.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
009892	US3902.05.25.25.130	90°	SCET 0703, XPET 0703	25		25	130			2	2



US3910.05.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000206	US3910.05.22.25.125	90°	WCMX 0402	22		25	125	55	-	2	3
000207	US3910.05.23.25.125	90°	WCMX 0402	23		25	125	58	-	2	1
000208	US3910.05.24.25.125	90°	WCMX 0402	24		25	125	60	-	2	3
016838	US3910.05.25.25.125	90°	WCMX 0402	25		25	125	63	-	2	2
000209	US3910.05.25.25.133	90°	WCMX 0402	25		25	133	75	-	2	9
000211	US3910.05.27.25.133	90°	WCMX 0503	27		25	133	68	-	2	2
000212	US3910.05.28.25.133	90°	WCMX 0503	28		25	133	70	-	2	7



US3910.05.

90°

Art.	Referencia		Plaquita	ØD	ØD1	Ød	L	Lc	a	z	Unidades
000214	US3910.05.30.25.133	90°	WCMX 0503	30		25	133	75	-	2	1
000215	US3910.05.31.32.148	90°	WCMX 06T3	31		32	148	78	-	2	1
000217	US3910.05.33.32.148	90°	WCMX 06T3	33		32	148	80	-	2	3
000218	US3910.05.34.32.148	90°	WCMX 06T3	34		32	148	85	-	2	1
000220	US3910.05.36.32.163	90°	WCMX 06T3	36		32	163	90	-	2	7
000221	US3910.05.37.32.163	90°	WCMX 06T3	37		32	163	93	-	2	5
000222	US3910.05.38.32.163	90°	WCMX 06T3	38		32	163	95	-	2	1
016839	US3910.05.38.32.186	90°	WCMX 06T3	38		32	186	95	-	2	3
000223	US3910.05.39.32.186	90°	WCMX 06T3	39		32	186	98	-	2	4
000224	US3910.05.40.32.186	90°	WCMX 06T3	40		32	186	100	-	2	4
000225	US3910.05.41.40.193	90°	WCMX 0804	41		40	193	103	-	2	7
000226	US3910.05.42.40.193	90°	WCMX 0804	42		40	193	105	-	2	2
000229	US3910.05.45.40.193	90°	WCMX 0804	45		40	193	113	-	2	6
000232	US3910.05.49.40.230	90°	WCMX 0804	49		40	230	123	-	2	6
000237	US3910.05.54.40.230	90°	WCMX 0804	54		40	230	135	-	2	3