Index to Connector and Cable products

Welcome to Sherwood Connector Co.,Ltd.

We specialise in the manufacture and resale of cable assemblies and connectors.

We pride ourselves on customer service and our ability to react quickly to customer needs with competitive pricing, fast turnaround and high quality.

We have the capability to assemble and test complete electronic assemblies and welcome the opportunity to work with our customers at the design stage of new projects where we can advise on sourcing and economic manufacturing.

We also can tool and manufacture new connectors, die castings and plastic mouldings using the latest 3D modelling capabilities and tooling available in the Far East.

Description	Page
Cable Assembly	26~28
Customized Products	29
DC Connectors	5
D-Sub Connectors	16~17
D-Sub / DVI / Adaptor	18
D-Sub Hood / Centronics	19
FFC / FPC Connectors	11
Housing / Wafer / Wirehareness	7~8
IDC Flat Cable / Connectors	9~10
Memory Card Connectors	11
Mini Din / Din Connectors	20
PCB Jack / Plug	12~15
PCB'S, PCB ASSEMBLY & BOX BUILD	30
Phone Jack Connectors	22
Pin Header / Female Sockets	3~4
PLCC / IC Socket / Mini PCI	6
RCA Jack Connectors	21
RF Connectors	23~25
SATA Connectors	1
USB / HDMI Connectors	2

SATA

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

A01
SATA 7P DIP Male R/A
with boardlock

A02
SATA 7P DIP Vertical Male
double post A type

A03
SATA 7P DIP Vertical Male
double post B type

A04
SATA 7P DIP Vertical
Boardlock Male A type

A05
SATA 7P DIP Vertical
Boardlock Male B type

A07
SATA 7P DIP Vertical double
post metal shield B type

A08
SATA 7P Dip R/A Male
Boardlock

A09
SATA 7P Dip R/A with
metal shield

A70
SATA 15P Dual Pegs
SMT Male type

A71
SATA 15P Dual Pegs
DIP Male type

A80
SATA 7+15P R/A SMT
Male Board side

SH
Serial ATA cable

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

A20
USB A Type

A21
USB B Type

A20R
USB A Up Right Angle DIP

A28
USB Adaptor

A29
Mini USB

A31
Mini USB 5Pin male SMT type

A40
HDMI DIP type Dual flange

A41
HDMI DIP type Top flange

A42
HDMI DIP type w/o flange

A43
HDMI SMT type Dual flange

A44
HDMI SMT type Top flange

A45
HDMI SMT type w/o flange

www.sconnector.com.tw

Pin Header / Female Socket

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

B51
(0.80mm) Pin Header

B52
(0.80mm) Pin Header Board Spacer
(Dual Housing)

B53
(0.80mm) Female Socket

B54
(1.00mm) Pin Header
Housing H=1.5mm or 2.0mm

B54B
(1.00mm) Pin Header Board Spacer

B55
(1.00mm) Female Socket

B30
(1.27mm) Pin Header

B22B
(1.27mm) Pin Header
Board Spacer (Dual Housing)

B34
(1.27mm) Female Socket

B40
(2.00mm) Pin Header

B22A
(2.00mm) Pin Header
Board Spacer (Dual Housing)

B40S
(2.00mm) Pin Header
SMT + Right Angle

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

Pin Header / Female Socket

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

B51
(0.80mm) Pin Header

B52
(0.80mm) Pin Header Board Spacer
(Dual Housing)

B53
(0.80mm) Female Socket

B54
(1.00mm) Pin Header
Housing H=1.5mm or 2.0mm

B54B
(1.00mm) Pin Header Board Spacer

B55
(1.00mm) Female Socket

B30
(1.27mm) Pin Header

B22B
(1.27mm) Pin Header
Board Spacer (Dual Housing)

B34
(1.27mm) Female Socket

B40
(2.00mm) Pin Header

B22A
(2.00mm) Pin Header
Board Spacer (Dual Housing)

B40S
(2.00mm) Pin Header
SMT + Right Angle

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

SH5520
DC Plug molding / screw type

SH5521
DC Plug ass'y type / screw type

DC24R
DC Power Jack R/A / Screw type

DC24
DC Power Jack Straight / Screw type

SH210
DC Power Jack R/A Dip Unshieled

SH210S
DC Power jack R/A Dip Shielded

DC30
DC Plug ass'y type

DC07
DC Power Jack

DC17
DC Power Jack

DC25
DC Power Jack DIP R/A type

DC08
DC Power Jack SMT type

DC09
DC Power Jack SMT type

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

PLCC Socket / Mini PCI / PCI

D20
PLCC SOCKET DIP TYPE

D21
PLCC SOCKET SMT TYPE

D23
(2.54mm) IC Socket Stamped Pin

D23M
(2.54mm) IC Socket Machined pin

D24
Simm Socket

D31
Mini PCI
H=9.2mm, 11.0mm, 13.0mm,15.5

K50
(1.27mm) Edge Card R/A type

K51
(2.54mm) Edge Card Connector

K51B
(2.54mm) Edge Card straddle pin typ

K52
(3.175mm) Edge Card Connector

B31
(3.96mm) Edge Card Connector

B31F
(3.96mm) Edge Card Pressfit type

www.sconnector.com.tw

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

E00
(0.8mm) Discrete Housing / Terminal

E02
(0.9mm) Housing / Terminal

E03
(1.00mm) Crimp / SMT type

E04
(1.00mm) Crimp / SMT type

E05
(1.00mm) Crimp / SMT type

E10
(1.25mm) Crimp / DIP type

E70
(1.25mm) Wafer SMT type

E12
(1.50mm) DIP / SMT type

E16
(2.00mm) Center Mini Latch type

E17
(2.00mm) Crimp type

E18
(2.00mm) Board in Crimp type

E19
(2.00mm) Wire to board Crimp type

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

E20
(2.00mm) Crimp type

E22/E23
(2.50mm) Crimp type

E33
(2.50mm) Crimp type

E49
(2.50mm) Crimp type

E24/E25
(2.54mm) Crimp type

E26/E27
(3.96mm) Crimp type

E32/E35
(3.00mm) Micro Fit Power Connector

E29
(4.20mm) Mini Fit Power Connector

E34
(5.00mm) Crimp type

E50
(5.00mm) Power connector

E36
(5.08mm) Power connector

E68/E68A
(5.08mm) Power connector

www.sconnector.com.tw

IDC Connector

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

F20S
(2.54mm) IDC SKT Single Row

F20B
(1.27mm) IDC SKT 4 Rows

F30
(1.27mm) IDC SKT

F40
(2.00mm) IDC SKT
2 contact, 3 contact,
4 contact all availabe

F20
(2.54mm) IDC SKT

F34
(1.27mm) DIP PLUG

F44
(2.00mm) DIP PLUG

F24
(2.54mm) DIP PLUG
0.1*0.1", 0.1*0.3", 0.1*0.6"

F23
(2.54mm) I.D.C. Plug
with Latch or w/o Latch availabe

F26
(2.54mm) I.D.C. Card Edge

F53
ULTRA ATA I.D.C. Socket

F54
ULTRA ATA DIP Plug

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

IDC Cable / PCB Connector

F27
(1.27mm) Latched Header

F41
(2.00mm) Latched Header

F21
(2.54mm) Latched Header

F28
(1.27mm) Box Header

F43
(2.54mm or 2.00mm)
Box Header Molex Type

F42
(2.00mm) Box Header

F22
(2.54mm) Box Header

F28A
(1.27mm) Box Header
Elevated Straight Type

F42A
(2.00mm) Box Header
Elevated Straight Type

F22A
(2.54mm) Box Header
Elevated Straight Type

C00(was F45)
I.D.C. Flat Cable
2.54mm, 1.27mm, 1.00mm, 0.635mm

SH
Cable Ass'y
(upon customer's design)

www.sconnector.com.tw

FFC / Card Connector

SHERWOOD Connector Co., Ltd.

www.sconnector.com.tw

G23
(0.50mm) FPC/FFC SMT ZIF
Right angle/Vertical

G23L
(0.50mm) FPC/FFC SMT ZIF

G23N
(0.50mm) FPC/FFC SMT ZIF
Right angle/Vertical/Piano Type

G24
(0.80mm) FPC/FFC SMT ZIF

G22
(1.00mm) FPC/FFC SMT ZIF
Right Angle/Vertical

G22D
(1.00mm) FPC/FFC DIP Non-ZIF

G22B
(1.00mm) FPC/FFC DIP ZIF

SC
FFC Cable (Upon Customer design)

G40
SD Card Connector

G50
Smart Card Connector
Open / Close type

G52-D
Sim Card Connector

G52-N
Sim Card Connector

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

MF
Side Entry/ Shielded/ with transformer / LED / multiport available upon request

MLA
Side Entry/Unshield or Shield/
W(16.55) H(13.10) D(15.70)

ML
Side Entry/With LED/Shielded or Unshielded
W(16.89) H(13.46) D(15.75)

www.sconnector.com.tw

M01
Side Entry/Unshielded/SMT
W(x) H(11.50) D(18.10)

M02
Side Entry/Unshielded/SMT
W(x) H(11.50) D(18.03)

M30
Side Entry/Unshielded/SMT
W(x) H(12.57) D(18.03)

M53
Side Entry/Shielded/SMT
W(15.6) H(12.0) D(18.70)

M03
Side Entry/Unshielded
W(x) H(11.50) D(18.00)

M07
Side Entry/Unshielded
W(x) H(16.00) D(20.60)

M10
Side Entry/Unshielded
W(x) H(13.00) D(14.50)

M10A
Side Entry/Unshielded
W(x) H(14.50) D(15.00)

M11
Side Entry/Unshielded
W(13.97) H(12.07) D(18.03)

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

M12
Side Entry/Unshielded
W(15.00) H(12.50) D(20.50)

M16
Side Entry/Unshielded/Multi-port
W(x) H(13.00) D(14.50)

M55
Side Entry/Unshielded/Multi-port

M20
Side Entry/Unshielded
W(x) H(12.57) D(18.03)

M60
Side Entry/Unshilded
W(16.00) H(12.00) D(18.25)

M21
Side Entry/Shielded
W(14.62) H(12.95) D(18.67)

M13
Side Entry/Shielded
W(15.88) H(13.65) D(21.40)

M52
Side Entry/Shielded
W(x) H(11.75) D(18.65)

M57
Side Entry/Shielded
W(15.80)

M31
Side Entry/Half-Shielded
W(15.80)

M91
Side Entry/Shielded / Multiport /
with LED

M05
Side Entry/Unshielded
Multi-Port

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

M06
Side Entry/Shielded/Multi-port

M15B
Top Entry/Unshielded/Multi-port

M33
Side Entry/Multi-port

SHJ
Top Entry/Unshielded/SMT
W(15.50) H(12.80) D(12.80)

M04
Top Entry/Unshielded
W(x) H(16.29) D(16.56)

M19
Top Entry/Unshielded
W(x) H(16.38) D(15.88)

M09
Top Entry/Unshielded
W(x) H(16.38) D(15.88)

M17
Top Entry/Unshielded/DIP or SMT
W(15.40) H(12.70)

M14
Top Entry/Shielded
W(17.90) H(16.60) D(16.50)

M40
Bottom Entry/Unshielded

M41
45 Degree/Unshielded

M42
45 Degree/Shielded

www.sconnector.com.tw

PCB Jack / Plug Connector

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

M47
Inline Coupler

M71
Side Entry/ Shielded or Unshielded /

TAE
TAE connector

N01
PCB Plug
Cat. 5 Cat. 6 available

N01S
RJ45 Plug short body

N01U
British Plug

N04
RJ45 Boot

TL222
Coupler

KJ8
Keystone Jack

SHERWOOD
Connector Co., Ltd.

Wired Jack
(Upon customer's design)

Wired Jack
(Upon customer's design)

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

R09
D-Sub R/A Compact Type
9way female

R10
D-Sub R/A Footprint 3.08mm
(for VGA card)

R11
D-Sub R/A Long Body
(for VGA card)

R14
D-Sub R/A all plastic

R13
D-Sub R/A Footprint 5.00mm

R31
D-Sub R/A Footprint
7.20mm(0.318")

R32
D-Sub R/A Footprint
9.40mm(0.405")

R33
D-Sub R/A Footprint
13.84mm(0.590")

R38
D-Sub H.D. R/A Type

R40
D-Sub R/A 7.2mm (0.318")
with EMI Filter

R41
D-Sub H.D. R/A
with EMI Filter

R44
D-Sub R/A 7.2mm
Machined pin(w/o rear cover)

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

R54
D-Sub R/A 9.4mm
Machined pin (w/o rear cover)

R36
D-Sub R/A Dual Port

R46
D-Sub R/A Dual Port

R20
D-Sub R/A Slim type

R21
D-Sub R/A SMT type

RR35
D-Sub PCB(DIP)
High Profile Housing

R30
D-Sub PCB(DIP)
Stamped or Machined pin

R37
D-Sub H.D. PCB Type(DIP)
Stamped or Machined pin

R30P
D-Sub Straight Pressfit type

R31P
D-Sub R/A Pressfit type

R34
D-Sub Solder Type
Stamped or Machined pin

R39
D-Sub H.D. Solder Type
Stamped or Machined pin

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

R35
D-Sub Crimp Type

R60
D-Sub H.D. Crimp Type

R50
D-Sub Coaxial Type

15-A
Customized D-sub Machined
Products Available upon request

15-B
Customized D-sub Machined
Products Available upon request

V35
V.35 Crimp Type

V35S
V.35 PCB Straight Type

V35R
V.35 PCB R/A Type

DIV-S
DVI Socket
Vertical or Right Angle

RA
Scart Connector

V.35 Adaptor
Side Entry/Unshielded/Multi-port
W(x) H(13.00) D(14.50)

F31(was R42)
D-Sub IDC type

www.sconnector.com.tw

D-Sub Hood / Centronics

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

R61_P
D-Sub Hood _ Plastic or Metalized plastic
Different shapes upon request

R61-M
D-Sub Hood _ Metal
Different shapes upon request

R45
RS232 to Modular Jack

SC
D-Sub Adaptor

R70
Mini Gender Changer

R64
Centronics Right Angle

R65
Centronics IDC Type

R63/R66
Centronics Solder/with Metal Shell

R66B
Centronics with R/A Hood type with shell

R66C
Centronics Discrete IDC Type

R67
Centronics P.C.B. Type

R68
Centronics 夾板式(straddle mount)

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

S41
Mini Din shielded

S25
Mini Din Stack Type

S20-X-X
Mini Din/Din Connector

S38
Power Jack 3Pin / 4Pin

S54
Din Plug Assembly 3Pin ~ 8Pin

S55
Din Plug Assembly 3Pin ~ 8Pin

SH623
Din Jack Screw on type

SH624
Din Plug Screw on type

S201
Mini Din Connector

S202
Mini Din Connector

S203
Mini Din Connector

S204
Mini Din Connector

www.sconnector.com.tw

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

SCJ
RCA Jack Connector

S77
RCA Jack Connector

S7A
RCA Jack Connector

S7B
RCA Jack Connector

S7C
RCA Jack Connector

S7D
RCA Jack Connector

S7E
RCA Jack Connector

S7F
RCA Jack Connector

S7G
RCA Jack Connector

S7H
RCA Jack Connector

S7I
RCA Jack Connector

S7J
RCA Jack Connector

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

PJ01
Phone Jack

PJ02
Phone Jack

PJ03
Phone Jack Ø3.5mm Dip type

PJ04
Phone Jack Ø3.5mm Dip type

PJ05
Phone Jack Ø3.5mm Dip type

PJ06
Phone Jack Ø3.5mm Dip type

PJ07
Phone Jack Ø3.5mm Dip type

PJ08
Phone Jack Ø3.5mm Dip type

PJ09
Phone Jack Stacked type

PJ10
Phone Jack Ø3.5mm 3 Pole
Straight type

PJ11
Phone Jack Ø3.5mm Dip type

PJ12
Phone Jack

www.sconnector.com.tw

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

SB01
BNC Plug Crimp for cable

S24
BNC Jack R/A for PCB Mount

S2D
BNC Jack R/A for PCB Mount
(Metal Body)

S2G
BNC Jack R/A for PCB Mount

S2H
BNC Jack R/A PCB Mount
(Metal type)

FC-P-S-01
F Plug STR. Twist On for cable

FC-P-S-02
F Plug STR. Crimp plug for cable

FP-J-S-01
F Jack STR. for PCB Mount

FP-J-R-01
F Jack R/A for PCB Mount

FB-01
F Jack for Bulkhead

FMEC-J-S-01
FME Jack STR. Crimp for cable

FMEC-J-R-01
FME Jack R/A Crimp for cable

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

FMEP-P-R-01
FME Plug R/A For PCB Mount

FMEB-J-S-01
FME Jack STR. For Bulkhead

MCXC-P-S-01
MCX Plug STR. Crimp for Cable

MCXC-P-R-01
MCX Plug R/A Crimp for Cable

MCXC-J-S-01
MCX Jack STR. Crimp for Cable

MCXP-P-S-01
MCX Plug STR. For PCB Mount

MMCXC-P-S-01
MMCX Plug STR. Crimp for Cable

MMCXC-P-R-01
MMCX Plug R/A Crimp for Cable

MMCXC-J-S-01
MMCX Jack STR. Crimp for Cable

MMCXE-P-01
MMCX Plug Edgecard for PCB Mount

MMCXP-P-S-01
MMCX Plug STR. For PCB Mount

SMAC-P-S-01
SMA Plug STR. Crimp for cable

www.sconnector.com.tw

SHERWOOD Connector Co., Ltd.

www.sconnector.com.tw

SMAC-P-R-01
SMA Plug R/A Crimp for cable

SMAP-J-S-01
SMA Jack STR. for PCB Mount

SMAP-J-R-01
SMA Jack R/A for PCB Mount

SMBC-P-S-01
SMB Plug STR. Crimp for Cable

SMBC-J-S-01
SMB Jack STR. Crimp for Cable

SMBP-P-S-01
SMB Plug STR. for PCB Mount

STB
BNC Termination

AD21
BNC to BNC adaptor

AD22
BNC to Double BNC Adaptor

AD23
BNC to Double BNC Adaptor

AD24
BNC to RCA Adaptor

ST01
SMA Termination

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

Flat Cable Ass'y

SATA Cable

ESATA Cable

Jumper Wire Cable

FFC Cable

DF9 Cable

www.sconnector.com.tw

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

Cat.5(e) Cable

MDR Cable

Infiniband cable

Moulded Cable

Moulded Cable

DC Cable

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

Wirehareness

Wirehareness

RF Cable

RF Cable

Machine

Machine

www.sconnector.com.tw

Customized Products

SHERWOOD
Connector Co., Ltd.

www.sconnector.com.tw

Tel: 886-2-85123078 Fax: 886-2-85123046 Email: sales@sconnector.com.tw

PCB'S, PCB ASSEMBLY & BOX BUILD

www.sconnector.com.tw